

NEXVRADIGITAL

WEBSITE & CRM INFRASTRUCTURE DOCUMENTATION

Production URL:	https://nexvra.in	CRM Gateway:	https://nexvra.in/crm
CRM Passcode:	93** (Masked)	Last Updated:	July 12, 2026

1. Executive Infrastructure Overview

This document provides a comprehensive technical overview of the NEXVRA Digital agency website, the unified client relations manager (CRM) pipeline dashboard, the underlying cloud datastores, the active transactional email routing systems, security rules, and localized parameters implemented to optimize operations.

2. Hosting & Database Architecture

Service Node	Provider / Host	Technical Details & Configuration
Frontend & Serverless APIs	Vercel	Hosted serverless under the nexvrattech project namespace. Automatically compiles static assets and routes endpoints from /api/*.
Main CRM Datastore	Upstash Redis	Serverless Redis database providing persistent JSON storage for leads, checklist tasks, calendar events, and client metrics.
Connection String	Redis Protocol	redis://default:au7Ff1Eo*****@neoradiant-beginner-house-18827.db.redis.io:17507 (Masked)

3. Transactional & Marketing Email Configurations

Gateway Service	Credentials / Config Keys	Usage & Limits
Resend API (Active)	re_KTMbfu***** (Masked)	Dispatches the premium styled HTML email notifications on

Gateway Service	Credentials / Config Keys	Usage & Limits
		new bookings. Free sandbox limit is 100 emails/day.
Web3Forms (Backup)	39b762ce-***** (Masked)	Formerly triggered email notifications directly from the browser. Currently bypassed in favor of secure server-side HTML Resend mails.
Sender Envelope	onboarding@resend.dev	Default sender handle. To use custom domain tags (e.g., bookings@nexvra.in), verify the domain in the Resend dashboard.
Recipient Targets	nexvratech@gmail.com / slikhith603@gmail.com	Sandbox constraints only allow mailing the registered account owner (nexvratech@gmail.com) until custom domain DNS is set up.

4. Core Work & Updates Completed

- **CRM Rendering Stability:** Added defensive fallback logic (e.g. defaulting value properties and mapping methods) to prevent frontend crashes on leads with empty data structures.
- **Indian IP Geolocation Parser:** Upgraded the client IP resolver inside `/api/submit-lead.js` to prioritize proxy and edge CDN headers (`x-vercel-forwarded-for`, `cf-connecting-ip`). This correctly fetches and resolves the client's home ISP IP (e.g. Bangalore, Karnataka) instead of resolving to Vercel's server node IPs in Singapore or the US.
- **Carrier & Format Validation:** Integrated API checks using Numverify and IPstack to parse phone structures, validate carrier attributes, and log network flags against client database files.
- **Cleaned Double-Writes:** Extracted duplicate local storage write blocks from the landing page booking handler. Bookings are now sent purely to the secure Cloud DB, eliminating duplicate CRM logs when developers or clients test multiple bookings in a single browser window.
- **Merged Dashboard Activity:** Combined the separate timeline event logs (like "Lead Created" and "Call Scheduled") into a single clean transaction row within the dashboard activity feed to prevent UI clutter.
- **GDPR & Cookie Banner Compliance:** Implemented a dark glassmorphic Cookie Consent Banner and preferences manager modal. User preferences are safely parsed and preserved under local cookie keys.
- **Security Hardening:** Configured strict Content Security Policies, clickjacking protection, and blocks for content sniffing inside `vercel.json`. Locked cross-origin scripting (CORS) headers on `/api/leads` and `/api/submit-lead` strictly to `nexvra.in` domains and local development environments.

5. Active API Route Registry

Endpoint	Method	Access Control	Functional Summary
<code>/api/submit-lead</code>	POST	Public CORS	Resolves visitor geolocations, runs carrier checks, stores leads in Redis, and dispatches Resend HTML emails.
<code>/api/leads</code>	GET	Auth Header	Fetches the entire lead database. Requires standard verification via Authorization: Bearer <passcode>.

6. Verified Environment Settings (Masked for Shareable Reference)

```
REDIS_URL="redis://default:au7Ff1Eo*****@neoradiant-beginner-house-18827.db.redis.io:17507" NUMVERIFY_API_KEY="9c4a862b*****"
IPSTACK_API_KEY="244608ed*****"
RESEND_API_KEY="re_KTMbfuwg*****"
```

NEXVRA Digital · Shared Reference Manual · Masked Security Release