```
import requests   # for API calls
import pandas as pd   # for working with tabular data
import json       # for handling JSON responses
```

```
url = "https://api.sportradar.com/tennis/trial/v3/en/competitions.json"
params = {"api_key": "YOUR_API_KEY"}   # pass your key here

response = requests.get(url, params=params)

# Check status
print("Status Code:", response.status_code)
```

```
Status Code: 403
```

1. Competitions API — Sample JSON

```
json_string = """
{
  "generated_at": "2026-02-27T05:59:15+00:00",
  "competitions": [
    {
      "id": "sr:competition:620",
      "name": "Hopman Cup",
      "type": "mixed",
      "gender": "mixed",
      "parent_id": null,
      "category": {
        "id": "sr:category:181",
        "name": "Hopman Cup"
      }
    },
    {
      "id": "sr:competition:2555",
      "name": "Wimbledon Men Singles",
      "type": "singles",
      "gender": "men",
      "parent_id": "sr:competition:2553",
      "category": {
        "id": "sr:category:3",
        "name": "ATP"
      }
    }
  ]
}
"""

data = json.loads(json_string)
print("Successfully parsed JSON data. The 'data' variable now holds the content.")
```

```
Successfully parsed JSON data. The 'data' variable now holds the content.
```

2. Complexes & Venues API — Sample JSON

```
{
  "generated_at": "2026-02-27T06:07:57+00:00",
  "complexes": [
    {
      "id": "sr:complex:705",
      "name": "Nacional",
      "venues": [
        {
          "id": "sr:venue:70045",
          "name": "Cancha Central",
          "city_name": "Santiago",
          "country_name": "CHILE",
          "country_code": "CHL",
          "timezone": "America/Santiago"
        },
        {
          "id": "sr:venue:74858",
          "name": "Court One",
```

```
            "city_name": "Santiago",
            "country_name": "CHILE",
            "country_code": "CHL",
            "timezone": "America/Santiago"
          }
        ]
      }
    ]
  }
```

```
{'generated_at': '2026-02-27T06:07:57+00:00',
 'complexes': [{'id': 'sr:complex:705',
   'name': 'Nacional',
   'venues': [{'id': 'sr:venue:70045',
     'name': 'Cancha Central',
     'city_name': 'Santiago',
     'country_name': 'CHILE',
     'country_code': 'CHL',
     'timezone': 'America/Santiago'},
    {'id': 'sr:venue:74858',
     'name': 'Court One',
     'city_name': 'Santiago',
     'country_name': 'CHILE',
     'country_code': 'CHL',
     'timezone': 'America/Santiago'}]}]}
```


3. Competitor Rankings API — Sample JSON


```
{
  "generated_at": "2026-02-27T06:08:56+00:00",
  "rankings": [
    {
      "type_id": 1,
      "name": "ATP",
      "year": 2026,
      "week": 9,
      "gender": "men",
      "competitor_rankings": [
        {
          "rank": 1,
          "movement": 0,
          "points": 13550,
          "competitions_played": 18,
          "competitor": {
            "id": "sr:competitor:407573",
            "name": "Alcaraz, Carlos",
            "country": "Spain",
            "country_code": "ESP",
            "abbreviation": "ALC"
          }
        },
        {
          "rank": 2,
          "movement": 0,
          "points": 10400,
          "competitions_played": 19,
          "competitor": {
            "id": "sr:competitor:225050",
            "name": "Sinner, Jannik",
            "country": "Italy",
            "country_code": "ITA",
            "abbreviation": "SIN"
          }
        }
      ]
    }
  ]
}
```

```
{'generated_at': '2026-02-27T06:08:56+00:00',
 'rankings': [{'type_id': 1,
   'name': 'ATP',
   'year': 2026,
   'week': 9,
   'gender': 'men',
   'competitor_rankings': [{'rank': 1,
     'movement': 0,
     'points': 13550,
```

```
        'competitions_played': 18,
        'competitor': {'id': 'sr:competitor:407573',
         'name': 'Alcaraz, Carlos',
         'country': 'Spain',
         'country_code': 'ESP',
         'abbreviation': 'ALC'}},
       {'rank': 2,
        'movement': 0,
        'points': 10400,
        'competitions_played': 19,
        'competitor': {'id': 'sr:competitor:225050',
         'name': 'Sinner, Jannik',
         'country': 'Italy',
         'country_code': 'ITA',
         'abbreviation': 'SIN'}}]}]}
```

```
{
  "generated_at": "2026-02-27T06:00:00+00:00",
  "rankings": [
    {
      "type": "singles",
      "gender": "men",
      "name": "ATP Singles",
      "competitor_rankings": [
        {
          "rank": 1,
          "movement": 0,
          "points": 8000,
          "competitions_played": 18,
          "competitor": {
            "id": "sr:competitor:123",
            "name": "Player Name",
            "country": "Spain",
            "country_code": "ESP",
            "abbreviation": "PN"
          }
        }
      ]
    }
  ]
}
```

```
{'generated_at': '2026-02-27T06:00:00+00:00',
 'rankings': [{'type': 'singles',
   'gender': 'men',
   'name': 'ATP Singles',
   'competitor_rankings': [{'rank': 1,
     'movement': 0,
     'points': 8000,
     'competitions_played': 18,
     'competitor': {'id': 'sr:competitor:123',
      'name': 'Player Name',
      'country': 'Spain',
      'country_code': 'ESP',
      'abbreviation': 'PN'}}]}]}
```

```
import json
import psycopg2

try:
    # Connect
    conn = psycopg2.connect(
        database="tennis_db",
        user="postgres",
        password="raksha",
        host="localhost",
        port="5432"
    )

    cursor = conn.cursor()

    # -------------------------
    # Insert Competitions
    # -------------------------

    with open("competitions.json", "r", encoding="utf-8") as f:
        data = json.load(f)
```

```
for comp in data.get("competitions", []):
    category = comp.get("category", {})

    cursor.execute("""
        INSERT INTO Categories (category_id, category_name)
        VALUES (%s, %s)
        ON CONFLICT (category_id) DO NOTHING;
    """, (category.get("id"), category.get("name")))

    cursor.execute("""
        INSERT INTO Competitions
        (competition_id, competition_name, type, gender, parent_id, category_id)
        VALUES (%s, %s, %s, %s, %s, %s)
        ON CONFLICT (competition_id) DO NOTHING;
    """, (
        comp.get("id"),
        comp.get("name"),
        comp.get("type"),
        comp.get("gender"),
        comp.get("parent_id"),
        category.get("id")
    ))

# -------------------------
# Insert Complexes
# -------------------------

with open("complexes.json", "r", encoding="utf-8") as f:
    complexes_data = json.load(f)

for compx in complexes_data.get("complexes", []):

    cursor.execute("""
        INSERT INTO Complexes (complex_id, complex_name)
        VALUES (%s, %s)
        ON CONFLICT (complex_id) DO NOTHING;
    """, (compx.get("id"), compx.get("name")))

    for venue in compx.get("venues", []):
        cursor.execute("""
            INSERT INTO Venues
            (venue_id, venue_name, city_name, country_name, country_code, timezone, complex_id)
            VALUES (%s, %s, %s, %s, %s, %s, %s)
            ON CONFLICT (venue_id) DO NOTHING;
        """, (
            venue.get("id"),
            venue.get("name"),
            venue.get("city_name"),
            venue.get("country_name"),
            venue.get("country_code"),
            venue.get("timezone"),
            compx.get("id")
        ))

# -------------------------
# Insert Rankings
# -------------------------

with open("rankings.json", "r", encoding="utf-8") as f:
    rankings_data = json.load(f)

for ranking in rankings_data.get("rankings", []):
    for comp_rank in ranking.get("competitor_rankings", []):

        competitor = comp_rank.get("competitor", {})

        cursor.execute("""
            INSERT INTO Competitors
            (competitor_id, name, country, country_code, abbreviation)
            VALUES (%s, %s, %s, %s, %s)
            ON CONFLICT (competitor_id) DO NOTHING;
        """, (
            competitor.get("id"),
            competitor.get("name"),
            competitor.get("country"),
            competitor.get("country_code"),
            competitor.get("abbreviation")
```

```
            ))

            cursor.execute("""
                INSERT INTO Competitor_Rankings
                (rank, movement, points, competitions_played, competitor_id)
                VALUES (%s, %s, %s, %s, %s);
            """, (
                comp_rank.get("rank"),
                comp_rank.get("movement"),
                comp_rank.get("points"),
                comp_rank.get("competitions_played"),
                competitor.get("id")
            ))

    # Commit ONCE
    conn.commit()

    # Close ONCE
    cursor.close()
    conn.close()

    print("All data inserted successfully ")

except Exception as e:
    print("Error:", e)
```

```
Error: connection to server at "localhost" (::1), port 5432 failed: Connection refused
        Is the server running on that host and accepting TCP/IP connections?
connection to server at "localhost" (127.0.0.1), port 5432 failed: Connection refused
        Is the server running on that host and accepting TCP/IP connections?
```