```
\# Tic-Tac-Toe Program using
# random number in Python

# importing all necessary libraries
import numpy as np
import random
from time import sleep

# Creates an empty board


def create_board():
  return(np.array([[0, 0, 0],
                   [0, 0, 0],
                   [0, 0, 0]]))

# Check for empty places on board


def possibilities(board):
  l = []

  for i in range(len(board)):
    for j in range(len(board)):

      if board[i][j] == 0:
        l.append((i, j))
  return(l)
```

```
# Select a random place for the player


def random_place(board, player):
    selection = possibilities(board)
    current_loc = random.choice(selection)
    board[current_loc] = player
    return(board)

# Checks whether the player has three
# of their marks in a horizontal row


def row_win(board, player):
    for x in range(len(board)):
        win = True

        for y in range(len(board)):
            if board[x, y] != player:
                win = False
                continue

        if win == True:
            return(win)
    return(win)

# Checks whether the player has three
```

```
# of their marks in a vertical row



def col_win(board, player):
    for x in range(len(board)):
        win = True

        for y in range(len(board)):
            if board[y][x] != player:
                win = False
                continue

        if win == True:
            return(win)
    return(win)

# Checks whether the player has three
# of their marks in a diagonal row



def diag_win(board, player):
    win = True
    y = 0
    for x in range(len(board)):
        if board[x, x] != player:
            win = False
    if win:
        return win
```

```
    win = True
    if win:
        for x in range(len(board)):
            y = len(board) - 1 - x
            if board[x, y] != player:
                win = False
    return win

# Evaluates whether there is
# a winner or a tie


def evaluate(board):
    winner = 0

    for player in [1, 2]:
        if (row_win(board, player) or
                col_win(board, player) or
                diag_win(board, player)):

            winner = player

    if np.all(board != 0) and winner == 0:
        winner = -1
    return winner

# Main function to start the game
```

```
def play_game():
    board, winner, counter = create_board(), 0, 1
    print(board)
    sleep(2)

    while winner == 0:
        for player in [1, 2]:
            board = random_place(board, player)
            print("Board after " + str(counter) + " move")
            print(board)
            sleep(2)
            counter += 1
            winner = evaluate(board)
            if winner != 0:
                break
    return(winner)



# Driver Code
print("Winner is: " + str(play_game()))
```