VIT®

Vellore Institute of Technology

(Deemed to be University under section 3 of UGC Act, 1956)

Agile Lab Assessment – 1

Name : P. Likitha

Reg no. :23MIS0243

Course code: ISWE406P

Slot : L49+L50

Git Commands to Execute the following case studies in VS Code

CASE STUDY 1: New Project Version Control Setup , and

CASE STUDY 2: Tracking Daily Code Changes

Enable version control for a new Library Management System project, and Track daily updates in Student Registration Module.





```
PS C:\Users\likit\lib_mgmt_sys> git diff
diff --git a/library.py b/library.py
index 7c24b4d..62499fb 100644
--- a/library.py
+++ b/library.py
@@ -3,3 +3,4 @@
 print("Welcome to Library Management System")
 print("Student Registration Module Loaded")
 print("Login Feature Added")
+print("Student Registration Module Loaded")
```

```
PS C:\Users\likit\lib_mgmt_sys> git add library.py
```

```
PS C:\Users\likit\lib_mgmt_sys> git commit -m "Added student registration module"
>> C:\Users\likit\lib_mgmt_sys>
[master 59aebc4] Added student registration module
 1 file changed, 1 insertion(+)
```

```
PS C:\Users\likit\lib_mgmt_sys> git log --oneline
>>
59aebc4 (HEAD -> master) Added student registration module
ad0f400 (origin/master, origin/HEAD) Initial commit - Library Management System
```

```
@@ -0,0 +1,5 @@
+ # lib_mgmt_sys project
+
+ print("Welcome to Library Management System")
+ print("Student Registration Module Loaded")
+ print("Login Feature Added")
```

```
PS C:\Users\likit\lib_mgmt_sys> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 96.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Liki-git/lib_mgmt_sys.git
   ad0f400..59aebc4  master -> master
PS C:\Users\likit\lib_mgmt_sys> git commit
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        lib_mgmt_sys/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\likit\lib_mgmt_sys>
```

```
PS C:\Users\likit\lib_mgmt_sys> git add library.py
>> git commit -m "Final visible change test"
>> git push origin master
>>
[master 05b9d05] Final visible change test
 1 file changed, 1 insertion(+)
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 333 bytes | 83.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Liki-git/lib_mgmt_sys.git
   59aebc4..05b9d05  master -> master
PS C:\Users\likit\lib_mgmt_sys>
```

Public repository

master | Go to file | + | Code

Liki-git Final visible change test 05b9d05 · 1 minute ago

library.py Final visible change test 1 minute ago

README

1 file changed +1 -0 lines changed | Search within code

library.py

```diff
@@ -1,6 +1,7 @@
# lib_mgmt_sys project

print("Welcome to Library Management System")
print("Student Registration Module Loaded")
print("Login Feature Added")
print("Student Registration Module Loaded")
+ print("Library Management System - FINAL VERSION")
```

CASE STUDY 3: Feature Development Using Branches

Develop Login feature without disturbing main code

library.py

You, 6 seconds ago | 1 author (You)

```python
# lib_mgmt_sys project

print("Welcome to Library Management System")
print("Student Registration Module Loaded")
print("Login Feature Added")
print("Student Registration Module Loaded")
print("Library Management System - FINAL VERSION")
print("Login Feature Loaded")
```

PROBLEMS OUTPUT TERMINAL ··· powershell

```
PS C:\Users\likit\lib_mgmt_sys> git checkout -b login_feature
>>
Switched to a new branch 'login_feature'
PS C:\Users\likit\lib_mgmt_sys>
```

```
PS C:\Users\likit\lib_mgmt_sys> git add library.py
PS C:\Users\likit\lib_mgmt_sys> git commit -m "Added login feature"
[login_feature 7ce5c69] Added login feature
 1 file changed, 1 insertion(+)
PS C:\Users\likit\lib_mgmt_sys>
```

```
PS C:\Users\likit\lib_mgmt_sys> git checkout master
>>
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
PS C:\Users\likit\lib_mgmt_sys>
```

CASE STUDY 4: Merging Feature into Main Code

Merge approved Login feature into main branch.

```
PS C:\Users\likit\lib_mgmt_sys> git checkout master
>>
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
PS C:\Users\likit\lib_mgmt_sys>
PS C:\Users\likit\lib_mgmt_sys> git merge login_feature
>>
Updating 05b9d05..7ce5c69
Fast-forward
 library.py | 1 +
 1 file changed, 1 insertion(+)
PS C:\Users\likit\lib_mgmt_sys>
```

```
PS C:\Users\likit\lib_mgmt_sys> python library.py
>>
Welcome to Library Management System
Student Registration Module Loaded
Login Feature Added
Student Registration Module Loaded
Library Management System - FINAL VERSION
Login Feature Loaded
PS C:\Users\likit\lib_mgmt_sys> git push origin master
>>
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 96.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Liki-git/lib_mgmt_sys.git
   05b9d05..7ce5c69  master -> master
PS C:\Users\likit\lib_mgmt_sys>
```



CASE STUDY 5: Working with Remote Repository

Share project using GitHub.

```
PS C:\Users\likit\lib_mgmt_sys> git remote -v
>>
origin  https://github.com/Liki-git/lib_mgmt_sys.git (fetch)
origin  https://github.com/Liki-git/lib_mgmt_sys.git (push)
```

```
PS C:\Users\likit\lib_mgmt_sys> git push origin master
>>
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 96.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Liki-git/lib_mgmt_sys.git
   05b9d05..7ce5c69  master -> master
PS C:\Users\likit\lib_mgmt_sys>
```

CASE STUDY 6: Undoing Mistakes

Discard incorrect file modification.

```
PS C:\Users\likit\lib_mgmt_sys> git diff
>>
diff --git a/library.py b/library.py
index 6529907..af3b9bd 100644
--- a/library.py
+++ b/library.py
@@ -6,3 +6,4 @@ print("Login Feature Added")
 print("Student Registration Module Loaded")
 print("Library Management System - FINAL VERSION")
 print("Login Feature Loaded")
+print("THIS IS A WRONG CHANGE")
PS C:\Users\likit\lib_mgmt_sys>
```

```
+print("THIS IS A WRONG CHANGE")
PS C:\Users\likit\lib_mgmt_sys> git checkout -- library.py
>>
```

Automatically undo in the editor window

```
Welcome    library.py
library.py
You, 5 minutes ago | 1 author (You)
1  # lib_mgmt_sys project
2
3  print("Welcome to Library Management System")
4  print("Student Registration Module Loaded")
5  print("Login Feature Added")
6  print("Student Registration Module Loaded")
7  print("Library Management System - FINAL VERSION")
8  print("Login Feature Loaded")
9
```

CASE STUDY 7: Handling Merge Conflicts

Two developers modify the same file.

```
PS C:\Users\likit\lib_mgmt_sys> git checkout -b conflict_branch
>>
Switched to a new branch 'conflict_branch'
PS C:\Users\likit\lib_mgmt_sys> git add library.py
>>
PS C:\Users\likit\lib_mgmt_sys> git commit -m "Conflict branch change"
[conflict_branch 4b0c020] Conflict branch change
 1 file changed, 1 insertion(+)
PS C:\Users\likit\lib_mgmt_sys>
```

library.py

You, 48 seconds ago | 1 author (You)

```python
# lib_mgmt_sys project

print("Welcome to Library Management System")
print("Student Registration Module Loaded")
print("Login Feature Added")
print("Student Registration Module Loaded")
print("Library Management System - FINAL VERSION")
print("Login Feature Loaded")
print("Change from conflict branch")
```

```
PS C:\Users\likit\lib_mgmt_sys> git commit -m "Conflict branch change"
[conflict_branch 4b0c020] Conflict branch change
 1 file changed, 1 insertion(+)
PS C:\Users\likit\lib_mgmt_sys> git merge conflict_branch
>>
Already up to date.
PS C:\Users\likit\lib_mgmt_sys>
```

```python

print("Welcome to Library Management System")
print("Student Registration Module Loaded")
print("Login Feature Added")
print("Student Registration Module Loaded")
print("Library Management System - FINAL VERSION")
print("Login Feature Loaded")
print("Change from conflict branch")
print("Conflict resolved successfully")
```

```
Already up to date.
PS C:\Users\likit\lib_mgmt_sys> git add library.py
PS C:\Users\likit\lib_mgmt_sys> git commit -m "Resolved merge conflict"

[conflict_branch e82f36a] Resolved merge conflict
 1 file changed, 1 insertion(+)
PS C:\Users\likit\lib_mgmt_sys>
```

CASE STUDY 8: Ignoring Unwanted Files

Ignore log and temporary files.

```
Welcome   library.py   .gitignore U
.gitignore
1   *.log
2   *.tmp
3
```

```
PS C:\Users\likit\lib_mgmt_sys> git status
>>
On branch conflict_branch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        lib_mgmt_sys/

nothing added to commit but untracked files present (use "git add" to t
rack)
```

```
rack)
PS C:\Users\likit\lib_mgmt_sys> git add .gitignore
PS C:\Users\likit\lib_mgmt_sys> git commit -m "Added gitignore file"
[conflict_branch 3c4583b] Added gitignore file
 1 file changed, 2 insertions(+)
 create mode 100644 .gitignore
```

```
elcome   library.py   .gitignore M
.gitignore
You, now | 1 author (You)
1   *.log
2   *.tmp
3   test.log        You, now • Uncommitted changes
```

```
PS C:\Users\likit\lib_mgmt_sys> git status
On branch conflict_branch
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        lib_mgmt_sys/

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\likit\lib_mgmt_sys>
```

Current work item

conflict_bra...

6 minutes ago

+1 0 −0

ose Commits...

LAUNCHPAD

Connect to see PRs and Issue here

Start Work on an Issue

RECENT (2) 1 week

master

CLOUD PATCHES

CLOUD WORKSPACES

PROBLEMS OUTPUT TERMINAL ··· powershell

```
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Liki-git/lib_mgmt_sys.git
   05b9d05..7ce5c69  master -> master
PS C:\Users\likit\lib_mgmt_sys> git remote -v
>>
origin  https://github.com/Liki-git/lib_mgmt_sys.git (fetch)
origin  https://github.com/Liki-git/lib_mgmt_sys.git (push)
PS C:\Users\likit\lib_mgmt_sys> git diff
>>
diff --git a/library.py b/library.py
index 6529907..af3b9bd 100644
--- a/library.py
+++ b/library.py
@@ -6,3 +6,4 @@ print("Login Feature Added")
 print("Student Registration Module Loaded")
 print("Library Management System - FINAL VERSION")
 print("Login Feature Loaded")
+print("THIS IS A WRONG CHANGE")
PS C:\Users\likit\lib_mgmt_sys> git checkout -- library.py
>>
PS C:\Users\likit\lib_mgmt_sys> git checkout -b conflict_branch
>>
Switched to a new branch 'conflict_branch'
PS C:\Users\likit\lib_mgmt_sys>
```

```
PS C:\Users\likit\lib_mgmt_sys> git status
>>
On branch conflict_branch
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        lib_mgmt_sys/

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\likit\lib_mgmt_sys>
```

```
PS C:\Users\likit\lib_mgmt_sys> git add .gitignore
>> git commit -m "Final gitignore commit"
>>
[conflict_branch 613b39b] Final gitignore commit
 1 file changed, 1 insertion(+)
PS C:\Users\likit\lib_mgmt_sys> git checkout master
>>
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
PS C:\Users\likit\lib_mgmt_sys> git merge conflict_branch
>>
Updating 7ce5c69..613b39b
Fast-forward
 .gitignore | 3 +++
 library.py | 2 ++
 2 files changed, 5 insertions(+)
 create mode 100644 .gitignore
Deleted branch conflict_branch (was 613b39b).
PS C:\Users\likit\lib_mgmt_sys> git status
```

```
PS C:\Users\likit\lib_mgmt_sys> git status
>>
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\likit\lib_mgmt_sys>
```

CASE STUDY 9: Collaborating with Team

Fetch and pull teammate changes.

and

CASE STUDY 10: Final Project Release

Prepare project for final submission.

```
PS C:\Users\likit\lib_mgmt_sys> git log --oneline
613b39b (HEAD -> master, origin/master, origin/HEAD) Final
gitignore commit
3c4583b Added gitignore file
e82f36a Resolved merge conflict
4b0c020 Conflict branch change
7ce5c69 Added login feature
05b9d05 Final visible change test
59aebc4 Added student registration module
ad0f400 Initial commit - Library Management System
PS C:\Users\likit\lib_mgmt_sys>
```

```
nothing to commit, working tree git push origin master
>> C:\Users\likit\lib_mgmt_sys>
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 12 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (12/12), 1.08 KiB | 158.00 KiB/s, done.
Total 12 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/Liki-git/lib_mgmt_sys.git
   7ce5c69..613b39b  master -> master
PS C:\Users\likit\lib_mgmt_sys>
PS C:\Users\likit\lib_mgmt_sys>
PS C:\Users\likit\lib_mgmt_sys>
PS C:\Users\likit\lib_mgmt_sys> git push origin master
>>
Everything up-to-date
```

```
PS C:\Users\likit\lib_mgmt_sys> git branch
>>
* conflict_branch
  login_feature
  master
PS C:\Users\likit\lib_mgmt_sys> git merge login_feature
>>
Already up to date.
PS C:\Users\likit\lib_mgmt_sys> git branch -d login_feature
Deleted branch login_feature (was 7ce5c69).
PS C:\Users\likit\lib_mgmt_sys> git branch -d conflict_branch
error: cannot delete branch 'conflict_branch' used by worktree at 'C:/U
sers/likit/lib_mgmt_sys'
```

Final git status check

```
PS C:\Users\likit\lib_mgmt_sys> git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
PS C:\Users\likit\lib_mgmt_sys>
```

Final git hub view

library.py

```diff
@@ -1,9 +1,10 @@
 # lib_mgmt_sys project

 print("Welcome to Library Management System")
 print("Student Registration Module Loaded")
 print("Login Feature Added")
 print("Student Registration Module Loaded")
 print("Library Management System - FINAL VERSION")
 print("Login Feature Loaded")
 print("Change from conflict branch")
+print("Conflict resolved successfully")
```

TEAM ASSESSMENT



```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git branch -a
* main
  remotes/origin/HEAD -> origin/main
  remotes/origin/kavi
  remotes/origin/likitha
  remotes/origin/main
  remotes/origin/siva
  remotes/origin/sumathi
  remotes/origin/vedha
```

OUTPUT DEBUG CONSOLE PROBLEMS TERMINAL PORTS

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git branch -a
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout likitha
branch 'likitha' set up to track 'origin/likitha'.
Switched to a new branch 'likitha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "one"
[likitha d7110c1] one
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin likitha
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 356 bytes | 178.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   73bf551..d7110c1  likitha -> likitha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge likitha
Updating 73bf551..d7110c1
Fast-forward
 bill.py | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
fatal: unable to access 'https://github.com/Sivashree-117/team5.git/':
nect to server
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   73bf551..d7110c1  main -> main
```




```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout kavi
branch 'kavi' set up to track 'origin/kavi'.
Switched to a new branch 'kavi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..d7110c1
Fast-forward
 bill.py | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "two"
[kavi 31eea94] two
 1 file changed, 5 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin kavi
From https://github.com/Sivashree-117/team5
 * branch            kavi       -> FETCH_HEAD
Already up to date.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin kavi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 420 bytes | 140.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   73bf551..31eea94  kavi -> kavi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge kavi
Updating d7110c1..31eea94
Fast-forward
 bill.py | 5 +++++
 1 file changed, 5 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   d7110c1..31eea94  main -> main
```




```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout vedha
branch 'vedha' set up to track 'origin/vedha'.
Switched to a new branch 'vedha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..31eea94
Fast-forward
 bill.py | 7 +++++++
 1 file changed, 7 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "three"
[vedha eda1ab3] three
 1 file changed, 6 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin vedha
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 388 bytes | 388.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   73bf551..eda1ab3  vedha -> vedha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Everything up-to-date
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge vedha
Updating 31eea94..eda1ab3
Fast-forward
 bill.py | 7 ++++++-
 1 file changed, 6 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   31eea94..eda1ab3  main -> main
```

Files

vedha

Go to file

atm.py

bill.py

team5 / bill.py

Sivashree-117 three

Code Blame 13 lines (11 loc) · 375 Bytes Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

  # First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

  # Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout sumathi
branch 'sumathi' set up to track 'origin/sumathi'.
Switched to a new branch 'sumathi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..eda1ab3
Fast-forward
 bill.py | 12 ++++++++++++
 1 file changed, 12 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "four"
[sumathi 957169a] four
 1 file changed, 11 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin sumathi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 435 bytes | 145.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   73bf551..957169a  sumathi -> sumathi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
Fast-forward
 bill.py | 12 +++++++++++-
 1 file changed, 11 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   eda1ab3..957169a  main -> main
```

Files

sumathi

Go to file t

atm.py

bill.py

team5 / bill.py

Sivashree-117 four

Code Blame 23 lines (19 loc) · 630 Bytes Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

# First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

# Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3

# Remaining units → ₹5/unit
    if units > 200:
        remaining_units = units - 200
        remaining_charge = remaining_units * 5
    else:
        remaining_units = 0

    # Total bill
    total = first_charge + second_charge + remaining_charge
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout siva
branch 'siva' set up to track 'origin/siva'.
Switched to a new branch 'siva'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
fatal: unable to access 'https://github.com/Sivashree-117/team5.git/':
nect to server
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..957169a
Fast-forward
 bill.py | 22 ++++++++++++++++++++++
 1 file changed, 22 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "five"
[siva 05eb5c1] five
 1 file changed, 13 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin siva
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 522 bytes | 174.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   73bf551..05eb5c1  siva -> siva
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge siva
Updating 957169a..05eb5c1
Fast-forward
 bill.py | 14 +++++++++++++-
 1 file changed, 13 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   957169a..05eb5c1  main -> main
```

siva

Go to file

atm.py

bill.py

Code Blame 35 lines (28 loc) · 1.01 KB Raw

```python
        if units > 0:
            first_units = min(units, 100)
            first_charge = first_units * 2

    # Next 100 units → ₹3/unit
        if units > 100:
            second_units = min(units - 100, 100)
            second_charge = second_units * 3

    # Remaining units → ₹5/unit
        if units > 200:
            remaining_units = units - 200
            remaining_charge = remaining_units * 5
        else:
            remaining_units = 0

        # Total bill
        total = first_charge + second_charge + remaining_charge

        # Display breakdown
        print(f"Units = {units}")
        print(f"First 100 units = 100 * 2 = {first_charge}")
        print(f"Second 100 units = 100 * 3 = {second_charge}")
        print(f"Remaining {remaining_units} units = {remaining_units} * 5 = {remaining_ch
        print(f"Total Bill = {total}")


    # Take input manually
    units = int(input("Enter number of units consumed: "))
    calculate_bill(units)
```

// Main branch

Files

main

Go to file

atm.py

bill.py

team5 / bill.py

Sivashree-117 five

Code Blame 35 lines (28 loc) · 1.01 KB Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

    # First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

    # Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3

    # Remaining units → ₹5/unit
    if units > 200:
        remaining_units = units - 200
        remaining_charge = remaining_units * 5
    else:
        remaining_units = 0

    # Total bill
    total = first_charge + second_charge + remaining_charge

    # Display breakdown
    print(f"Units = {units}")
    print(f"First 100 units = 100 * 2 = {first_charge}")
```

// Output

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> python bill.py
Enter number of units consumed: 800
Units = 800
First 100 units = 100 * 2 = 200
Second 100 units = 100 * 3 = 300
Remaining 600 units = 600 * 5 = 3000
Total Bill = 3500
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```

Program 2

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout likitha
branch 'likitha' set up to track 'origin/likitha'.
Switched to a new branch 'likitha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm1"
[likitha ce00eb7] atm1
 1 file changed, 4 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin likitha
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 379 bytes | 189.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   fa034be..ce00eb7  likitha -> likitha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge likitha
Updating fa034be..ce00eb7
Fast-forward
 atm.py | 4 ++++
 1 file changed, 4 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   fa034be..ce00eb7  main -> main
```




```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout kavi
branch 'kavi' set up to track 'origin/kavi'.
Switched to a new branch 'kavi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..ce00eb7
Fast-forward
 atm.py | 4 ++++
 1 file changed, 4 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm2"
[kavi b9ea960] atm2
 1 file changed, 4 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin kavi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 444 bytes | 444.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   fa034be..b9ea960  kavi -> kavi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge kavi
Updating ce00eb7..b9ea960
Fast-forward
 atm.py | 5 ++++-
 1 file changed, 4 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   ce00eb7..b9ea960  main -> main
```




```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout vedha
branch 'vedha' set up to track 'origin/vedha'.
Switched to a new branch 'vedha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..b9ea960
Fast-forward
 atm.py | 9 ++++++++-
 1 file changed, 8 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm3"
[vedha ae2932d] atm3
 1 file changed, 5 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin vedha
From https://github.com/Sivashree-117/team5
 * branch            vedha      -> FETCH_HEAD
Already up to date.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge vedha
Updating b9ea960..ae2932d
Fast-forward
 atm.py | 6 +++++-
 1 file changed, 5 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 410 bytes | 410.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   b9ea960..ae2932d  main -> main
```

Files

vedha

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm

Code Blame 12 lines (12 loc) · 427 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
    if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout sumathi
branch 'sumathi' set up to track 'origin/sumathi'.
Switched to a new branch 'sumathi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..ae2932d
Fast-forward
 atm.py | 13 ++++++++++++-
 1 file changed, 12 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm4"
[sumathi 4af835a] atm4
 1 file changed, 6 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin sumathi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 385 bytes | 385.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   fa034be..4af835a  sumathi -> sumathi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Everything up-to-date
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge sumathi
Updating ae2932d..4af835a
Fast-forward
'origin/siva'.
Switched to a new branch 'siva'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..4af835a
Fast-forward
 atm.py | 18 +++++++++++++++++-
 1 file changed, 17 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm5"
[siva 15a47f2] atm5
 1 file changed, 9 insertions(+), 2 deletions(-)
```

Files

sumathi

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm4

Code Blame 17 lines (17 loc) · 546 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
     if amount > balance:
        print("Insufficient balance")
        continue
    # Deduct amount
    balance -= amount
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout siva
M       atm.py
Switched to branch 'siva'
Your branch is ahead of 'origin/siva' by 5 commits.
  (use "git push" to publish your local commits)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git branch
  kavi
  likitha
  main
* siva
  sumathi
  vedha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm5"
[siva 8bda325] atm5
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge siva
Updating 15a47f2..8bda325
Fast-forward
 atm.py | 4 ++--
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 312 bytes | 156.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   15a47f2..8bda325  main -> main
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```

Files

siva

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm5

Code Blame 24 lines (24 loc) · 830 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
    if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
    if amount > balance:
        print("Insufficient balance")
        continue
    # Deduct amount
    balance -= amount
    print("Withdrawal successful!")
    print("Updated balance:", balance)
    # Ask to continue or exit
    choice = input("\nDo you want to continue or exit? (Continue/exit): ").lower()
    if choice == "exit":
        print("\nThank you for using the ATM,", name)
        break
```

//main

Files

main

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm5

Code Blame 24 lines (24 loc) · 831 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
    if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
     if amount > balance:
        print("Insufficient balance")
        continue
    # Deduct amount
    balance -= amount
    print("Withdrawal successful!")
    print("Updated balance:", balance)
    # Ask to continue or exit
    choice = input("\nDo you want to continue or exit? (continue/exit): ").lower()
    if choice == "exit":
        print("\nThank you for using the ATM,", name)
        break
```

// output

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> python atm.py
Enter your name: Agile team
Enter your account balance: 10000

Welcome Agile team
Your current balance is: 10000

Enter withdrawal amount (multiple of 100): 117
Please enter the amount in multiples of 100

Enter withdrawal amount (multiple of 100): 3000
Withdrawal successful!
Updated balance: 7000

Do you want to continue or exit? (continue/exit): continue

Enter withdrawal amount (multiple of 100): 2000
Withdrawal successful!
Updated balance: 5000

Do you want to continue or exit? (continue/exit): exit

Thank you for using the ATM, Agile team
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```

FIRST LAB TASK

Repository creation





Cloning repository to Vs code


github.com/Liki-git/assesment1/tree/main
Liki-git / assesment1
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
assesment1
Public
Pin
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
Add file
Code
Liki-git Create calculator_prg.py
README.md
Initial commit
calculator_prg.py
grade_checker.py
temp_converter.py
Local
Codespaces
Clone
HTTPS
SSH
GitHub CLI
https://github.com/Liki-git/assesment1.git
Clone using the web URL.
Open with GitHub Desktop
Download ZIP
About
No description, website, or topics provided.
Readme
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Languages
README
assesment1


Choose a folder to clone https://github.com/Liki-git/assesment1.git into
Likitha - Personal › Desktop ›
Search Desktop
Organize
New folder
Home
Likitha - Persona
Desktop
Downloads
Documents
Pictures
Music
Name
Status
Date modified
Type
Agile_asses1
15-12-2025 20:15
File folder
docker-feedback-system
04-11-2025 10:37
File folder
java
27-03-2025 13:18
File folder
Folder: Agile_asses1
Select as Repository Destination
Cancel
with Python Development Updated
with Java Development Updated
Recent
cn C:\Users\likit\OneDrive\Desktop
docker-feedback-system C:\Users\likit\OneDrive\Desktop
ftp_server.py C:\Users\likit\OneDrive\Desktop
test C:\xampp\htdocs
Liki HTML C:\Users\likit\OneDrive\Documents
More...
Show welcome page on startup


Authorize Visual Studio Code
From the options below, choose which account you would like to use to authorize this app.
Signed in as
Liki-git
Continue
or
Use a different account

Running the commands in vs code terminal:

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS                                   powershell

PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git --version
git version 2.52.0.windows.1
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git config --global user.name "Likitha"
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git config --global user.emial "Likitha@gmail.com"
```

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS                                   powershell

PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git --version
git version 2.52.0.windows.1
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git config --global user.name "Likitha"
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git config --global user.emial "Likitha@gmail.com"
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git init
Reinitialized existing Git repository in C:/Users/likit/OneDrive/Desktop/Agile_asses1/assesment1/.git/
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   calculator_prg.py
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git add .
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git commit -m "Updated calculator program"
>>
[main 79c56bd] Updated calculator program
 1 file changed, 3 insertions(+), 3 deletions(-)
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git push origin main
>>
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 313 bytes | 78.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Liki-git/assesment1.git
   f5f9d41..79c56bd  main -> main
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

1)Calculator program



```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git diff
diff --git a/calculator_prg.py b/calculator_prg.py
index 76b1ad7..a2829cb 100644
--- a/calculator_prg.py
+++ b/calculator_prg.py
@@ -13,8 +13,11 @@ def divide(a, b):
     return a / b

 while True:
diff --git a/calculator_prg.py b/calculator_prg.py
index 76b1ad7..a2829cb 100644
--- a/calculator_prg.py
+++ b/calculator_prg.py
@@ -13,8 +13,11 @@ def divide(a, b):
     return a / b

 while True:
-    print("\n--- Simple Calculator ---")
-    print("1. Addition")
+    #print("\n--- Simple Calculator ---")
+    #print("1. Addition")
+    print("2. Subtraction")
diff --git a/calculator_prg.py b/calculator_prg.py
index 76b1ad7..a2829cb 100644
--- a/calculator_prg.py
+++ b/calculator_prg.py
@@ -13,8 +13,11 @@ def divide(a, b):
     return a / b
```

After updating the modified code (git view)

```
calculator_prg.py                                                    +3 -3
@@ -1,22 +1,22 @@
1   1   def add(a, b):
2   2       return a + b
3   3
4   4   def subtract(a, b):
5   5       return a - b
6   6
7   7   def multiply(a, b):
8   8       return a * b
9   9
10  10  def divide(a, b):
11  11      if b == 0:
12  12          return "Error! Division by zero."
13  13      return a / b
14  14
15  15  while True:
16      -   print("\n--- Simple Calculator ---")
17      -   print("1. Addition")
    16  +   #print("\n--- Simple Calculator ---")
    17  +   #print("1. Addition")
18  18      print("2. Subtraction")
19      -   print("3. Multiplication")
    19  +   #print("3. Multiplication")
20  20      print("4. Division")
21  21      print("5. Exit")
22  22
```

Similarly for

2)grade checker program

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git status
>>
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   grade_checker.py
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git add .
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git commit -m "Updated grade_checker program"
[main 6e2ffc0] Updated grade_checker program
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>  git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 321 bytes | 107.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Liki-git/assesment1.git
   79c56bd..6e2ffc0  main -> main
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

grade_checker.py (79c56bd) ↔ grade_checker.py (6e… | temp_converter.py (4a49acb) | grade_checker.py (c974bae)

C: > Users > likit > OneDrive > Desktop > Agile_asses1 > assesment1 > grade_checker.py

You, 2 hours ago | 2 authors (P Likitha and one other)

```python
marks = float(input("Enter the student's marks (0-100): "))

if marks < 0 or marks > 100:
    print("Invalid marks! Please enter a value between 0 and
elif marks >= 95:
    print("Grade: A+")
elif marks >= 90:
    print("Grade: A")
elif marks >= 80:
    print("Grade: B")
elif marks >= 70:
    print("Grade: C")
elif marks >= 60:
    # print("Grade: C")        You, 2 hours ago • Updated grade
#elif marks >= 60:
    print("Grade: D")
else:
    print("Grade: F")
```

C: > Users > likit > OneDrive > Desktop > Agile_asses1 > grade_checker.py

```python
marks = float(input("Enter the student's marks (0-100): "))

if marks < 0 or marks > 100:
    print("Invalid marks! Please enter a value between 0 and
elif marks >= 95:
    print("Grade: A+")
elif marks >= 90:
    print("Grade: A")
elif marks >= 80:
    print("Grade: B")
elif marks >= 70:
    print("Grade: C")
elif marks >= 60:
    print("Grade: D")
else:
    print("Grade: F")
```

grade_checker.py +2 -2

```diff
@@ -1,16 +1,16 @@
 marks = float(input("Enter the student's marks (0-100): "))

 if marks < 0 or marks > 100:
     print("Invalid marks! Please enter a value between 0 and 100.")
 elif marks >= 95:
     print("Grade: A+")
 elif marks >= 90:
     print("Grade: A")
 elif marks >= 80:
     print("Grade: B")
 elif marks >= 70:
-    print("Grade: C")
- elif marks >= 60:
+    # print("Grade: C")
+ #elif marks >= 60:
     print("Grade: D")
 else:
     print("Grade: F")
```

3)temperature convertor

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git add .
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git commit -m "updated temp_converter program"
[main 8697fc9] updated temp_converter program
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 305 bytes | 76.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Liki-git/assesment1.git
   1b9f18a..8697fc9  main -> main
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

```diff
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git diff
>>
diff --git a/temp_converter.py b/temp_converter.py
index 31f735a..807a5f4 100644
--- a/temp_converter.py
+++ b/temp_converter.py
diff --git a/temp_converter.py b/temp_converter.py
index 31f735a..807a5f4 100644
--- a/temp_converter.py
+++ b/temp_converter.py
@@ -7,11 +7,11 @@ if unit == "C":

 elif unit == "F":
     print("Celsius:", (value - 32) * 5/9)
-    print("Kelvin:", (value - 32) * 5/9 + 273.15)
+    #print("Kelvin:", (value - 32) * 5/9 + 273.15)
```

C: > Users > likit > OneDrive > Desktop > Agile_asses1 > assesment1 > temp_converter.py

You, 6 minutes ago | 2 authors (P Likitha and one other)

```python
value = float(input("Enter temperature value: "))
unit = input("Enter unit (C/F/K): ").upper()

if unit == "C":
    print("Fahrenheit:", (value * 9/5) + 32)
    print("Kelvin:", value + 273.15)

elif unit == "F":
    print("Celsius:", (value - 32) * 5/9)
    print("Kelvin:", (value - 32) * 5/9 + 273.15)
    #print("Kelvin:", (value - 32) * 5/9 + 273.15)

elif unit == "K":
    print("Celsius:", value - 273.15)
    print("Fahrenheit:", (value - 273.15) * 9/5 + 32)
    #print("Fahrenheit:", (value - 273.15) * 9/5 + 32)

else:
    print("Invalid unit! Use C, F, or K.")
```

temp_converter.py > ...

You, 8 minutes ago | 2 authors (P Likitha and one other)

```python
value = float(input("Enter temperature value: "))
unit = input("Enter unit (C/F/K): ").upper()

if unit == "C":
    print("Fahrenheit:", (value * 9/5) + 32)
    print("Kelvin:", value + 273.15)

elif unit == "F":
    print("Celsius:", (value - 32) * 5/9)
    print("Kelvin:", (value - 32) * 5/9 + 273.15)

elif unit == "K":
    print("Celsius:", value - 273.15)
    print("Fahrenheit:", (value - 273.15) * 9/5 + 32)

else:
    print("Invalid unit! Use C, F, or K.")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS powershell

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git add .
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git commit -m "updated temp_converter program"
```

1 file changed +2 -2 lines changed

Search within code

temp_converter.py +2 -2

```diff
@@ -1,17 +1,17 @@
 value = float(input("Enter temperature value: "))
 unit = input("Enter unit (C/F/K): ").upper()

 if unit == "C":
     print("Fahrenheit:", (value * 9/5) + 32)
     print("Kelvin:", value + 273.15)

 elif unit == "F":
     print("Celsius:", (value - 32) * 5/9)
-    print("Kelvin:", (value - 32) * 5/9 + 273.15)
+    #print("Kelvin:", (value - 32) * 5/9 + 273.15)

 elif unit == "K":
     print("Celsius:", value - 273.15)
-    print("Fahrenheit:", (value - 273.15) * 9/5 + 32)
+    #print("Fahrenheit:", (value - 273.15) * 9/5 + 32)

 else:
     print("Invalid unit! Use C, F, or K.")
```

Other commands for practice (second lab task):

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS                                git

PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git log
commit f5f9d41dd6bc0785b6311c764ccc4363bf96dc1b (HEAD -> main, origin/main, origin/HEAD)
Author: P Likitha <likithapakala66@gmail.com>
Date:   Mon Dec 15 20:11:14 2025 +0530

    Create calculator_prg.py

commit 4a49acbe37381aed40f638885a1ff214d8e52cc1
Author: P Likitha <likithapakala66@gmail.com>
Date:   Mon Dec 15 20:09:37 2025 +0530

    Create temp_converter.py

commit c974baebcc960cc260c0d43154c833e401c53e6c
Author: P Likitha <likithapakala66@gmail.com>
Date:   Mon Dec 15 20:07:57 2025 +0530

    Create grade_checker.py

commit f5f9d41dd6bc0785b6311c764ccc4363bf96dc1b (HEAD -> main, origin/main, origin/HEAD)
Author: P Likitha <likithapakala66@gmail.com>
Date:   Mon Dec 15 20:11:14 2025 +0530

    Create calculator_prg.py

commit 4a49acbe37381aed40f638885a1ff214d8e52cc1
Author: P Likitha <likithapakala66@gmail.com>
Date:   Mon Dec 15 20:09:37 2025 +0530

    Create temp_converter.py

commit c974baebcc960cc260c0d43154c833e401c53e6c
Author: P Likitha <likithapakala66@gmail.com>
```

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS                                git

Create calculator_prg.py

# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
#
# Author:    P Likitha <likithapakala66@gmail.com>
# Date:      Mon Dec 15 20:11:14 2025 +0530
#
# On branch main
# Your branch is up to date with 'origin/main'.
#
# Changes to be committed:
#       new file:   calculator_prg.py
#
~
~
~
~
~
.git/COMMIT_EDITMSG [unix] (20:37 15/12/2025)                                   3,1 All
"~/OneDrive/Desktop/Agile_asses1/assesment1/.git/COMMIT_EDITMSG" [unix] 14L, 388B
```

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS                    powershell

PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git log --oneline
f5f9d41 (HEAD -> main, origin/main, origin/HEAD) Create calculator_prg.py
4a49acb Create temp_converter.py
c974bae Create grade_checker.py
3c6bd1c Initial commit
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git log --oneline --graph --all
* f5f9d41 (HEAD -> main, origin/main, origin/HEAD) Create calculator_prg.py
* 4a49acb Create temp_converter.py
* c974bae Create grade_checker.py
* 3c6bd1c Initial commit
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```




```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git branche
git: 'branche' is not a git command. See 'git --help'.

The most similar command is
        branch
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git branch
* main
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git remote add origin<https://github.com/Liki-git/as
sesment1.git>
usage: git remote add [<options>] <name> <url>

    -f, --[no-]fetch      fetch the remote branches
    --[no-]tags           import all tags and associated objects when fetching
                          or do not fetch any tag at all (--no-tags)
    -t, --[no-]track <branch>
                          branch(es) to track
    -m, --[no-]master <branch>
                          master branch
    --[no-]mirror[=(push|fetch)]
                          set up remote as a mirror to push to or fetch from

PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git remote -v
origin  https://github.com/Liki-git/assesment1.git (fetch)
origin  https://github.com/Liki-git/assesment1.git (push)
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git push origin main
Everything up-to-date
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git pull origin main
From https://github.com/Liki-git/assesment1
 * branch            main       -> FETCH_HEAD
Already up to date.
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git fetch
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git restore file.txt
error: pathspec 'file.txt' did not match any file(s) known to git
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git restore grade_checker.py
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git restore --staged file.txt
error: pathspec 'file.txt' did not match any file(s) known to git
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git restore --staged grade_checker.py
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

```
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git restore --staged grade_checker.py
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git stash
No local changes to save
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git stash list
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git stash apply
No stash entries found.
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git stash pop
No stash entries found.
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git tag v1.0
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1> git push origin v1.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Liki-git/assesment1.git
 * [new tag]         v1.0 -> v1.0
PS C:\Users\likit\OneDrive\Desktop\Agile_asses1\assesment1>
```

P Likitha (29 minutes ago) Ln 11, Col 15 Spaces: 4