Automated Enterprise Product Deployment Platform: Submission Evidence

Author: Likith Kumar
Repository: https://github.com/LikithKumar0112/Automated-Enterprise-Deployment-Platform-capstone2
Prepared: 2026-11-04

1. What this evidence covers

The review was based on a 20-entry ZIP, which did not contain the implementation or any execution evidence. This document presents that evidence, with its limits stated. It comes from two separate sources:

	Source A: real AWS and Jenkins run	Source B: local verification
Date	2026-09-17 to 2026-09-18	2026-11-04
Where	AWS account in `us-east-1`, Jenkins on a GCP VM	A clean clone on a single machine, with no AWS
Code tested	The implementation before the review changes	The changed code (commit `db24ded`, plus `fd51371` where stated)
Form	Screenshots (section 3)	Command output (section 4)

The changed code has not been run on AWS. AWS and Jenkins resources were not available for a re-run. Source A shows that the platform was deployed and worked on real infrastructure, but it does not show the fixes. Source B shows the fixes, but not on real infrastructure. Section 5 lists what neither source demonstrates.

Three behaviours in the Source A screenshots have since changed:

- The scanners reported findings but could not fail a build. They now block it.
- `ACTION=plan` builds still ran Smoke Tests and Monitoring Setup and printed "Deployment successful". Those stages now run for `apply` only, and a plan build reports "Plan (nothing deployed)".
- The stage names are different. "Security Scan" is now separate IaC, Dependency, and Image scan stages, plus a Push Images stage.

2. Review feedback coverage

#	Review area	Now in the repository	Evidence	Still not demonstrated
1	Jenkins pipeline	Every path used by the Jenkinsfile exists	Real successful builds (Fig. 7–11); failure paths in a simulated Jenkins (4.6)	A failed build on real Jenkins
2	Terraform and EKS	Root module, modules, and tfvars for all three environments	dev plan and apply, active cluster (Fig. 1–4); `terraform validate` (4.1)	Stage and prod plan output; the screenshots show only the Jenkins stage view

#	Review area	Now in the repository	Evidence	Still not demonstrated
3	Docker	Source, build scripts, and config are all included	Real build (Fig. 5–6); fresh build, startup, health, and scans (4.3, 4.4)	None for the build. app/webapp/dist is static, so there is no frontend build stage
4	Kubernetes	Deployments, Services, Ingress, ConfigMap for API, web, and CronJob	Live EKS (Fig. 12–14); schema validation (4.7); manual rollback (Fig. 24)	One manifest set with no overlays; a rolling update to a new version on EKS
5	Security	Blocking Checkov, Snyk, and Trivy gates; AWS Secrets Manager only; Vault claims removed	Trivy and Checkov blocking (4.2, 4.4); old Snyk findings (Fig. 16)	Real Snyk blocking a build; the Jenkins host still holds static AWS credentials
6	Monitoring and logging	Prometheus, Grafana, Alertmanager, and EFK manifests and values	Live dashboards, targets, and logs (Fig. 18–23); Alertmanager config check (4.7)	An alert firing and reaching Slack; rules tested against real metrics
7	Rollback and failure handling	Smoke tests fail after the last retry; automatic rollback in the pipeline	Failing smoke test (4.5); simulated rollback (4.6); manual rollback (Fig. 24)	A failed deployment on EKS; Terraform state recovery; RTO and RPO measurements
8	Completeness and docs	Docs now describe what is implemented; false claims removed	Clean-clone build and validation (section 4)	A clean-clone deployment to AWS

3. Source A: real run, September 2026

All of these predate the review changes. The figure captions note where a screenshot has a limitation.

3.1 Infrastructure




Figure 1. `terraform plan` for `dev`, first run: 40 resources to add.




Figure 2. A later `terraform apply`: 2 added, 16 changed, with output values.




Figure 3. Cluster `analytics-dev` active on Kubernetes 1.35. The console session was signed in as the root user, which should not be repeated; `docs/evidence-checklist.md` requires an IAM user.




Figure 4. Node group ready, on `v1.35.7-eks-cb19647`.

3.2 Application build




Figure 5. Multi-target Docker build of all three images.




Figure 6. `docker images` and the build scripts.

3.3 Jenkins pipeline




Figure 7. dev with `ACTION=plan`, build #6. Approval, Apply, and Deploy were skipped.




Figure 8. dev with `ACTION=apply`, build #8: full deployment in 2m 41s.




Figure 9. Smoke Tests stage with curl output from inside the pipeline.




Figure 10. `stage` with `ACTION=plan`, build #9. Nothing was deployed. This shows the pipeline view, not the Terraform plan output.




Figure 11. `prod` with `ACTION=plan`, build #10. Nothing was deployed and the approval step was not reached, so this does not demonstrate the approval gate.

Stage and prod were not deployed: the account's 8 vCPU On-Demand quota was half used by `dev`. `EXECUTION.md` section 5 records the mentor-approved scope.

3.4 Kubernetes and Ingress




Figure 12. `kubectl get all -n analytics`: pods, Deployments, ReplicaSets, and the CronJob.




Figure 13. curl against the live ALB over HTTP, returning `{"status":"UP",...}`. One `data-processor` pod is shown Pending for 82 minutes.




Figure 14. Application health endpoints through a port-forward.

3.5 Security scanning

These show that the scanners ran and found issues, and also that they did not stop the build. Section 4 shows the blocking behaviour.




Figure 15. Checkov: 78 passed, 18 failed. The build was not blocked.




Figure 16. `snyk test` in Jenkins, build #13: Critical findings in `app/api` through Spring Boot 2.7.18. The build was not blocked.




Figure 17. Snyk web report. It scanned old sample files on `main`, **not** the deployed code, so it is not evidence about this implementation.

3.6 Monitoring and logging




Figure 18. Grafana, Analytics Platform Overview with live data.




Figure 19. Grafana, Kubernetes API Server dashboard.




Figure 20. Prometheus targets: `analytics-api` ServiceMonitor, 3/3 up.




Figure 21. Kibana Discover: ingested logs, 532 hits.




Figure 22. Elasticsearch cluster health: green, 3 nodes.




Figure 23. Fluentd index document count at one point in time, so it does not show growth.

These dashboards were reached on a public IP over HTTP, with Elasticsearch security off and Grafana on its default password. Section 5 lists this as an open gap.

3.7 Rollback




Figure 24. `rollback.sh` run by hand against a healthy `dev` deployment: `kubectl rollout undo` and rollout status. No deployment had failed, and image versions are not shown, so this demonstrates the rollback command but not recovery from a failure.

4. Source B: local verification, 4 November 2026

These checks ran on a clean clone at commit `db24ded`. They use the tools and scripts in the repository, without AWS. The output below is trimmed; full output is in docs/evidence/local-2026-11-04/.

4.1 Terraform validates

```
Terraform v1.17.1
Success! The configuration is valid.
validate exit=0
fmt -check exit=0
```

This is `terraform init -backend=false`, so it checks configuration only. It is not a plan.

4.2 Checkov blocks a new finding

The 22 existing findings are recorded in `product-infrastructure/.checkov.baseline` and listed in `docs/security.md`. They are accepted debt, not fixed.

The current code passes (`exit=0`). With a security group that opens SSH to `0.0.0.0/0` added to a temporary copy:

```
Passed checks: 0, Failed checks: 3, Skipped checks: 0
Check: CKV_AWS_23: "Ensure every security group and rule has a description"
Check: CKV_AWS_24: "Ensure no security groups allow ingress from 0.0.0.0:0 to port 22"
Check: CKV2_AWS_5: "Ensure that Security Groups are attached to another resource"
exit=1
```

4.3 Images build and run as non-root

All three images built from the clone. The API and web containers started and passed `scripts/health-check.sh`:

```
$ docker exec ev-api id
uid=1001(appuser) gid=1001(appgroup) groups=1001(appgroup)
$ docker exec ev-web id
uid=1001(appuser) gid=1001(appgroup) groups=1001(appgroup)
$ health-check.sh http://127.0.0.1:18080 /actuator/health 30 3
Attempt 1/30 failed, retrying in 3s...
Attempt 2/30 failed, retrying in 3s...
Healthy after 3 attempt(s)
exit=0
$ curl -s http://127.0.0.1:18080/actuator/health
{"status":"UP","groups":["liveness","readiness"]}
$ health-check.sh http://127.0.0.1:18081 /health 10 2
Healthy after 1 attempt(s)
exit=0
$ docker ps (health status)
ev-web  Up 41 seconds (healthy)
ev-api  Up 41 seconds
```

4.4 Trivy blocks HIGH and CRITICAL vulnerabilities

`scripts/scan-image.sh` is the same script the pipeline's Image Scan stage uses. It ignores vulnerabilities with no available fix.

Image	Result	Exit code
`analytics-api` on Spring Boot 2.7.18 (`db24ded`)	49 findings: 40 HIGH, 9 CRITICAL	**1 (blocked)**
`analytics-web`	0	0
`analytics-data-processor`	0	0
`analytics-api` on Spring Boot 4.1.2 and Java 17 (`fd51371`)	0	0

The upgrade is commit `fd51371` on branch `submission-dependency-upgrade`. It is separate so that the gate can be shown blocking first. The API image at `db24ded` does not pass its own gate, so the pipeline stops there until that commit is merged.

4.5 Smoke tests fail after the last retry

```
$ health-check.sh http://127.0.0.1:18099 /health 3 1   # nothing is listening
Attempt 1/3 failed, retrying in 1s...
Attempt 2/3 failed, retrying in 1s...
Attempt 3/3 failed, retrying in 1s...
http://127.0.0.1:18099/health not healthy after 3 attempts
exit=1

$ health-check.sh http:// /health   # Ingress has no address
No endpoint to check (URL is empty - has the Ingress got an address?)
exit=1
```

4.6 Pipeline failure paths, simulated

The actual Jenkinsfile ran on a throwaway Jenkins with the sandbox on and the declarative linter passing. **AWS, Docker, Terraform, kubectl, Helm, Maven, and Snyk were stand-in scripts**

that returned chosen results. This tests the pipeline's control flow, not the tools. The Jenkins logs were not kept.

Scenario	Result
dev plan	Success; no image push, no Terraform apply, no Kubernetes or Helm changes
dev apply	Success
Checkov, Snyk, or Trivy fails (3 scenarios)	Build fails; no push, no rollback
Terraform fails	Build fails; no rollback
Rollout fails, smoke test fails, or Ingress has no address (3 scenarios)	Build fails; rollback runs
Monitoring Setup fails	Build fails; no rollback, because the application had already passed its smoke test
Rollback itself fails	Build reports "ROLLBACK FAILED"
`prod` with scans turned off	Refused at Initialize
`prod` apply	Pauses at Manual Approval

4.7 Kubernetes and monitoring configuration

```
kubeconform: 10 resources found in 5 files - Valid: 10, Invalid: 0, Errors: 0, Skipped: 0

helm template exit=0  (kube-prometheus-stack with this project's values)
amtool check-config: SUCCESS
  global config, route, 4 inhibit rules, 4 receivers, 1 templates

Project alert rules in the rendered chart:
  HighErrorRate, PodCrashLooping, DeploymentStuck
```

This shows that the configuration is valid. It does not show an alert firing.

5. Not demonstrated

Requested by the review, and not shown by either source:

- The changed pipeline running on real Jenkins and AWS, including a failed build.
- Terraform plan output for stage and prod.
- The production approval gate being reached. Figure 11 stops before it.
- Snyk blocking a build. Its gate has run only with a stand-in, and real Snyk could report findings that Trivy does not.
- A failed deployment on EKS rolling back automatically, with the previous version confirmed restored.
- An alert firing and reaching Slack, and alert rules tested against real metrics.
- Terraform state recovery.
- Measured RTO and RPO. The documented 4-hour and 24-hour figures are objectives, not measurements. The project has no database, so RPO applies only to Terraform state.
- A clean-clone deployment to AWS.

`docs/evidence-checklist.md` has the exact steps to capture each of these when AWS resources are available.

Known gaps in the implementation:

- HTTP only, with no TLS certificate. The WAF is provisioned but not attached.
- The Jenkins host holds AWS credentials because the pipeline does not assume the `ci_deploy` role.
- Elasticsearch security is off and Grafana uses its default password.
- `app/` has no automated tests, so the pipeline's test step verifies compilation only.
- The Checkov baseline holds 22 accepted findings.
- Kubernetes manifests have no per-environment overlays.

6. Reproducing section 4

From a fresh clone, with Docker installed:

```
# Terraform
docker run --rm -v "$PWD/product-infrastructure:/iac" -w /iac hashicorp/terraform:latest init
-backend=false
docker run --rm -v "$PWD/product-infrastructure:/iac" -w /iac hashicorp/terraform:latest validate

# Checkov
docker run --rm -v "$PWD/product-infrastructure:/iac" bridgecrew/checkov:3.3.19 \
  -d /iac --framework terraform --compact --quiet --baseline /iac/.checkov.baseline

# Build (use maven:3.9-eclipse-temurin-17 at fd51371)
docker run --rm -v "$PWD:/w" -w /w/product-docker maven:3.9-eclipse-temurin-11 ./build-scripts/stage-local-
app.sh
(cd product-docker && docker build --target api -t analytics-api:evidence .)

# Trivy: expect exit 1 at db24ded, exit 0 at fd51371
product-deployment-pipeline/scripts/scan-image.sh analytics-api:evidence; echo "exit=$?"
```