

EXPERIMENT-1

```
SQL> create table student(  
2  sid NUMBER,  
3  sname VARCHAR2(20),  
4  sage NUMBER,  
5  saddress VARCHAR2(20)  
6  );
```

Table created.

```
SQL> desc student
```

Name	Null?	Type
SID		NUMBER
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)

```
SQL> select * from student;
```

no rows selected

```
SQL> ALTER TABLE student ADD sphone NUMBER;
```

Table altered.

```
SQL> DESC STUDENT
```

Name	Null?	Type
SID		NUMBER
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)
SPHONE		NUMBER

```
SQL> ALTER TABLE student DROP COLUMN sphone;
```

Table altered.

```
SQL> desc student
```

Name	Null?	Type
SID		NUMBER
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)

```
SQL> ALTER TABLE student modify sid VARCHAR2(20);
```

Table altered.

```
SQL> desc student
```

Name	Null?	Type
SID		VARCHAR2(20)
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)

```
SQL> ALTER TABLE student RENAME COLUMN sid to rollno;
```

Table altered.

```
SQL> desc student
```

Name	Null?	Type
ROLLNO		VARCHAR2(20)
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)

```
SQL> ALTER TABLE student RENAME to students;
```

Table altered.

```
SQL> desc students
```

Name	Null?	Type
ROLLNO		VARCHAR2(20)
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)

```
SQL> ALTER TABLE students ADD PRIMARY KEY(rollno);
```

Table altered.

```
SQL> desc students
```

Name	Null?	Type
ROLLNO	NOT NULL	VARCHAR2(20)
SNAME		VARCHAR2(20)
SAGE		NUMBER
SADDRESS		VARCHAR2(20)

```
SQL> create table std(  
2  sid NUMBER,  
3  sname VARCHAR2(10),  
4  AGE INT  
5  );
```

Table created.

```
SQL> DROP TABLE STD;
```

Table dropped.

```
SQL> truncate table students;
```

Table truncated.

```
SQL> select * from students;
```

no rows selected

EXPERIMENT_2

```
SQL> CREATE TABLE employee(  
  2  eid NUMBER,  
  3  ename VARCHAR2(20),  
  4  eage INT,  
  5  esalary NUMBER  
  6  );
```

Table created.

```
SQL> INSERT INTO employee  
  2  VALUES(1,'HARSHA',18,50000);
```

1 row created.

```
SQL> INSERT INTO employee  
  2  VALUES(2,'ARUN',19,60000);
```

1 row created.

```
SQL> INSERT INTO employee  
  2  VALUES(3,'DINESH',21,61000);
```

1 row created.

```
SQL> INSERT INTO employee  
  2  VALUES(4,'NIVAS',20,51000);
```

1 row created.

EXPERIMENT_2

```
SQL> SELECT * FROM employee;
```

EID	ENAME	EAGE	ESALARY
1	HARSHA	18	50000
2	ARUN	19	60000
3	DINESH	21	61000
4	NIVAS	20	51000

```
SQL> SELECT eid FROM employee;
```

EID
1
2
3
4

```
SQL> SELECT ename FROM employee;
```

ENAME
HARSHA
ARUN
DINESH
NIVAS

EXPERIMENT_2

```
SQL> SELECT eid,esalary FROM employee;
```

EID	ESALARY
1	50000
2	60000
3	61000
4	51000

```
SQL> SELECT eid,ename,esalary FROM employee;
```

EID	ENAME	ESALARY
1	HARSHA	50000
2	ARUN	60000
3	DINESH	61000
4	NIVAS	51000

```
SQL> SELECT * from EMPLOYEE WHERE esalary>50000;
```

EID	ENAME	EAGE	ESALARY
2	ARUN	19	60000
3	DINESH	21	61000
4	NIVAS	20	51000

EXPERIMENT_2

```
SQL> UPDATE employee SET esalary=esalary+500 WHERE eid=1;
```

```
1 row updated.
```

```
SQL> SELECT * FROM employee;
```

EID	ENAME	EAGE	ESALARY
1	HARSHA	18	50500
2	ARUN	19	60000
3	DINESH	21	61000
4	NIVAS	20	51000

```
SQL> DELETE FROM employee WHERE eid=4;
```

```
1 row deleted.
```

```
SQL> SELECT * FROM employee;
```

EID	ENAME	EAGE	ESALARY
1	HARSHA	18	50500
2	ARUN	19	60000
3	DINESH	21	61000

TO perform create view we want to create a table

```
SQL> CREATE TABLE person(  
  2  pid NUMBER NOT NULL,  
  3  pname VARCHAR2(20),  
  4  pcity VARCHAR2(20)  
  5  );  
  
Table created.
```

INSERT VALUES INTO THE TABLE

```
SQL> INSERT INTO person  
  2  VALUES(1,'ABC','ATP');  
  
1 row created.  
  
SQL> INSERT INTO person  
  2  VALUES(1,'ABC','AP');  
  
1 row created.  
  
SQL> INSERT INTO person  
  2  VALUES(3,'AC','AP');  
  
1 row created.  
  
SQL> INSERT INTO person  
  2  VALUES(4,'SDC','CSDP');  
  
1 row created.
```

CREATE VIEWS FOR THE ABOVE TABLE USING BELOW SYNTAX

SYNTAX:

CREATE VIEW VIEW_NAME AS SELECT COLUMNS FROM TABLE;

EX:

```
SQL> CREATE VIEW employee AS SELECT pid ,pname FROM person;  
  
View created.
```


To see the view we use the following keyword

SELECT * FROM employee

```
SQL> SELECT * FROM employee
2 ;
```

PID	PNAME
1	ABC
1	ABC
3	AC
4	SDC

To add views to the table we use the folloeing syntax:

INSERT INTO VIEW_NAME(COL1,COL2)VALUES(value_list);

EX:

```
SQL> insert into employee(pid,pname)
2 VALUES(5,'AC');

1 row created.
```

```
SQL> SELECT * FROM employee
2 ;
```

PID	PNAME
1	ABC
1	ABC
3	AC
4	SDC
5	AC

We observe that above table is updated.

TO delete the table

EX:

```
SQL> DELETE person;  
  
5 rows deleted.
```

When you delete the table the views and the table is also deleted.

```
SQL> select*from person  
2 ;  
  
no rows selected  
  
SQL> select*from employee  
2 ;  
  
no rows selected
```

EXPERIMENT_4

```
SQL> CREATE TABLE instructor(  
  2  id NUMBER PRIMARY KEY,  
  3  name VARCHAR2(10),  
  4  dep_name VARCHAR2(10),  
  5  salary NUMBER  
  6  );
```

Table created.

```
SQL> CREATE TABLE department(  
  2  did NUMBER PRIMARY KEY,  
  3  dname VARCHAR2(15),  
  4  building VARCHAR2(15),  
  5  budget NUMBER  
  6  );
```

Table created.

```
SQL> INSERT ALL  
  2  INTO instructor VALUES(1,'HARSHA','CSE',50000)  
  3  INTO instructor VALUES(2,'ARUN','CSE',55000)  
  4  INTO instructor VALUES(3,'DINESH','EEE',52000)  
  5  INTO instructor VALUES(4,'BASHA','ECE',42000)  
  6  INTO instructor VALUES(5,'SUMANTH','CSM',32000)  
  7  INTO department VALUES(1,'CSE','B',35000000)  
  8  INTO department VALUES(2,'ECE','A',1780000)  
  9  INTO department VALUES(3,'MECH','MAIN',1734000)  
 10  SELECT * FROM dual;
```

8 rows created.

```
SQL> select * from department;
```

	DID	DNAME	BUILDING	BUDGET
1	CSE	B	35000000	
2	ECE	A	1780000	
3	MECH	MAIN	1734000	

EXPERIMENT_4

```
SQL> select * from instructor;
```

ID	NAME	DEP_NAME	SALARY
1	HARSHA	CSE	50000
2	ARUN	CSE	55000
3	DINESH	EEE	52000
4	BASHA	ECE	42000
5	SUMANTH	CSM	32000

```
SQL> SELECT dep_name from instructor  
2 UNION  
3 SELECT dname from department;
```

```
DEP_NAME  
-----
```

```
CSE  
EEE  
ECE  
CSM  
MECH
```

```
SQL> select dep_name from instructor  
2 UNION ALL  
3 select dname from department;
```

```
DEP_NAME  
-----
```

```
CSE  
CSE  
EEE  
ECE  
CSM  
CSE  
ECE  
MECH
```

```
8 rows selected.
```

EXPERIMENT_4

```
SQL> select dep_name from instructor
  2  INTERSECT
  3  select dname from department;
```

DEP_NAME

CSE

ECE

```
SQL> select dname from department
  2  MINUS
  3  select dep_name from instructor;
```

DNAME

MECH

```
SQL> select i.name,d.dname,d.budget from instructor i,department d;
```

NAME	DNAME	BUDGET
-----	-----	-----
HARSHA	CSE	35000000
ARUN	CSE	35000000
DINESH	CSE	35000000
BASHA	CSE	35000000
SUMANTH	CSE	35000000
HARSHA	ECE	1780000
ARUN	ECE	1780000
DINESH	ECE	1780000
BASHA	ECE	1780000
SUMANTH	ECE	1780000
HARSHA	MECH	1734000

NAME	DNAME	BUDGET
-----	-----	-----
ARUN	MECH	1734000
DINESH	MECH	1734000
BASHA	MECH	1734000
SUMANTH	MECH	1734000

15 rows selected.

EXPERIMENT_5

```
SQL> create table instructors(  
  2  id NUMBER PRIMARY KEY,  
  3  name VARCHAR2(19),  
  4  salary NUMBER  
  5  );
```

Table created.

```
SQL> CREATE TABLE departments(  
  2  id NUMBER PRIMARY KEY,  
  3  dname VARCHAR2(10)  
  4  );
```

Table created.

```
SQL> INSERT ALL  
  2 INTO instructors VALUES(1,'HARSHA',80000)  
  3 INTO instructors VALUES(2,'ARUN',90000)  
  4 INTO instructors VALUES(3,'DINESH',70000)  
  5 INTO instructors VALUES(4,'BASHA',75000)  
  6 INTO departments VALUES(1,'CSE')  
  7 INTO departments VALUES(2,'EEE')  
  8 INTO departments VALUES(3,'ECE')  
  9 SELECT * FROM dual;
```

7 rows created.

EXPERIMENT_5

```
SQL> select * from instructors;
```

ID	NAME	SALARY
1	HARSHA	80000
2	ARUN	90000
3	DINESH	70000
4	BASHA	75000

```
SQL> select * from departments;
```

ID	DNAME
1	CSE
2	EEE
3	ECE

```
SQL> select * from instructors
2  WHERE
3  salary IS NULL;
```

ID	NAME	SALARY
4	BASHA	

```
SQL> select * from instructors
2  where
3  salary between 80000 and 90000;
```

ID	NAME	SALARY
1	HARSHA	80000
2	ARUN	90000

EXPERIMENT_5

```
SQL> select * from instructors
  2  where
  3  name like 'B%';
```

ID	NAME	SALARY
4	BASHA	

```
SQL> select * from instructors
  2  where
  3  salary IN(10000,80000,90000);
```

ID	NAME	SALARY
1	HARSHA	80000
2	ARUN	90000

```
SQL> select * from instructors
  2  where
  3  EXISTS(SELECT * FROM departments WHERE instructors.id=departments.id);
```

ID	NAME	SALARY
1	HARSHA	80000
2	ARUN	90000
3	DINESH	70000

EXPERIMENT-6

```
SQL> create table student(  
  2  rollno NUMBER PRIMARY KEY,  
  3  name VARCHAR2(20) NOT NULL,  
  4  dname VARCHAR2(10) NOT NULL  
  5  );
```

Table created.

```
SQL> CREATE TABLE building(  
  2  dname VARCHAR2(10),  
  3  bname VARCHAR2(10)  
  4  );
```

Table created.

```
SQL> INSERT ALL  
  2 INTO student VALUES(1,'harsha','cse')  
  3 INTO student VALUES(2,'basha','ece')  
  4 INTO student VALUES(3,'dinesh','eee')  
  5 INTO student VALUES(4,'hari','csd')  
  6 INTO building VALUES('cse','b')  
  7 INTO building VALUES('eee','a')  
  8 INTO building VALUES('csd','c')  
  9 select * from dual;
```

7 rows created.

```
SQL> select * from student;
```

ROLLNO	NAME	DNAME
1	harsha	cse
2	basha	ece
3	dinesh	eee
4	hari	csd

```
SQL> select * from building;
```

DNAME	BNAME
cse	b
eee	a
csd	c

```
SQL> select * from student
2 JOIN building ON
3 student.dname=building.dname;
```

ROLLNO	NAME	DNAME	DNAME	BNAME
1	harsha	cse	cse	b
3	dinesh	eee	eee	a
4	hari	csd	csd	c

```
SQL> select * from student JOIN building
2 USING(dname);
```

DNAME	ROLLNO	NAME	BNAME
cse	1	harsha	b
eee	3	dinesh	a
csd	4	hari	c

```
SQL> select * from student
2 LEFT OUTER JOIN building ON
3 student.dname=building.dname;
```

ROLLNO	NAME	DNAME	DNAME	BNAME
1	harsha	cse	cse	b
3	dinesh	eee	eee	a
4	hari	csd	csd	c
2	basha	ece		

```
SQL> select * from student
2 RIGHT OUTER JOIN building ON
3 student.dname=building.dname;
```

ROLLNO	NAME	DNAME	DNAME	BNAME
1	harsha	cse	cse	b
3	dinesh	eee	eee	a
4	hari	csd	csd	c

```
SQL> select * from student
2 FULL OUTER JOIN building ON
3 student.dname=building.dname;
```

ROLLNO	NAME	DNAME	DNAME	BNAME
1	harsha	cse	cse	b
2	basha	ece		
3	dinesh	eee	eee	a
4	hari	csd	csd	c

Experiment-5

Aggregate functons(min,max,count,sum,avg)

To perform the aggregate functions you need to create a table and insert values in it

For example we can take a table name called employee

```
SQL> select * from employee;
```

EID	ENAME	SALARY
1	raju	1000
2	dinesh	3000
3	arun	4000
4	harsha	6000

Min function

It is used to find the minimum value int the column of a table

For example we are performing the above aggregate functions in the example.

Syntax :

```
Select min(column_name) from table_name;
```

Ex:

```
Select min(salary) from table_name;
```

```
SQL> select min(salary) from employee;
```

```
MIN(SALARY)
-----
          1000
```

```
SQL>
```

Max function :

It is used to find the maximum value in the column of a table.

Syntax:

Select max(column_name) from table_name;

Ex:

Select max(salary) from employee;

```
SQL> select max(salary) from employee;

MAX(SALARY)
-----
          6000
```

Count function :

It is used to count the how many rows in the column of a table.

Syntax:

Select count(column_name) from table_name;

Ex:

Select count(salary) from employee;

```
SQL> select count(salary) from employee;

COUNT(SALARY)
-----
              4

SQL>
```

Sum function :

It is used to find the sum of the values in a row of a table.

Syntax :

Select sum(column_name) from table_name;

Ex:

Select sum(salary) from employee;

```
SQL> select sum(salary) from employee;

SUM(SALARY)
-----
      14000
```

Avg function :

It is used to find the average of the column of a table.

Syntax:

Select avg(column_name) from table_name;

Ex:

Select avg(salary) from employee;

```
SQL> select avg(salary) from employee;

AVG(SALARY)
-----
       3500
```

EXPERIMENT-8

```
SQL> CREATE TABLE name(  
  2  fname VARCHAR2(20) NOT NULL,  
  3  lname VARCHAR2(20) NOT NULL  
  4  );
```

Table created.

```
SQL> INSERT ALL  
  2  INTO name VALUES('Harsha','Reddy')  
  3  INTO name VALUES('Dinesh','Reddy')  
  4  INTO name VALUES('Arun','Naik')  
  5  INTO name VALUES('Syed','Basha')  
  6  select * from dual;
```

4 rows created.

```
SQL> select LOWER(fname) from name;
```

```
LOWER(FNAME)
```

```
-----
```

```
harsha
```

```
dinesh
```

```
arun
```

```
syed
```



```
SQL> select UPPER(fname) from name;
```

```
UPPER(FNAME)
```

```
-----
```

```
HARSHA
```

```
DINESH
```

```
ARUN
```

```
SYED
```

```
SQL> select INITCAP(fname) from name;
```

```
INITCAP(FNAME)
```

```
-----
```

```
Harsha
```

```
Dinesh
```

```
Arun
```

```
Syed
```

```
SQL> select CONCAT(fname,lname) from name;
```

```
CONCAT(FNAME,LNAME)
```

```
-----
```

```
HarshaReddy
```

```
DineshReddy
```

```
ArunNaik
```

```
SyedBasha
```

```
SQL> select SUBSTR(fname,1,3) from name;
```

```
SUBSTR(FNAME
```

```
-----
```

```
Har
```

```
Din
```

```
Aru
```

```
Sye
```

```
SQL> select LENGTH(fname) from name;
```

```
LENGTH(FNAME)
```

```
-----
```

```
6  
6  
4  
4
```

```
SQL> select INSTR(fname,'a') from name;
```

```
INSTR(FNAME,'A')
```

```
-----
```

```
2  
0  
0  
0
```

```
SQL> select TRIM(' ' from fname) from name;
```

```
TRIM(' 'FROMFNAME)
```

```
-----
```

```
Harsha  
Dinesh  
Arun  
Syed
```

```
SQL> select ROUND(11.231,2) from dual;
```

```
ROUND(11.231,2)
```

```
-----
```

```
11.23
```

```
SQL> select MOD(25,2) from dual;
```

```
MOD(25,2)
-----
          1
```

```
SQL> select SYSDATE FROM dual;
```

```
SYSDATE
-----
17-DEC-23
```

```
SQL> select MONTHS_BETWEEN(SYSDATE, '17-DEC-2025') FROM DUAL;
```

```
MONTHS_BETWEEN(SYSDATE, '17-DEC-2025')
-----
                                -24
```

```
SQL> SELECT ADD_MONTHS(SYSDATE,12) FROM DUAL;
```

```
ADD_MONTH
-----
17-DEC-24
```

```
SQL> SELECT NEXT_DAY(SYSDATE, 'MONDAY') FROM DUAL;
```

```
NEXT_DAY(
-----
18-DEC-23
```

```
SQL> SELECT LAST_DAY(SYSDATE) FROM DUAL;
```

```
LAST_DAY(
-----
31-DEC-23
```

```
SQL> SELECT CURRENT_TIMESTAMP(3) FROM DUAL;
```

```
CURRENT_TIMESTAMP(3)
-----
17-DEC-23 10.07.42.234 AM +05:30
```

EXPERIMENT-

Primary key :

```
SQL> create table college(  
  2  id varchar2(10) PRIMARY KEY,  
  3  name varchar2(20),  
  4  branch varchar2(10),  
  5  section varchar2(10)  
  6  );
```

Table created.

```
SQL> desc college
```

Name	Null?	Type
ID	NOT NULL	VARCHAR2(10)
NAME		VARCHAR2(20)
BRANCH		VARCHAR2(10)
SECTION		VARCHAR2(10)

Foreign key :

```
SQL> create table marks(  
  2  id varchar2(10) PRIMARY KEY,  
  3  num NUMBER NOT NULL,  
  4  marks varchar2(20) REFERENCES college(id)  
  5  );
```

Table created.

```
SQL> desc marks
```

Name	Null?	Type
ID	NOT NULL	VARCHAR2(10)
NUM	NOT NULL	NUMBER
MARKS		VARCHAR2(20)

```
SQL>
```

EXPERIMENT-10

```
SQL> ED
Wrote file afiedt.buf

 1 DECLARE
 2 n NUMBER;
 3 fac NUMBER:=1;
 4 n1 NUMBER;
 5 BEGIN
 6 n:=&n;
 7 n1:=n;
 8 WHILE N>0 LOOP
 9 fac:=n*fac;
10 n:=n-1;
11 END LOOP;
12 DBMS_OUTPUT.PUT_LINE('The factorial of '||n1||' is '||fac);
13* END;
SQL> /
Enter value for n: 5
old 6: n:=&n;
new 6: n:=5;

PL/SQL procedure successfully completed.

SQL> SET SERVEROUT ON
SQL> SET VERIFY OFF
SQL> /
Enter value for n: 5
The factorial of 5 is 120

PL/SQL procedure successfully completed.
```

EXPERIMENT-11

```
SQL> ED
Wrote file afiedt.buf

 1 DECLARE
 2   n NUMBER;
 3   i NUMBER;
 4   temp NUMBER;
 5 BEGIN
 6   n:=&n;
 7   i:=2;
 8   temp:=1;
 9   FOR I IN 2..n/2
10 LOOP
11   IF MOD(n,i)=0
12   THEN
13     temp:=0;
14   EXIT;
15   END IF;
16 END LOOP;
17 IF temp=1
18 THEN
19   DBMS_OUTPUT.PUT_LINE(n||' is a prime number');
20 ELSE
21   DBMS_OUTPUT.PUT_LINE(n||' is not a prime number');
22 END IF;
23* END;
SQL> /
Enter value for n: 12
12 is not a prime number

PL/SQL procedure successfully completed.

SQL> SET SERVEROUT ON
SQL> SET VERIFY OFF
SQL> /
Enter value for n: 3
3 is a prime number

PL/SQL procedure successfully completed.
```

EXPERIMENT-12

```
SQL> ED
Wrote file afiedt.buf

 1 DECLARE
 2 first NUMBER:=0;
 3 second NUMBER:=1;
 4 temp NUMBER;
 5 n NUMBER;
 6 i NUMBER;
 7 BEGIN
 8 n:=&n;
 9 DBMS_OUTPUT.PUT_LINE('SERIES');
10 DBMS_OUTPUT.PUT_LINE(first);
11 DBMS_OUTPUT.PUT_LINE(second);
12 FOR i IN 2..n
13 LOOP
14 temp:=first+second;
15 first:=second;
16 second:=temp;
17 DBMS_OUTPUT.PUT_LINE(temp);
18 END LOOP;
19* END;
20 /
Enter value for n: 5
SERIES
0
1
1
2
3
5

PL/SQL procedure successfully completed.
```


EXPERIMENT-13

```
SQL> CREATE TABLE sailor(  
  2 id NUMBER PRIMARY KEY,  
  3 name VARCHAR2(20) NOT NULL  
  4 );
```

Table created.

```
SQL> ED  
Wrote file afiedt.buf  
  
  1 CREATE OR REPLACE PROCEDURE insertuser(id IN NUMBER,name IN VARCHAR2)  
  2 AS  
  3 BEGIN  
  4 INSERT INTO sailor VALUES(id,name);  
  5 DBMS_OUTPUT.PUT_LINE('Record inserted successfully');  
  6* END;  
  7 /
```

Procedure created.

```
SQL> ED  
Wrote file afiedt.buf  
  
  1 DECLARE  
  2 co NUMBER;  
  3 BEGIN  
  4 insertuser(26,'Harsha');  
  5 select count(*) INTO co FROM sailor;  
  6 DBMS_OUTPUT.PUT_LINE(co||' Record is inserted successfully');  
  7* END;  
SQL> /  
Record inserted successfully  
1 Record is inserted successfully  
  
PL/SQL procedure successfully completed.
```



```
SQL> ED
Wrote file afiedt.buf

 1 DECLARE
 2 co NUMBER;
 3 BEGIN
 4 insertuser(25,'Harsha');
 5 select count(*) INTO co FROM sailor;
 6 DBMS_OUTPUT.PUT_LINE(co||' Record is inserted successfully');
 7* END;
SQL> /
Record inserted successfully
2 Record is inserted successfully

PL/SQL procedure successfully completed.
```

EXPERIMENT-

```
SQL> CREATE TABLE branch(  
  2  id NUMBER PRIMARY KEY,  
  3  name VARCHAR2(20) NOT NULL,  
  4  strength NUMBER  
  5  );
```

Table created.

```
SQL> INSERT ALL  
  2  INTO branch VALUES(1,'CSE',144)  
  3  INTO branch VALUES(2,'CSD',140)  
  4  INTO branch VALUES(2,'EEE',120)  
  5  SELECT * FROM DUAL;
```

INSERT ALL

*

ERROR at line 1:

ORA-00001: unique constraint (C##526.SYS_C008329) violated

```
SQL> INSERT ALL  
  2  INTO branch VALUES(1,'CSE',144)  
  3  INTO branch VALUES(2,'CSD',140)  
  4  INTO branch VALUES(3,'EEE',120)  
  5  SELECT * FROM DUAL;
```

3 rows created.

```
SQL> SET SERVEROUT ON
SQL> SET VERIFY OFF
SQL> CREATE OR REPLACE FUNCTION totalstrength RETURN NUMBER
  2 AS
  3 total NUMBER:=0;
  4 BEGIN
  5 SELECT sum(strength) INTO total FROM branch;
  6 return total;
  7 END;
  8 /
```

Function created.

```
SQL> DECLARE
  2 answer NUMBER;
  3 BEGIN
  4 answer:=totalstrength();
  5 DBMS_OUTPUT.PUT_LINE('Total strength of students is '||answer);
  6 END;
  7 /
```

Total strength of students is 404

PL/SQL procedure successfully completed.

EXPERIMENT-15

```
SQL> CREATE TABLE instruct(  
  2  id NUMBER PRIMARY KEY,  
  3  name VARCHAR2(10) NOT NULL,  
  4  dname VARCHAR2(10) NOT NULL,  
  5  salary NUMBER CHECK(salary>10000)  
  6  );
```

Table created.

```
SQL> INSERT ALL  
  2  INTO instruct VALUES(1,'HARSHA','CSE',50000)  
  3  INTO instruct VALUES(2,'ARUN','CSE',60000)  
  4  INTO instruct VALUES(3,'BASHA','ECE',55000)  
  5  INTO instruct VALUES(4,'DINESH','EEE',65000)  
  6  SELECT * FROM DUAL;
```

4 rows created.

```
SQL> CREATE OR REPLACE TRIGGER display_changes  
  2  BEFORE UPDATE ON instruct  
  3  FOR EACH ROW  
  4  WHEN(NEW.ID=OLD.ID)  
  5  DECLARE  
  6  sal_diff number;  
  7  BEGIN  
  8  sal_diff:=:NEW.salary-:OLD.salary;  
  9  DBMS_OUTPUT.PUT_LINE('OLD SALARY: '||:OLD.salary);  
 10  DBMS_OUTPUT.PUT_LINE('NEW SALARY: '||:NEW.salary);  
 11  DBMS_OUTPUT.PUT_LINE('Salary difference : '||sal_diff);  
 12  END;  
 13  /
```

Trigger created.

```
SQL> DECLARE
  2  tot_rows NUMBER;
  3  BEGIN
  4  UPDATE instruct
  5  SET salary=salary*1.5;
  6  IF sql%notfound THEN
  7  DBMS_OUTPUT.PUT_LINE('no instructors updated');
  8  ELSIF sql%found THEN
  9  tot_rows:=sql%rowcount;
 10  DBMS_OUTPUT.PUT_LINE(tot_rows||' instructors updated');
 11  END IF;
 12  END;
 13  /
```

PL/SQL procedure successfully completed.

```
SQL> SET SERVEROUT ON
SQL> SET VERIFY OFF
SQL> /
OLD SALARY: 75000
NEW SALARY: 112500
Salary difference : 37500
OLD SALARY: 90000
NEW SALARY: 135000
Salary difference : 45000
OLD SALARY: 82500
NEW SALARY: 123750
Salary difference : 41250
OLD SALARY: 97500
NEW SALARY: 146250
Salary difference : 48750
4 instructors updated
```

PL/SQL procedure successfully completed.

EXPERIMENT-

```
SQL> CREATE TABLE customers(  
  2  id NUMBER PRIMARY KEY,  
  3  name VARCHAR2(20) NOT NULL,  
  4  age NUMBER NOT NULL,  
  5  salary NUMBER NOT NULL  
  6  );
```

Table created.

```
SQL> INSERT ALL  
  2  INTO customers VALUES(1,'HARSHA',18,50000)  
  3  INTO customers VALUES(2,'ARUN',19,60000)  
  4  INTO customers VALUES(3,'BASHA',19,65000)  
  5  INTO customers VALUES(4,'DINESH',20,55000)  
  6  SELECT * FROM DUAL;
```

4 rows created.

```
SQL> DECLARE  
  2  tot_rows NUMBER;  
  3  BEGIN  
  4  UPDATE customers SET salary=salary*1.5;  
  5  IF sql%notfound THEN  
  6  DBMS_OUTPUT.PUT_LINE('No customers updated');  
  7  ELSIF sql%found THEN  
  8  tot_rows :=sql%rowcount;  
  9  DBMS_OUTPUT.PUT_LINE(tot_rows||' customers updated');  
 10  END IF;  
 11  END;  
 12  /
```

4 customers updated

PL/SQL procedure successfully completed.


```
SQL> DECLARE
  2  c_id customers.id%type;
  3  c_name customers.name%type;
  4  c_age customers.age%type;
  5  CURSOR c_customers IS
  6  SELECT id,name,age FROM customers;
  7  BEGIN
  8  OPEN c_customers;
  9  LOOP
 10  FETCH c_customers INTO c_id,c_name,c_age;
 11  EXIT WHEN c_customers%notfound;
 12  DBMS_OUTPUT.PUT_LINE(c_id||' '||c_name||' '||c_age);
 13  END LOOP;
 14  CLOSE c_customers;
 15  END;
 16  /
1 HARSHA 18
2 ARUN 19
3 BASHA 19
4 DINESH 20

PL/SQL procedure successfully completed.
```