

Work Order #

22550872



Planned Date 13/03/2026
Start Date 13/03/2026
Due Date 18/03/2026
Planned Qty 1200


22550872

BPD-F584A-00-IYN-R02 SNP - 50 (10X5)

S.No.	ItemCode -(SFG Code)	Picking Method	Cut	Bend	BaseQty	UoM	Req. Qty
1	05-0030-012-00-0000NA -(05-0030-012-00-000094)	Kanban	C-94	X	0.094	mtr	112.8
2	05-0030-012-00-0000NA -(05-0030-012-00-000234)	Kanban	C-234	X	0.234	mtr	280.8
3	K35286-30000-C3NII -(K35286-30000)	Kit	X	X	1	nos	1200
4	K41341-00000NII -(K41341-15015)	Kit	X	B-15015	1	nos	1200
5	K41358-00000NII -(K41358L90180)	Kit	X	B-L90180	1	nos	1200
6	FA0553-30000NII -(FA0553-30000)	Kit	X	X	1	nos	1200
7	FA0554-02000 -(FA0554-02000)	Kit	X	X	1	nos	1200
8	PR0157-0000-IND -(PR0157-0190)	Kanban	C-190	X	0.19	mtr	228
9	DC-EYE-8 -(DC-EYE-8)	Kanban	X	X	2	nos	2400

Remarks

Pick And Pack Remarks



PART NO.	BPD-F584A-00-IYN-R02
----------	----------------------

Technical drawing of a cable assembly. The drawing shows a cross-section of the cable with various components labeled. Key dimensions and labels include:

- Overall length: 256⁺³
- Section 1 length: 45
- Section 2 length: 23
- Section 3 length: 196⁺⁴
- Section 4 length: 23
- Section 5 length: 15.9
- Section 6 length: 12.3
- Section 7 length: 12.3
- Section 8 length: 12.3
- Section 9 length: 12.3
- Section 10 length: 12.3
- Section 11 length: 12.3
- Section 12 length: 12.3
- Section 13 length: 12.3
- Section 14 length: 12.3
- Section 15 length: 12.3
- Section 16 length: 12.3
- Section 17 length: 12.3
- Section 18 length: 12.3
- Section 19 length: 12.3
- Section 20 length: 12.3
- Section 21 length: 12.3
- Section 22 length: 12.3
- Section 23 length: 12.3
- Section 24 length: 12.3
- Section 25 length: 12.3
- Section 26 length: 12.3
- Section 27 length: 12.3
- Section 28 length: 12.3
- Section 29 length: 12.3
- Section 30 length: 12.3
- Section 31 length: 12.3
- Section 32 length: 12.3
- Section 33 length: 12.3
- Section 34 length: 12.3
- Section 35 length: 12.3
- Section 36 length: 12.3
- Section 37 length: 12.3
- Section 38 length: 12.3
- Section 39 length: 12.3
- Section 40 length: 12.3
- Section 41 length: 12.3
- Section 42 length: 12.3
- Section 43 length: 12.3
- Section 44 length: 12.3
- Section 45 length: 12.3
- Section 46 length: 12.3
- Section 47 length: 12.3
- Section 48 length: 12.3
- Section 49 length: 12.3
- Section 50 length: 12.3
- Section 51 length: 12.3
- Section 52 length: 12.3
- Section 53 length: 12.3
- Section 54 length: 12.3
- Section 55 length: 12.3
- Section 56 length: 12.3
- Section 57 length: 12.3
- Section 58 length: 12.3
- Section 59 length: 12.3
- Section 60 length: 12.3
- Section 61 length: 12.3
- Section 62 length: 12.3
- Section 63 length: 12.3
- Section 64 length: 12.3
- Section 65 length: 12.3
- Section 66 length: 12.3
- Section 67 length: 12.3
- Section 68 length: 12.3
- Section 69 length: 12.3
- Section 70 length: 12.3
- Section 71 length: 12.3
- Section 72 length: 12.3
- Section 73 length: 12.3
- Section 74 length: 12.3
- Section 75 length: 12.3
- Section 76 length: 12.3
- Section 77 length: 12.3
- Section 78 length: 12.3
- Section 79 length: 12.3
- Section 80 length: 12.3
- Section 81 length: 12.3
- Section 82 length: 12.3
- Section 83 length: 12.3
- Section 84 length: 12.3
- Section 85 length: 12.3
- Section 86 length: 12.3
- Section 87 length: 12.3
- Section 88 length: 12.3
- Section 89 length: 12.3
- Section 90 length: 12.3
- Section 91 length: 12.3
- Section 92 length: 12.3
- Section 93 length: 12.3
- Section 94 length: 12.3
- Section 95 length: 12.3
- Section 96 length: 12.3
- Section 97 length: 12.3
- Section 98 length: 12.3
- Section 99 length: 12.3
- Section 100 length: 12.3

Machine Dial Setting

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING



Format No.: Nil/QA/FR/05A

Rev. No.01

Revision Date: 14.12.2021

22550872

Control Card No : IYM-CC-22

Revisions : Protector localization 2

Issued : Garima

Checked : Ganesh Vats

Approval : Avinash Kumar

Control Card Type : Brake Hose

Customer : IYM

Drawing Revision : BPD1A51 27.09.2022

Issue Date : 11.03.2026

PART NO. BPD-F584A-00-IYN-R02

MASS PRODUCTION

Product Order No : 22550872/BPD-F584A-00-IYN-R02


Assy Lot Number : 6318

Quantity : 1200

Production Plan Date : 13-03-2026/18-03-2026



Hose side-1



Process	Control Points	Standards	Method	Check / record			Total NG	Total OK	Date/Initial
Accessories Bonding	Bonding Jig No.	BJ-IYM-22-1A	Visually						
		BJ-IYM-22-1B	Visually						
	Bonding Position	As per Bonding Jig	As per Bonding Jig						
	Kakotora Check point	No extra adhesive allowed on Protector , No adhesive allowed on Fitting Sealing surface and part must not be stuck together while kept on table , and Protector not to be bond in wrong side And No looseness of grommet .	Visually						
	Adhesive Amount	No extra adhesive Allowed	2~3 Drop						
	Bonding Jig 1 Operator	Operator Name	Actual						
	Bonding Jig 2 Operator	Operator Name	Actual						

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

Pre Inspection & Blue Paint Marking (Hose Side 1)	Final Inspection Jig	PIG-IYM-22-1	Visually						
	Assy Part No.	BPD-F584A-00 (HOSE 1 SIDE)	As per Control Card						
	Dimension & Angle	As per above Given drawing (page 1)	As per Final Gauge						
	Mark Line Insertion	Not visible after Crimping	Visually						
	Lot No.	Must be Present (YMDD)	Visually						
	ICAT No. and Part ID	Must be present (CN1159) (BPDF584A)	Visually						
	Kakotora check point related to Fitting	Must be no Scratch on Sealing Surface , No Liquid pool allowed on sealing surface	Visually						
	Kakotora check point related to Bonding	No extra adhesive allowed on Protector , No adhesive allowed on Fitting Sealing surface and part must not be stuck together while kept on table , and Protector not to be bond in wrong side and Grommet Must be no loose.	Visually						
	Kakotora check point related to Crimping	Both End fittings must be Properly crimped	Visually						
	Kakotora check point related to Lot.no. Stamping	Wrong Part ID not Allowed , And No stamping miss allowed .	Visually						
	Hose Appearance	No dent, scratch damage . Printing must be available	Visually						
	Fitting Appearance	Must be no deformation , Scratch , Liquid pool, scratch inside bolt hole and Rust	Visually						
	Fitment	Can easily insert into Gauge And Accessories to be bonded as per drawing	Visually						
	Operator	Operator Name	Actual						
Sub Assy.Packing	Packing Bin Size (Internal Packing)	600 X 400 X 280	Visually						
	Bin Color	Grey Bin with Flap Cover	Visually						
	Packing Qty.	50 No's (10 No's X 5 Bundle)	Visually						
	Bundle	Only rubber to be applied on both side for making Bundle	Visually						
	Operator	Operator Name	Actual						

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

PASS STAMP	QA Inspection Result OK/N.G	QA Inspector	TOTAL OK		
			TOTAL NG		
			TOTAL TAKEN		

Parts May NOT be Transferred to the Warehouse until Passed / Dated / Initialed




Issue Date :	11.03.2026
--------------	------------

Technical drawing of a mechanical part with dimensions: (23), (R15), 90 $\pm$ 0.2, (32.2), and 80 $\pm$ 0.2.


TOTAL TAKEN



Production Plan Date :	13-03-2026/18-03-2026
------------------------	-----------------------



				Format No.: NII/QA/FR/05A	Rev. No.:01	Revision Date: 14.12.2021												
22550872				<table border="1"> <tr> <td>PART NO.</td> <td>BPD-F584A-00-IYN-R02</td> </tr> <tr> <td colspan="2">MASS PRODUCTION</td> </tr> <tr> <td>Product Order No :</td> <td>22550872/BPD-F584A-00-IYN-R02</td> </tr> <tr> <td>Assy Lot Number :</td> <td>6318</td> </tr> <tr> <td>Quantity :</td> <td>1200</td> </tr> <tr> <td>Production Plan Date :</td> <td>13-03-2026/18-03-2026</td> </tr> </table>			PART NO.	BPD-F584A-00-IYN-R02	MASS PRODUCTION		Product Order No :	22550872/BPD-F584A-00-IYN-R02	Assy Lot Number :	6318	Quantity :	1200	Production Plan Date :	13-03-2026/18-03-2026
PART NO.	BPD-F584A-00-IYN-R02																	
MASS PRODUCTION																		
Product Order No :	22550872/BPD-F584A-00-IYN-R02																	
Assy Lot Number :	6318																	
Quantity :	1200																	
Production Plan Date :	13-03-2026/18-03-2026																	
Control Card No :	IYM-CC-22	Control Card Type :	Brake Hose															
Revisions :	2 Protector localization	Customer :	IYM															
Issued :	Garima	Drawing Revision :	BPD1A51 27.09.2022															
Checked :	Ganesh Vats	Issue Date :	11.03.2026															
Approval :	Avinash Kumar																	

HOSE 1

Process	Control Points	Standards	Method	Check / record	Total NG	Total OK	Date/Initial
Hose Cutting 1	Machine Number	Actual	Visually				
R	Part No.	05-0030-012-00-000234	As per Bin Tag				
	Hose Lot No.	As per Box Tag	Visually				
	Hose Type	XN	Visually				
	Stamp On Hose	As per above Drawing	Visually				
	Cut Length	234±2	SCALE				
	Insertion Mark (Both)	16.0+0/-1.5	Insertion Mark Gauge				
	Cutting Appearance	No thread out , no uneven Cut	Visually				
	Operator	Operator Name	Actual				

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING


In Case Against Any Work order roll used more than one roll need to fill below table.

Roll No.	Hose Part No. (As per Control Card)	Hose Part No. (On Roll / Box Tag)	Hose Type	Stamp On Hose	Checked By	Verified By
				Example:-DOT GB16897 NCRN MM/DD/YY		
Roll No.-1						
Roll No.-2						
Roll No.-3						
Roll No.-4						
Roll No.-5						
Roll No.-6						
Roll No.-7						
Roll No.-8						
Roll No.-9						
Roll No.-10						

PASS STAMP	QA Inspection Result OK/N.G	QA Inspector	TOTAL OK	
			TOTAL NG	
			TOTAL TAKEN	

Parts May NOT be Transferred to the Warehouse until Passed / Dated / Initialled

 		Format No.: NI/QA/FR/USA	Rev. No.:01	Revision Date: 14.12.2021
22550872		PART NO. BPD-F584A-00-1YN-R02 MASS PRODUCTION		
Control Card No :	IYM-CC-22	Product Order No : 22550872/BPD-F584A-00-1YN-R Assy Lot Number : 6318 Quantity : 1200 Production Plan Date : 13-09-2026/18-09-2026		
Revisions :	 Protector localization	Control Card Type :	Brake Hose	
Issued :	Garima	Customer :	IYM	
Checked :	Ganesh Vats	Drawing Revision :	BPD1A51 27.09.2022	
Approval :	Avinash Kumar	Issue Date :	11.03.2026	

HOSE 2

Process	Control Points	Standards	Method	Check / record	Total NG	Total OK	Date/Initial
Hose Cutting 2	Machine Number	Actual	Visually				
	Part No.	05-0030-012-00-000094	As per Bin Tag				
	Hose Lot No.	As per Box Tag	Visually				
	Hose Type	XN	Visually				
	Stamp On Hose	As per above Drawing	Visually				
	Cut Length	94±2	SCALE				
	Insertion Mark (Both)	16.0+0/-1.5	Insertion Mark Gauge				
	Cutting Appearance	No thread out , no uneven Cut	Visually				
	Operator	Operator Name	Actual				

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING
 In Case Against Any Work order roll used more than one roll need to fill below table.

Roll No.	Hose Part No. (As per Control Card)	Hose Part No. (On Roll / Box Tag)	Hose Type	Stamp On Hose	Checked By	Verified By
				Example:-DOT GB16897 NCRN MM/DD/YY		
Roll No.-1						
Roll No.-2						
Roll No.-3						
Roll No.-4						
Roll No.-5						
Roll No.-6						
Roll No.-7						
Roll No.-8						
Roll No.-9						
Roll No.-10						

PASS STAMP	QA Inspection Result OK/N.G	QA Inspector	TOTAL OK	
			TOTAL NG	
			TOTAL TAKEN	

Parts May NOT be Transferred to the Warehouse until Passed / Dated / Initialed



Format No.:
NII/QA/FR/OSA



Rev. No.:01

Revision Date: 14.12.2021

22550872

Control Card No :	IYM-CC-22	Control Card Type :	Brake Hose
Revisions :	2 'Protector localization	Customer :	IYM
Issued :	Garima	Drawing Revision :	BPD1A51 27.09.2022
Checked :	Ganesh Vats	Issue Date :	11.03.2026
Approval :	Avinash Kumar		

PART NO.	BPD-F584A-00-IYN-R02
MASS PRODUCTION	
Product Order No :	22550872/BPD-F584A-00-IYN-R02
Assy Lot Number :	6318
Quantity :	1200
Production Plan Date :	13-03-2026/18-03-2026



Process	Control Points	Standards	Method	Check / record	Total NG	Total OK	Date/Initial
Pipe Shrinkable Tube	Shrink Tube Fixture	STJ-SM-05A/05B/05C/05D	Visually				
	Pipe Tube part no.	FA0554-02000	As per BinTag				
	Protector Length	140±3 (Without Shrink)	SCALE				
	Pipe Total Length	216±2	SCALE				
	Required Temperature	155°C±10°C	Oven HMI				
	Time Required	Minimum 5:30 minutes (after closing oven door)	Stop Watch				
	Tube Shrink Condition	Tube must be no loose through out the length . Both side corner must be properly attach with Pipe	Visually				
	Shrink Tube Location	28 ± 5	SCALE				
	Appearance	No Thread damage .FLARE AREA SHALL BE FREE FROM HARMFUL CRACKS AND FLAWS	Visually				
	Kakotora Check Point	Both Side Nut should not be in Reverse Direction	Visually				
	Contamination	PIPE , FLARE AREA SHALL BE FREE FROM HARMFUL CONTAMINATION	Visually				
	Operator	Operator Name	Actual				

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

Pipe Bending (FA0554-03000)	Bending Fixture	BNF-IYM-02	Visually					
	Pipe Tube part no.	FA0554-02000	As per BinTag					
	Pipe Bending Procedure	As per WI	Follow WI					
	Appearance	No Thread damage , bending clamp mark and dent not allowed	Visually					
	Kakotora Check Point	Flare of Pipe Should be OK,Flare Nut Should be present & present as per Final Gauge, Protector Length as per Inspection Gauge.	Visually					
	Bending Inspection Jig	BNF-IYM-02	Actual					
	Pipe Profile	Should be as per Gauge	Actual					
	Contamination	Flare Area shall be free from harmful Contamination.	Actual					
	Operator	Operator Name	Actual					

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

PASS STAMP	QA Inspection Result OK/N.G	QA Inspector	TOTAL OK		
			TOTAL NG		
			TOTAL TAKEN		

		Format No.: NII/QA/FR/OSA	Rev. No.:01	Revision Date: 14.12.2021
22550872				
Control Card No :	IYM-CC-22			
Revisions :	2 Protector localization	Control Card Type :	Brake Hose	
Issued :	Garima	Customer :	IYM	
Checked :	Ganesh Vats	Drawing Revision :	BPD1A51 27.09.2022	
Approval :	Avinash Kumar	Issue Date :	11.03.2026	

PART NO.		BPD-F584A-00-IYN-R02
MASS PRODUCTION		
Product Order No :	22550872/BPD-F584A-00-IYN-R02	
Assy Lot Number :	6318	
Quantity :	1200	
Production Plan Date :	13-03-2026/18-03-2026	

Process	Control Points	Standards	Method	Check / record	Total NG	Total OK	Date/Initial
K	Fitting Bending (K41358L90180)	Bending Fixture Number/Block	(EF02)	Visually			
	Fitting Part No.	K41358-00000NII	Visually				
	Fitting Lot No.	As per supplier Lot no.	Visually				
	Angle	90°±2° (Up side)	Bending Machine				
	Angle	80°±2° (Left side)	Bending Machine				
	Pin Direction	Left side	Visually				
	Bending Setting	Height:-274	Manually				
		L-R Setting :-L80	Manually				
	Bending Rod Use .	Rod Half cut	Inspection Gauge				
	Pin Direction	As per Master Sample	Visually				
	Angle Inspection jig No.	AIJ-35	Inspection Gauge				
	Appearance	Must be no deformation	Visually				
	Kakotora Check point	There Should be no scratch on Fitting sealing Surface , No liquid Pool mark on sealing surface allowed.	Visually				
	Operator	Operator Name	Visually				

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

PASS STAMP	QA Inspection Result OK/N.G	QA Inspector	TOTAL OK	
			TOTAL NG	
			TOTAL TAKEN	

Parts May NOT be Transferred to the Warehouse until Passed / Dated / Initialled


 	Format No.: NII/QA/FR/05A	Rev. No.:01	Revision Date: 14.12.2021
--	---------------------------	-------------	---------------------------

22550872

Control Card No :	IYM-CC-22		
Revisions :	 'Protector localization 2	Control Card Type :	Brake Hose
Issued :	Garima	Customer :	IYM
Checked :	Ganesh Vats	Drawing Revision :	BPD1A51 27.09.2022
Approval :	Avinash Kumar	Issue Date :	11.03.2026

PART NO.	BPD-F584A-00-IYN-R02
MASS PRODUCTION	
Product Order No :	22550872/BPD-F584A-00-IYN-R02
Assy Lot Number :	6318
Quantity :	1200
Production Plan Date :	13-03-2026/18-03-2026





Protector Length- 190 mm

PVC + NBR

Process	Control Points	Standards	Method	Check / record	Total NG	Total OK	Date/Initial
Protector Cutting 1 PR0157-0190	Machine Number	Actual	Visually				
	Part No.	PR0157-0000 IND 	As per Box tag				
	Protector Supplier Name	Acme Plactics 					
	Protector Lot No.	As per Box Tag	Visually				
	Cut Length	190±3	Scale				
	Machine Setting Length	As per PLC input	Manual Setting				
	Appearance	No Uneven Cut	Visually				
	Operator	Operator Name	Actual				
FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING							
PASS STAMP		QA Inspection Result OK/N.G	QA Inspector	TOTAL OK			
				TOTAL NG			
				TOTAL TAKEN			
Parts May NOT be Transferred to the Warehouse until Passed / Dated / Initialled							

		Format No.: NII/QA/FR/OSA	Rev. No.:01	Revision Date: 14.12.2021
22550872				
Control Card No :	IYM-CC-22			
Revisions :	2 Protector localization	Control Card Type :	Brake Hose	
Issued :	Garima	Customer :	IYM	
Checked :	Ganesh Vats	Drawing Revision :	BPD1A51 27.09.2022	
Approval :	Avinash Kumar	Issue Date :	11.03.2026	

FITTING BENDING-K41341-15015

Process	Control Points	Standards	Method	Check / record	Total NG	Total OK	Date/Initial
Fitting Bending (K41341-15015)	Machine Number	Actual	Visually				
	Fitting Part No.	K41341-00000	Visually				
	Fitting Lot No.	As per supplier Lot no.	Visually				
	Angle	15°±2° (Up side)	Bending Machine				
	Bending Setting	Height:- 139	Manually				
		L-R Setting :-L-47	Manually				
	Angle Inspection jig No.	AJJ-09	Inspection Gauge				
	Angle	15°±2° (Right Side)	Bending Machine				
	Angle Inspection jig No.	AJJ-04	Inspection Gauge				
	Appearance	Must be no deformation	Visually				
	Kakotora Check point	There Should be no scratch on Fitting sealing Surface , No liquid Pool mark on sealing surface allowed.	Visually				
	Operator	Operator Name	Visually				

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

Manufacturing lot no. stamping	Machine Number	Actual	Visually				
R	Fitting Part No.	K41341-15015	As per Bin/Box				
	Lot No. Stamp / Print	As per Production Date (NII YMDD)	Visually				
	Stamp Ident Mark	BPDF584A	Visually				
	TAC No.	CN1159	Visually				
	Stamping character and Position	Should be clear and in level	Visually				
	Kakotora Check point	Wrong Part ID not Allowed , And No stamping miss allowed and No liquid Pool mark on sealing surface allowed.	Visually				
	Operator	Operator Name	Visually				

FIRST-OFF ASSY. TO BE CHECKED BY TEAM LEADER OR QC & SIGNED OFF BEFORE PROCEEDING

PASS STAMP	QA Inspection Result OK/N.G	QA Inspector	TOTAL OK		
			TOTAL NG		
			TOTAL TAKEN		

Parts May NOT be Transferred to the Warehouse until Passed / Dated / Initialled