

Which biodiversity credits are running out?

Credit types in demand

305

Credit types with zero supply



43

Under 1 year of supply left

71

Rank	Type	Credit	Available	Retired per year	Years of supply
1	Ecosystem	Black Cypress Pine - Red Stringybark - red gum - box low open forest on siliceous rocky outcrops in the NSW South Western Slopes Bioregion	0	507.06	0.00
2	Ecosystem	Red Stringybark - Red Box - Long-leaved Box - Inland Scribbly Gum tussock grass - shrub low open forest on hills in the southern part of the NSW South Western Slopes Bioregion	0	289.16	0.00
3	Ecosystem	Canegrass swamp tall grassland wetland of drainage depressions, lakes and pans of the inland plains	0	155.10	0.00
4	Ecosystem	Northern Swamp Mahogany-Bottlebrush Swamp Forest	0	152.76	0.00
5	Ecosystem	Narrow-leaved Ironbark - Grey Box - Spotted Gum shrub - grass woodland of the central and lower Hunter	0	136.69	0.00
6	Ecosystem	Southwest Ranges White Box Woodland	0	127.06	0.00
7	Ecosystem	Blakelys Red Gum - White Box - Yellow Box - Black Cypress Pine box grass/shrub woodland on clay loam soils on undulating hills of central NSW South Western Slopes Bioregion	0	89.52	0.00
8	Ecosystem	Spotted Gum - Red Ironbark - Narrow-leaved Ironbark - Grey Box shrub-grass open forest of the lower Hunter	0	70.68	0.00
9	Ecosystem	Western Grey Box - Cypress Pine shrubby woodland on stony footslopes in the NSW South Western Slopes Bioregion and Riverina Bioregion	0	62.65	0.00
10	Ecosystem	Narrow-leaved Ironbark - box - Mock Olive shrubby open forest mainly on basalt slopes over sandstone in the upper Hunter Valley, Brigalow Belt South Bioregion and Sydney Basin Bioregion	0	59.29	0.00
11	Ecosystem	Deep sand mallee of irregular dunefields of the semi-arid (warm) zone	0	46.88	0.00
12	Ecosystem	Blackbutt - Pink Bloodwood shrubby open forest of the coastal lowlands of the NSW North Coast Bioregion	0	37.39	0.00
13	Ecosystem	Smooth-barked Apple - Red Bloodwood - Scribbly Gum grass - shrub woodland on lowlands of the Central Coast	0	36.95	0.00
14	Ecosystem	Rough-barked Apple - red gum grassy woodland of the MacDonald River Valley on the Central Coast, Sydney Basin Bioregion	0	34.47	0.00
15	Ecosystem	Castlereagh shale - gravel transition forest	0	26.00	0.00
16	Species	Harrow Wattle (Acacia acanthoclada)	0	18.40	0.00
17	Ecosystem	Yellow Box grassy tall woodland on alluvium or parna loams and clays on flats in NSW South Western Slopes Bioregion	0	16.21	0.00
18	Ecosystem	Brush Box - Tallowwood - Sydney Blue Gum tall moist forest of the ranges of the central NSW North Coast Bioregion	0	15.92	0.00
19	Ecosystem	Smooth-barked Apple - Turpentine - Sydney Peppermint heathy woodland on sandstone ranges of the Central Coast	0	7.16	0.00
20	Species	Pimelea curviflora var. curviflora (Pimelea curviflora var. curviflora)	0	5.99	0.00
21	Ecosystem	Swamp Oak - Weeping Grass grassy riparian forest of the Hunter Valley	0	5.84	0.00
22	Ecosystem	Broad-leaved Peppermint - Ribbon Gum grassy open forest in the north east of the South Eastern Highlands Bioregion	0	4.97	0.00
23	Ecosystem	Mugga Ironbark - Red Stringybark - Long-leaved Box dry grass forest of the NSW South Western Slopes Bioregion	0	4.67	0.00
24	Ecosystem	Paperbarks - Woollybutt swamp forest on coastal lowlands of the Central Coast	0	4.38	0.00
25	Ecosystem	Riverine Western Grey Box grassy woodland of the semi-arid (warm) climate zone	0	4.38	0.00
26	Ecosystem	Narrow-leaved Ironbark - Yellow bloodwood - Rough-barked Apple shrubby open forest on sandstone ranges of the Sydney Basin	0	3.94	0.00
27	Ecosystem	Sugarwood open woodland of the inland plains mainly Murray Darling Depression Bioregion	0	3.65	0.00
28	Ecosystem	Coastal sandstone riparian forest	0	3.50	0.00
29	Ecosystem	Mugga Ironbark - Red Box - White Box - Black Cypress Pine tall woodland on rises and hills in the northern NSW South Western Slopes Bioregion	0	3.36	0.00
30	Ecosystem	Smooth-barked Apple - Red Bloodwood - Brown Stringybark - Hairpin Banksia heathy open forest of coastal lowlands	0	3.36	0.00

Do scarce credits cost more?



How the data was cleaned

dataset	rows_affected	check	action
demand	1	Register has no listings	Used credit retirements as the demand measure instead
supply	11	Mixed date formats (some YYYY-MM-DD)	Converted to one date format
supply	35	Number of credits missing, zero or negative (Expressions of Interest)	Dropped rows
supply	71	Missing IBRA subregion (BioBanking equivalence species credits)	Kept; expected, species credits are matched by species not region
supply	415	Curly apostrophes (') in names	Replaced with straight apostrophe (')
supply	2861	Personal contact columns (9)	Removed for privacy
supply	46418	Blank or whitespace-only cells	Set to missing
transactions	2	Row with no date, type or number of credits	Dropped rows
transactions	2	Transfer with missing or \$0 price	Kept, excluded from price analysis
transactions	11	Cancelled transactions	Kept, excluded from demand
transactions	95	PCT name spelt differently from supply register	Fixed by matching on simplified name
transactions	127	PCT has no credits left in the supply register	Kept; counted as zero supply in the gap analysis
transactions	225	Curly apostrophes (') in names	Replaced with straight apostrophe (')
transactions	1569	Transaction ID appears on several rows	Kept (one transaction can cover several credit types)
transactions	2556	Personal contact columns (1)	Removed for privacy