
Filename: Briseno_12Feb26 - 2026-02-12 - 12.07.16.HSD1000



Default image (Contrast 100%)

Sample Info

Well	Conc. [pg/µl]	Sample Description	Alert	Observations
EL1	2350	Electronic Ladder		Ladder
A7	663	1		
B7	747	2		
C7	779	3		
D7	717	4		
E7	702	5		
F7	230	6		
G7	840	7		
H7	841	8		
A8	817	9		
B8	767	10		
C8	664	11		
D8	599	12		
E8	601	13		
F8	588	14		
G8	697	15		
H8	673	16		

Compact Peak Table


Well	Sample Description	Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
EL1	Electronic Ladder	25	340	-	20900	-		Lower Marker
EL1	Electronic Ladder	50	265	-	8160	11.28		
EL1	Electronic Ladder	100	278	-	4270	11.82		
EL1	Electronic Ladder	200	290	-	2230	12.32		
EL1	Electronic Ladder	300	304	-	1560	12.95		
EL1	Electronic Ladder	400	306	-	1180	13.00		
EL1	Electronic Ladder	500	312	-	961	13.29		
EL1	Electronic Ladder	700	286	-	629	12.19		
EL1	Electronic Ladder	1000	309	-	476	13.15		
EL1	Electronic Ladder	1500	250	250	256	-		Upper Marker
A7	1	25	259	-	15900	-		Lower Marker
A7	1	437	663	-	2340	100.00		
A7	1	1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023


B7	2	25	301	-	18500	-		Lower Marker
B7	2	438	747	-	2620	100.00		
B7	2	1500	250	250	256	-		Upper Marker
C7	3	25	299	-	18400	-		Lower Marker
C7	3	445	779	-	2700	100.00		
C7	3	1500	250	250	256	-		Upper Marker
D7	4	25	316	-	19400	-		Lower Marker
D7	4	441	717	-	2500	100.00		
D7	4	1500	250	250	256	-		Upper Marker
E7	5	25	324	-	19900	-		Lower Marker
E7	5	437	702	-	2470	100.00		
E7	5	1500	250	250	256	-		Upper Marker
F7	6	25	264	-	16200	-		Lower Marker
F7	6	441	230	-	804	100.00		
F7	6	1500	250	250	256	-		Upper Marker
G7	7	25	314	-	19300	-		Lower Marker
G7	7	433	840	-	2980	100.00		
G7	7	1500	250	250	256	-		Upper Marker
H7	8	25	336	-	20700	-		Lower Marker
H7	8	431	841	-	3000	100.00		
H7	8	1500	250	250	256	-		Upper Marker
A8	9	25	277	-	17000	-		Lower Marker
A8	9	449	817	-	2800	100.00		
A8	9	1500	250	250	256	-		Upper Marker
B8	10	25	295	-	18100	-		Lower Marker
B8	10	454	767	-	2600	100.00		
B8	10	1500	250	250	256	-		Upper Marker
C8	11	25	304	-	18700	-		Lower Marker
C8	11	445	664	-	2290	100.00		
C8	11	1500	250	250	256	-		Upper Marker
D8	12	25	313	-	19300	-		Lower Marker
D8	12	436	599	-	2110	100.00		
D8	12	1500	250	250	256	-		Upper Marker
E8	13	25	319	-	19600	-		Lower Marker
E8	13	425	601	-	2180	100.00		
E8	13	1500	250	250	256	-		Upper Marker
F8	14	25	315	-	19400	-		Lower Marker
F8	14	433	588	-	2090	100.00		
F8	14	1500	250	250	256	-		Upper Marker
G8	15	25	318	-	19600	-		Lower Marker
G8	15	425	697	-	2520	100.00		
G8	15	1500	250	250	256	-		Upper Marker
H8	16	25	333	-	20500	-		Lower Marker
H8	16	437	673	-	2370	100.00		
H8	16	1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023


EL1: Electronic Ladder




A7: 1




B7: 2




C7: 3




D7: 4




E7: 5




F7: 6




G7: 7




H7: 8




A8: 9




B8: 10




C8: 11




D8: 12




E8: 13




F8: 14



G8: 15




H8: 16



© Agilent Technologies, Inc. 2023


Peak: EL1: Electronic Ladder



Location	EL1
Concentration	2350
Description	Electronic Ladder
Observations	Ladder

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	340	-	20900	-		Lower Marker
50	265	-	8160	11.28		
100	278	-	4270	11.82		
200	290	-	2230	12.32		
300	304	-	1560	12.95		
400	306	-	1180	13.00		
500	312	-	961	13.29		
700	286	-	629	12.19		
1000	309	-	476	13.15		
1500	250	250	256	-		Upper Marker


Peak: A7: 1



Location	A7
Concentration	663
Description	1
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	259	-	15900	-		Lower Marker
437	663	-	2340	100.00		
1500	250	250	256	-		Upper Marker


Peak: B7: 2



Location	B7
Concentration	747
Description	2
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	301	-	18500	-		Lower Marker
438	747	-	2620	100.00		
1500	250	250	256	-		Upper Marker

Peak: C7: 3




Location	C7
Concentration	779
Description	3
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	299	-	18400	-		Lower Marker
445	779	-	2700	100.00		
1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023


Peak: D7: 4



Location	D7
Concentration	717
Description	4
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	316	-	19400	-		Lower Marker
441	717	-	2500	100.00		
1500	250	250	256	-		Upper Marker


Peak: E7: 5



Location	E7
Concentration	702
Description	5
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	324	-	19900	-		Lower Marker
437	702	-	2470	100.00		
1500	250	250	256	-		Upper Marker


Peak: F7: 6



Location	F7
Concentration	230
Description	6
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	264	-	16200	-		Lower Marker
441	230	-	804	100.00		
1500	250	250	256	-		Upper Marker

Peak: G7: 7




Location	G7
Concentration	840
Description	7
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	314	-	19300	-		Lower Marker
433	840	-	2980	100.00		
1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023


Peak: H7: 8



Location	H7
Concentration	841
Description	8
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	336	-	20700	-		Lower Marker
431	841	-	3000	100.00		
1500	250	250	256	-		Upper Marker


Peak: A8: 9



Location	A8
Concentration	817
Description	9
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	277	-	17000	-		Lower Marker
449	817	-	2800	100.00		
1500	250	250	256	-		Upper Marker


Peak: B8: 10



Location	B8
Concentration	767
Description	10
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	295	-	18100	-		Lower Marker
454	767	-	2600	100.00		
1500	250	250	256	-		Upper Marker

Peak: C8: 11




Location	C8
Concentration	664
Description	11
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	304	-	18700	-		Lower Marker
445	664	-	2290	100.00		
1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023


Peak: D8: 12



Location	D8
Concentration	599
Description	12
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	313	-	19300	-		Lower Marker
436	599	-	2110	100.00		
1500	250	250	256	-		Upper Marker


Peak: E8: 13



Location	E8
Concentration	601
Description	13
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	319	-	19600	-		Lower Marker
425	601	-	2180	100.00		
1500	250	250	256	-		Upper Marker


Peak: F8: 14



Location	F8
Concentration	588
Description	14
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	315	-	19400	-		Lower Marker
433	588	-	2090	100.00		
1500	250	250	256	-		Upper Marker

Peak: G8: 15




Location	G8
Concentration	697
Description	15
Observations	

Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	318	-	19600	-		Lower Marker
425	697	-	2520	100.00		
1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023

Peak: H8: 16



Location	H8
Concentration	673
Description	16
Observations	


Size [bp]	Calibrated Conc. [pg/µl]	Assigned Conc. [pg/µl]	PeakMolarity [pmol/l]	% Integrated Area	PeakComment	Observations
25	333	-	20500	-		Lower Marker
437	673	-	2370	100.00		
1500	250	250	256	-		Upper Marker

© Agilent Technologies, Inc. 2023

Calibration

Molecular Weight Settings

Fitting type: Piecewise Interpolation
Alignment type: Between markers



Concentration Settings

Calibration mode: Upper Marker
Normalise peaks from: Upper Marker
Fitting type: Linear Regression

 © Agilent Technologies, Inc. 2023

Experiment Properties

Run Properties

Analysis Software Version	5.1.0.47235
Filename	C:\Users\Tapestation 4200B\Documents\Agilent\TapeStation Data\2026-02-12\Briseno_12Feb26 - 2026-02-12 - 12.07.16.HSD1000
Assay	D1000 High Sensitivity
Run End Date	2026-02-12T12:25:25-05:00
Last Saved Under Version	5.1.0.47235
Study	
Comments	

ScreenTape Device 1

Username	Tapestation 4200B
ScreenTape Device ID	01-S030-251021-01-000947
Expiry Date	2026-02-26T23:59:59
ScreenTape Device History	First run 12 Feb 2026, 1 run(s) performed
Temperature [°C]	26.8
Electrophoresis Time [s]	147
Instrument Type	4200 TapeStation (G2991B)
Instrument Serial Number	DEDAC00892
Notes	
ScreenTape Device Run Date	2026-02-12T12:07:16-05:00
Reagent Lot #	
ScreenTape Lot #	

Controller Environment

Computer	DESKTOP-G53EHOQ
Instrument Controller Software Version	5.1.0.47235
First Run Analysis Version	5.1.0.47235
Operating System	Microsoft Windows 11 Pro

 © Agilent Technologies, Inc. 2023