

DEFAULT TOLERANCES:

X.X: ± 0.050
 X.XX: ± 0.030
 X.XXX: ± 0.005

THICKNESS:

MATERIAL:

TITLE:




Chassis Assembly Welding

SIZE
A


UW -MADISON PART NUMBER

ALL UNITS IN INCHES AND DEGREES



SHEET 1 OF 4



DETAIL G
SCALE 1 : 1










DETAIL E
SCALE 4 : 1



DETAIL F
SCALE 4 : 1



DEFAULT TOLERANCES: X.X: ±0.050 X.XX: ±0.030 X.XXX: ±0.005			TITLE: Chassis Assembly Welding	
	THICKNESS:	MATERIAL:	SIZE A	UW -MADISON PART NUMBER
			ALL UNITS IN INCHES AND DEGREES	
			SHEET 2 OF 4	



DEFAULT TOLERANCES:

X.X: ± 0.050
 X.XX: ± 0.030
 X.XXX: ± 0.005

THICKNESS:

MATERIAL:

TITLE:




Chassis Assembly Welding

SIZE
A

UW -MADISON PART NUMBER


ALL UNITS IN INCHES AND DEGREES

SHEET 3 OF 4




DETAIL w

SCALE 1 : 1



DETAIL v

SCALE 1 : 1



Note: Weld bead on all (10) mounts should be less than 1/10th" from the chassis wall for clearance of hardware



DEFAULT TOLERANCES:

X.X: ± 0.050
X.XX: ± 0.030
X.XXX: ± 0.005

THICKNESS:

MATERIAL:

TITLE:

Chassis Assembly Welding

SIZE

A

UW-MADISON PART NUMBER

ALL UNITS IN INCHES AND DEGREES

SHEET 4 OF 4