3



Operator/Keyword	Description
AND, OR, NOT	Standard Boolean operators
IN	Test for equality of a value against list of values
= or ==	Logical test of equality (= and == are equilvalent)
+	Addition of numeric or date values or concatenation of strings
-	Subtraction of numeric or date values
*, /	Multiplication or division of numeric values
^	Raise to a power with numeric values
()	Define order of operations or enclose function arguments
[]	Enclose field names
{}	Enclose level of detail calculations
//	Start a comment



Aggregation	Calculation Description
Sum	Shows the sum of the values shown in the row or column.
Average	Shows the average of the values shown in the row or column.
Median	Shows the median for the values shown in the row or column.
Count; Count Distinct	Shows how many values or distinct values are displayed in the rows and columns in the view.
Minimum	Shows the minimum value shown in the row or column.
Maximum	Shows the maximum value shown in the row or column.
Percentile	Shows the average percentile for all values shown in the row or column.
Standard Deviation	The grand total using standard deviation is the standard deviation of the values shown in the row or column.
Variance	The grand total using variance is not the variance of the rows and columns in which they reside but rather of the underlying data behind the row or column.

Table Calculation.

⊖

specification level

① Quick Table Calculation

- Running Total : RUNNING_SUM(SUM([Measure])
- Difference : SUM([ ]) - LOOKUP(SUM([ ]), -1)
- Percent Difference : SUM([ ]) - LOOKUP(SUM([ ], -1)
  - ABS(LOOKUP(SUM([ ]), -1)))
- Percent of Total = SUM([ ])/ Total(SUM([ ])
- Rank : RANK(SUM([ ]) (变形于方盾).
- Percentile : RANK_PERCENTILE(SUM([ ])
- Moving Average : WINDOW-AVG([ ], -2, 0)
- YTD Total (Year To Date) = RUNNING-SUM(SUM([ ])
- Compound Growth Rate

$$= \left(\frac{\text{ending}}{\text{beginning}}\right)^{\frac{1}{n}} - 1$$

$$= \text{POWER}\left(\frac{\text{ZN(SUM([sales]))}}{\text{LOOKUP(ZN(SUM([sales])), first())}}, -1\right)$$

② Field editor, (across, down) with standard table editor setting

⊕ ③ Field editor, with specific dimensions.

- Partitioning : "Scope" of the calculation. 比較的單位或區
  - ☑ checked : 計算的方向.
- Addressing : "Direction" of the calculation. 重新計算的分界点.
  - ☐ unchecked =

① Index ( ) 值的位置 (partition 內)

② FIRST ( ) 值 ⟷ 第一個值加總的數量

③ LAST ( ) 值 ⟷ 最後一個值 "

④ ~~SIZE ( ) 欄位值的總數~~

⑤ ~~TOTAL ( ) 總值~~

) non direction Function

⑥ LOOKUP (expression, offset)

table cal / aggre cal

offset: 往回 ⊖ / 往前 ⊕

⑦ PREVIOUS_VALUE ( ) 上一個值

常用!

⑧ RANK — 有 tie 跳號

⑨ RANK_DENSE (expression, ['asc' / 'desc']) — 不跳號

⑩ RANK_MODIFIED " — 名次前面有几人

⑪ RANK_PERCENTILE " — 百分比

⑫ RANK_UNIQUE " — 每人名次不重複

⑬ RUNNING_AVG (expression)

⑭ RUNNING_COUNT

⑮ RUNNING_MAX

⑯ RUNNING_MIN

⑰ RUNNING_SUM

) 到目前為止的這一行 (依賴視圖順序)

⑱ WINDOW_AVG (expression, [start, end])

⑲ _CORR "

⑳ _COUNT "

㉑ _MAX "

㉒ _MIN "

㉓ _MEDIAN "

㉔ _PERCENTILE "

㉕ _STDEV "

㉖ _STDEVP "

㉗ _SUM "

㉘ _VAR "

㉙ _VARP "

㉚ _COVAR (exp 1, exp 2, [start, end]

㉛ _COVARP "

貼考這題？

複習不會的？



USC Viterbi
School of Engineering

PRIMARY DASHBOARD TYPES
COMPARISON MATRIX

Dashboard Type	Primary Purpose	Typical Users	Decision Timeframe	Update Frequency	Interactivity Level
Operational	Monitor ongoing operations and respond immediately	Front-line staff, operations managers	Minutes to hours	Real-time or near-real-time	Low–Moderate
Tactical	Manage short- to mid-term execution and adjustments	Managers, team leads	Days to weeks	Daily or weekly	Moderate
Strategic	Track long-term performance against goals	Executives, senior leadership	Months to years	Weekly, monthly, quarterly	Low
Analytical	Explore data to identify patterns and causes	Analysts, data scientists	Variable / exploratory	On demand or periodic	High
Informational	Communicate key facts and summaries	Broad or external audiences	Contextual / reference	Periodic	Very low

折線，图表，percentage

checklist guide table

要帶東西