

yamlttest

Ohanyan Lilit

2024-09-06

This is a level 1 header

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

Here is also word **bold** and another word **bold1** .

Here is also word *bold2* and another word *bold3* .

here is another example for **bold4**.

Here is some example R commands:

```
2+2
```

```
mean(c(1,2,3,4,5))
```

Here is an example about tesq by the rule of 4 spaces **not numbered**:

- Breakfast:
 - Food
 - * eggs
 - * toast
 - * bacon
 - drink
 - * apple juice

Here is an example about tesq by the rule of 4 spaces **numbered**:

1. Breakfast:
 - a. Food
 - i. eggs
 - ii. toast
 - iii. bacon
 - b. drink
 - i. apple juice

Here is an example of **blockquote**:

This is a block quote. This paragraph has 2 lines.

1. This is a list inside a block quote
2. Second item.

Here is an example of **nested blockquote**:

This is a block quote. This paragraph has 2 lines.

This is a list inside a block quote .

Here is an example of **code in a blockquote with 5 spaces**:

```
2+2
mean(c(1,2,3,4,5))
```

Here is a link to [GOOGLE](#)


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed          dist
##  Min.   : 4.0      Min.   :  2.00
##  1st Qu.:12.0      1st Qu.: 26.00
##  Median :15.0      Median : 36.00
##  Mean   :15.4      Mean    : 42.98
##  3rd Qu.:19.0      3rd Qu.: 56.00
##  Max.   :25.0      Max.    :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.