

Jump to: Warnings (3) Validated CSS

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as <u>CSS level 3 + SVG</u>!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:





(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

<u>Donate</u> and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Warnings (3)

URI: TextArea

384	-ms-transform is a vendor extension
407	-webkit-font-smoothing is a vendor extension
408	-moz-osx-font-smoothing is a vendor extension

↑ TOP

Valid CSS information

```
*, *::before, *::after {
  box-sizing : border-box;
}
body, h1, h2, h3, h4, p, figure, blockquote, d1, dd {
  margin: 0;
ul[role="list"], ol[role="list"] {
  list-style : none;
html:focus-within {
   scroll-behavior : smooth;
body {
  min-height : 100vh;
  text-rendering : optimizeSpeed;
  line-height : 1.5;
a:not([class]) {
  text-decoration-skip-ink : auto;
img, picture {
  max-width : 100%;
  display : block;
input, button, textarea, select {
  font : inherit;
```

@media (prefers-reduced-motion: reduce) {

```
html:focus-within {
    scroll-behavior : auto;
 *, *::before, *::after {
    animation-duration : 0.01ms !important;
    animation-iteration-count : 1 !important ;
    transition-duration : 0.01ms !important ;
    scroll-behavior : auto !important ;
@media (hover: hover) {
 button:hover {
    opacity: 0.5;
button {
  background-color : rgb(63, 59, 55);
  color: rgb(255, 255, 255);
  font-size : 1.3rem;
  line-height: 1.6;
  padding : 5px 30px;
border : none;
  border-radius : 10px;
  transition : all 0.2s;
  text-transform : uppercase;
  cursor : pointer;
  width : max-content;
button:active {
  background-color : rgb(251, 239, 223);
  color : rgb(0, 0, 0);
button:active[disabled] {
  background-color : rgb(63, 59, 55);
  color: rgb(255, 255, 255);
  opacity : 0.5;
button[disabled] {
  cursor : no-drop;
  opacity: 0.5;
.landingPageReadyBtn {
  background-color : rgb(251, 239, 223);
  color: rgb(63, 59, 55);
.landingPageReadyBtn:active {
  background-color : rgb(118, 158, 160);
color : rgb(255, 255, 255);
.answerBtn {
  margin-top : 20px;
.nextQuestionBtn, .showResultBtn {
  position : absolute;
  bottom : 10%;
```

```
left : 50%;
  transform : translate(-50%);
.showResultBtn {
  background-color : rgb(231, 169, 44);
  color: rgb(63, 59, 55);
  font-weight : 600;
  animation : borderPulse 1s ease-in-out infinite;
@keyframes borderPulse {
 to {
   border: #000000 solid 6px;
.nextQuestionBtn:active, .showResultBtn:active {
  background-color : rgb(118, 158, 160);
.playAgainBtn {
  font-weight : 600;
  margin : 10px;
.newPlayerBtn {
  margin : 10px;
}
body {
  background-color : rgb(193, 192, 182);
h1 {
  color: rgb(251, 239, 223);
  max-width : 200px;
  text-align : center;
}
main {
  display : flex;
  flex-direction : column;
  justify-content : center;
  min-height : 100vh;
.timerContainer, .landingPage, .namePage, .questionPage, .resultPage {
  display : flex;
  flex-direction : column;
  align-items : center;
  justify-content : center;
  gap : 2rem;
  font-size : 1.5rem;
.timerContainer {
  height : 20vh;
  width : 100%;
  font-size : 2rem;
  color: rgb(63, 59, 55);
}
```

```
.landingPage {
  height: 100vh;
  background-color : rgb(63, 59, 55);
padding-bottom : 10vh;
  line-height : 3rem;
  row-gap : 4rem;
.landingPage .pageSlogan {
  color: rgb(251, 239, 223);
  text-align : center;
font-size : 1.3rem;
.nameLabel {
  font-weight : bold;
  font-size : 1.7rem;
.playerName {
  margin-top : 2rem;
  border : none;
  border-radius : 10px;
  height : 3.5rem;
  width : 15rem;
padding-left : 15px;
.questionPage {
  background-color : rgb(118, 158, 160);
  text-align : center;
  min-height : 60vh;
  padding : 20px;
  font-size : clamp(2vh, 1rem, 10vh);
  margin-bottom : 20vh;
}
.questionPage .questionNumber {
  font-size : clamp(2vh, 3rem, 10vh);
.questionPage .radioBtnContainer {
  display : grid;
  gap : 1rem;
  justify-items : start;
  padding-inline-end : 2rem;
.questionPage .radioBtnContainer label {
  display : flex;
}
.questionPage .radioBtnContainer label .answerRadioBtn \{
  margin-top : 0;
}
.questionPage .radioBtnContainer label span {
  padding-left : 15px;
  text-align : left;
.answerText, .answerRadioBtn {
  cursor : pointer;
}
.feedbackPage {
  display: flex;
```

```
height: 60vh;
  margin-bottom : 20vh;
  flex-direction : column;
  justify-content : center;
.feedbackPage .answerContainer {
  position : relative;
. feedback \verb|Page .answerContainer .correctAnswerContainer, .feedback \verb|Page .answerContainer| \\
.wrongAnswerContainer {
  display : flex;
  height : 33vh;
  background-color: rgb(251, 239, 223);
  align-items : center;
  justify-content : center;
  text-align : center;
.feedbackPage .answerContainer .correctAnswerContainer h2, .feedbackPage
.answerContainer .wrongAnswerContainer h2 {
  margin-bottom : 4rem;
.feedbackPage .answerContainer .wrongAnswerContainer {
  background-color : rgb(240, 112, 103);
.resultPage {
  justify-content : space-between;
  padding: 4rem 2rem;
  height: 100vh;
}
.resultPage .resultTitle {
   align-self : flex-start;
  font-style : italic;
font-size : 2.6rem;
  color: rgb(63, 59, 55);
.resultPage .totalScoreContainer {
  align-self : flex-start;
  font-size : 1.2rem;
  font-weight : bold;
  color : rgb(63, 59, 55);
}
.resultPage .resultPageBtnContainer {
  text-align : center;
.resultTimer {
  background-color: rgb(231, 169, 44);
  width : 50%;
  height: 10vh;
  position : absolute;
  right: 0;
  top : 35vh;
  align-items : start;
padding-left : 1rem;
  font-weight: 600;
.hidden {
  display : none !important ;
```

```
.uppercase {
  text-transform : uppercase;
}
```

```
@media screen and (min-width: 768px) {
  .timerContainer {
   align-items : flex-end;
    position : absolute;
    top : 0;
 .timerContainer .timer {
  margin-right : 8vw;
  .questionPage, .feedbackPage {
    margin : 0 8vw;
  .questionText {
  max-width : 550px;
  .nextQuestionBtn, .showResultBtn {
    bottom : 20%;
 .resultTitle {
   margin-left: 5vw;
 .resultTimer {
   align-items : flex-start;
    top : 25vh;
  .resultTimer .timer {
   margin-left : 10px;
 .resultPage .totalScoreContainer {
    align-self : center;
 }
  .totalScore {
    font-size : 2.5rem;
  .resultPageBtnContainer {
    display : flex;
flex-direction : column;
    align-items : center;
    gap : 25px;
    padding-bottom : 20px;
@media screen and (min-width: 1024px) {
 main {
    display : grid;
    grid-template-columns : repeat(12, minmax(0,1fr));
    grid-auto-flow : column;
```

```
.landingPage, .namePage {
  width: 100vw;
  max-width : 100%;
  grid-column : 1 / 13;
.questionPage, .feedbackPage {
  grid-column : 1 / 9;
  margin : 0;
.questionPage {
  height : 100%;
.timerContainer {
  grid-column : 9 / 13;
  position : relative;
  height : 100%;
  display : flex;
  align-items : center;
.timerContainer .timer {
  margin : 0;
  font-size : clamp(2rem, 4vw, 5rem);
.feedbackPage {
  display : flex;
align-items : center;
  width : 100%;
  height : 100%;
.feedbackPage .answerContainer {
  height : 60%;
width : 100%;
}
.feedbackPage .answerContainer .correctAnswerContainer, .feedbackPage .answerContainer
. wrong Answe \bar{\ } Container \ \{
  height : 100%;
.resultTimer {
  width : 25%;
  padding : 0;
height : 190px;
  position : fixed;
  top : 50%;
  transform : translateY(-50%);
}
.resultPage {
  grid-column : 1 / 13;
  margin: 0;
  padding : 6rem 2rem;
.resultPage .resultTitle {
  margin-top : 50px;
  font-size : clamp(2rem, 4vw, 5rem);
```

```
.resultPage .totalScoreContainer {
    padding : 0;
}

.totalScore {
    font-size : 3rem;
}

:root {
    font-family : "IBM Plex Sans", sans-serif;
    font-synthesis : none;
    text-rendering : optimizeLegibility;
}
```

↑ TOP

Home About Documentation Download Feedback Credits





COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL
RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE
AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE
IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.