

Physical Config Desktop Programming Attributes

GLOBAL

- Settings
- Algorithm Settings

INTERFACE

- FastEthernet0
- Bluetooth

FastEthernet0

Port Status: ☒ On

Bandwidth: ☒ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex: ☐ Half Duplex ☒ Full Duplex ☒ Auto

MAC Address: 0001.6402.9E82

IP Configuration

☐ DHCP

☒ Static

IPv4 Address: 192.168.1.1

Subnet Mask: 255.255.255.0


IPv6 Configuration



☐ Automatic

☒ Static

IPv6 Address:

Link Local Address: FE80::201:64FF:FE02:9E82





Laptop1

Physical

Config

Desktop

Programming

Attributes

Command Prompt

X

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.3: bytes=32 time=8ms TTL=128

Reply from 192.168.1.3: bytes=32 time=4ms TTL=128

Reply from 192.168.1.3: bytes=32 time=4ms TTL=128

Reply from 192.168.1.3: bytes=32 time=4ms TTL=128

Ping statistics for 192.168.1.3:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 4ms, Maximum = 8ms, Average = 5ms

C:\>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

☐ Top

Toggle PDU List Window

Sim

Ever

Vis

Reset Simulation

☒

Play Controls

Event List Filters - Visible

ACL Filter, ARP, BGP, E

DHCP, DHCPv6, DNS, I

FTP, H.323, HSRP, HSF

ICMPv6, IPsec, ISAKM

Meraki, NDP, NETFLOV

POP3, PPP, PPPoED,

RIPng, RTP, SCCP, SM

SYSLOG, TACACS, TC

VTP

Edit Filters

Event List

OR