KWIKFLO
PUMP STATIONS & TRADE WASTE

Kwikflo Oil Water Separator Systems

The Kwikflo coalescing plate separator is an enhanced gravity separator capable of removing oils & solids. It utilizes the difference in specific gravity between two or three imminiscible components of a liquid stream for separation.




Oily water influent is introduced into an inlet chamber by means of a pump. Heavy solids settle out and 100% oil slugs rise immediately to the surface. The remaining oily water mixture flows through a stack of closely spaced, corrugated polypropylene plates. Both the smaller oil droplets and the fine solids are progressively separated. Downstream a baffle or oil dam prevents the collected oil from entering the outlet weir.

Drains are provided in the sludge hopper for the removal of solids. Oil skimmers are provided for the manual or automatic removal of oil. Regular cleaning of the plate packs with hot water is the only maintenance requirement under normal operating conditions.




KWIKFLO
PUMP STATIONS & TRADE WASTE


Typical arrangement for Indoor/Outdoor installation



Typical arrangement for Pumping to Sewer



Typical arrangement for Explosion-proof Installation



Oil Water Separator Systems

1000L

KWIKFLO PUMP STATIONS & TRADE WASTE

Features & Benefits

CONSTRUCTION

- Polyethylene or stainless steel tank
- Inlet Pipes - 32mm pressure UPVC CAT 17 socket
- Outlet Pipe - Water 50mm DWV UPVC V66 Socket.
- Oil 50mm DWV UPVC V66 Socket
- Sludge Hopper - 50mm UPVC incorporating 50mm PVC ball valve
- Tank Construction - Chemical resistant UV stabilised polyethylene thickness 5mm
- Lid Construction - Chemical resistant UV stabilised polyethylene thickness 5mm

STANDARD PARTS


Separator tank, Galvanised frame, Diaphragm pump, Float level switch, optional Control Panel, optional High level alarm





Specifications

Model No.	KCPS-1000
Length	1410mm
Width	420mm
Height	1510mm
Nominal Volume-Litres	200
Approximate Weight - Free Standing (Including in-tank fittings & standard lid) (Excluding pump)	45kg
Approximate Weight - Wall Mount (Including in-tank fittings & standard lid) (Excluding pump)	28kg

KCPS1000 Wall Mount







KWIKFLO PUMP STATIONS & TRADE WASTE

Dimensions

