

Company 1	Project Name		Logo 2	
Close Out Sheet				
PSD-HUC-060	MRU Barge Campaign Post Shutdown Phase CRA		Due Date:	2021-03-27
Activity	Node	Facility	Priority	
		BRG-CPP		
Project Phase		Guideword		
MRU Integration Project Post-Shutdown Phase				
Causes				
Mercury oxide fumes evolving from existing pipework during hotwork				
Safeguards				
None				
Consequences				
<p>1. Short-term exposure to high concentrations of mercury vapor during maintenance activities causing personnel health issues - respiratory, nervous systems, etc.</p> <p>2. Long-term exposures of mercury during maintenance activities causing personnel health issues - nervous system.</p> <p>Note: PEL for elemental mercury is 0.025mg/m3, Organic mercury is 0.01 mg/m3, whilst Inorganic mercury is 0.1 mg/m3.</p>				
Initial risk		Residual Risk		
None		None		
Recommendations/ Actions				
To review hazard of mercury oxide fumes evolving from existing pipework due amalgams during hotwork with UDPS (for tie-in of new piping to existing desander skid PVRV vent line), and propose required work control measures for work activity, e.g. mercury PPE.				

Response		
None		
Remarks	Actionee	
Attachments		
Organisation	Hess	Signature: Date:
Disipline and Subdisipline	Operations	Signature: Date:
COMPANY COMMENTS		Status
		<input type="checkbox"/> Agree
		<input type="checkbox"/> Agree with comments
		<input type="checkbox"/> Disagree
		<input type="checkbox"/> To be followed
COMPANY Lead Discipline:	Signature:	Date:
COMPANY Lead Safety:	Signature:	Date:
COMPANY Rep (Engineering Coordinator):	Signature:	Date:
<small>The information contained in this document is the proprietary to North Oil Company. It must not be reproduced, stored, disclosed to any third party or used for any purpose not authorized by North Oil Company. Printed documents are uncontrolled and considered as "for information only". Reference should always be made to the on-line EDMS for the updated version</small>		