



TISVA™
FEEL THE WARMTH. SEE THE LIGHT.



WINTER COLLECTION 2014-15

USHA International Limited


Plot No. 15, Institutional Area
Sector 32, Gurgaon - 122001, Haryana (India)
Telephone: +91 124 4583100, Fax: +91 124 4583200.
Toll Free: 1800-103-3222 | Email: customer_care@lifebytisva.com
website: www.lifebytisva.com



Images not to scale.

INDEX

INTRODUCTION	01
CHANDELIER	02-17
WALL LIGHTS.....	18-49
PENDANTS	50-75
KID'S	76-91
LED SPOTS.....	92-99
TABLE LAMPS	100-103
FLOOR LAMPS	104-107
AMBIENT LIGHTING	108-117
DOWNLIGHTERS	118-129



TISVA™

OUR NAME COMES FROM THE SANSKRIT WORDS TUISA, MEANING LIGHT, AND TATTVA, WHICH IS ESSENCE. TOGETHER THEY MEAN 'THE ESSENCE OF LIGHT'. THIS INSPIRATIONAL THOUGHT IS WHAT GUIDES AND ILLUMINATES OUR PATH. LIKE THESE TWO WORDS WE HAVE GOT DESIGN AND TECHNOLOGY TO COLLABORATE. THIS UNION IS WHAT ENABLES US TO CREATE A RANGE OF HOME LIGHTING THAT SPREADS THE LIGHT OF WARMTH THROUGHOUT YOUR HOME.



ENERGY
SAVING



6000 hrs
*UNDER STANDARD
CONDITIONS



*MINIMUM
MERCURY



HIGH
OUTPUT LED



6 TIMES
MORE LIGHT




COLOUR
CONTROL



DIMMABILITY

CHANDELIERS

CHANDELIERS FORM ONE OF THE MOST IMPORTANT ELEMENTS OF AESTHETICS IN TERMS OF HOME DECOR. TISUA'S RANGE OF CHANDELIERS CONSTITUTE A MIX OF CONTEMPORARY AND HERITAGE DESIGNS WITH AN IDEA OF MAINTAINING A CHOICE FOR THE TRADITIONAL AS WELL AS THE MODERN DAY INDIAN HOME. THE RANGE IS BEING OFFERED AS A FAMILY OF PRODUCTS THEREBY GIVING CUSTOMER AN OPTION TO CHOOSE FROM CHANDELIER OPTIONS IN 5 HEAD, 4 HEAD AND 3 HEAD WITH MATCHING WALL LIGHTS IN 2 HEAD & 1 HEAD.






CALLIGO
CP6002

DESIGN & FEATURES


- MATERIAL : METALLIC BODY WITH GLASS HEADS
- COLOR : RICH CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- SWANKY DESIGN HANGING CENTRE PIECE WHICH KINDLES ELEGANCE WITHIN THE ROOM
- PREMIUM DIFFUSED GLASS WITH RICH CHROME FINISH BRACKET
- DESIGN FEATURES 6 DIFFUSER HEADS WHICH PROVIDE WARM ILLUMINATION



CALLIGO
CP9001

DESIGN & FEATURES


- MATERIAL : METALLIC CANOPY WITH GLASS SHADES
- COLOR : OPAL WHITE
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SUMPTUOUS WING SHAPED CHANDELIER CREATES AN ALLURING AURA WITH SOOTHING WARM LIGHT EFFECTS
- THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES
- RANGE OF HARMONIZED DESIGNS AVAILABLE IN 2 SIZES



CALLIGO
CP6001

DESIGN & FEATURES

- MATERIAL : METALLIC CANOPY WITH GLASS SHADES
- COLOR : OPAL WHITE
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SUMPTUOUS WING SHAPED CHANDELIER CREATES AN ALLURING AURA WITH SOOTHING WARM LIGHT EFFECTS
- THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES
- RANGE OF HARMONIZED DESIGNS AVAILABLE IN 2 SIZES



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP6002	7W CFL/11W CFL/40W GLS	6N	E527	220V-240V	198V-264V	50HZ	6x40W	42W/240W
CP6001	7W LED/11W CFL/40W GLS	6N	E527	220V-240V	198V-264V	50HZ	6x40W	42W/66W/240W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP9001	7W LED/11W CFL/40W GLS	9N	E527	220V-240V	198V-264V	50HZ	9x40W	63W/99W/360W
CPI3001	7W LED/11W CFL/40W GLS	13N	E527	220V-240V	198V-264V	50HZ	13x40W	91W/143W/520W



CALLIGO
CG6001

DESIGN & FEATURES


- MATERIAL : BOROSILICATE GLASS BRANCHES WITH CHROME BASE
- COLOR : TRANSLUCENT GLASS
- INSTALLATION : TO BE MOUNTED ON FLAT SURFACE
- AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS
- DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*
- SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISITIATION TO EVERY ROOM



CALLIGO
CP5009

DESIGN & FEATURES



- MATERIAL : METAL HEADS WITH CHROME CANOPY
- COLOR : RICH CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- PREMIUM HANGING CENTRE PIECE WITH RICH CHROME FINISH LIGHTING HEADS
- SPLASHY DESIGN WITH GLEAMING SPHERICAL FORM FACTOR WHICH ACCENTUATES THE HOME AMBIENCE
- OPAQUE LIGHTING HEADS CREATE APPEARING GLOWING PATTERNS WITHIN THE ROOM



CALLIGO
CG5001

DESIGN & FEATURES


- MATERIAL : BOROSILICATE GLASS BRANCHES WITH CHROME BASE
- COLOR : TRANSLUCENT GLASS
- INSTALLATION : TO BE MOUNTED ON FLAT SURFACE
- AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS
- DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*
- SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISITIATION TO EVERY ROOM



CALLIGO
CP3018

DESIGN & FEATURES

- MATERIAL : METALLIC INSTALLATION ARRANGEMENT WITH BLOWN GLASS
- COLOR : SHINY WHITE FINISH WITH CHROME AS CENTRE PIECE
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SWANKY DESIGN FLUSH MOUNTED CENTRE PIECE WITH FISH SCALE PATTERN ENGENERS ELEGANCE WITHIN THE ROOM
- SHINY WHITE BLOWN GLASS MATERIAL PROVIDES EXCELLENT CRACK RESISTANCE TO THE PRODUCT
- THE FROSTED GLASS PROVIDES A GLAREFREE LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR EYES
- PENDANT & CEILING RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CG6001	40W G9 HALOGEN	6N	G9	220U-240U	198U-264U	50HZ	6x40W	240W
CG5001	40W G9 HALOGEN	5N	G9	220U-240U	198U-264U	50HZ	5x40W	200W

*NOT SUPPLIED WITH THE PRODUCT.

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP5009	40W GL5	5N	E527	220U-240U	198U-264U	50HZ	5x40W	200W
CP3018	7W CFL/40W GL5	3N	E527	220U-240U	198U-264U	50HZ	3x40W	120W



CALLIGO
SL5001

DESIGN & FEATURES


- MATERIAL : METALLIC BODY WITH PMMA SHADES
- COLOR : RICH CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- ALLURING DESIGN WITH LED LIGHTS AT THE END OF EACH ARM CREATES AN EXCITING LIGHT EFFECT
- SWANKY COMBINATION OF ACRYLIC HEADS AND DIFFUSER INFUSES A CAPTIVATING MOOD WITHIN THE ROOM
- MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH EFFICIENCY LEDs



FORMA BELLA
CP4001

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : CEILING MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



FORMA BELLA
CP3009

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : CEILING MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



FORMA BELLA
CP5004

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : CEILING MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
SL5001	5x4W LED	220U-240U	198U-264U	50HZ	4x5W	20W	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE
CP3009	13W CFL/40W GLS	3N	E514	220U-240U	198U-264U	50HZ	3x40W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP4001	13W CFL/40W GLS	4N	E514	220U-240U	198U-264U	50HZ	4x40W	52W/160W
CP5004	13W CFL/40W GLS	5N	E514	220U-240U	198U-264U	50HZ	5x40W	65W/200W



VISCARIA
CP3005

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



HESTER
CP3006

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME
- INSTALLATION : CEILING MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



VISCARIA
CP5002

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3005	11W CFL/40W GLS	3N	E527	220V-240V	198V-264V	50HZ	3x40W	33W/120W
CP5002	11W CFL/40W GLS	5N	E527	220V-240V	198V-264V	50HZ	5x40W	55W/200W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3006	40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	120W
CP5003	40W GLS	3N	E514	220V-240V	198V-264V	50HZ	5x40W	200W



ENCHANTE
CP3010

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



COQUIN
CP3012

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ENCHANTE
CP5005

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



COQUIN
CP5007

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3010	13W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	39W/120W
CP5005	13W CFL/40W GLS	5N	E527	220U-240U	198U-264U	50HZ	5x40W	65W/200W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3012	13W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	39W/120W
CP5007	13W CFL/40W GLS	5N	E527	220U-240U	198U-264U	50HZ	5x40W	65W/200W



FEYYO
CP3013

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



DAPHNE
CP3011

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



FEYYO
CP5008

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



DAPHNE
CP5006

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3013	13W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	39W/120W
CP5008	13W CFL/40W GLS	5N	E527	220U-240U	198U-264U	50HZ	5x40W	65W/200W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3011	13W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	39W/120W
CP5006	13W CFL/40W GLS	5N	E527	220U-240U	198U-264U	50HZ	5x40W	65W/200W



RETHMOS
CP3008

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME & ANTIQUE BLACK
- INSTALLATION : CEILING MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



ARANCINO
CP3007

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME
- INSTALLATION : CEILING MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



TULIPE
CP5001

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : CEILING MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3008	11W CFL/40W GLS	3N	E527	220V-240V	198V-264V	50HZ	3x40W	33W/120W
CP5001	13W CFL/40W GLS	5N	E514	220V-240V	198V-264V	50HZ	5x40W	65W/200W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3007	40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	120W

WALL LIGHTS

WITH A COMBINATION OF UNIQUE DIFFERENTIATED DESIGNS ALONG WITH INNOVATIVE TECHNOLOGY IN LEDS, TISVA PRESENTS A WIDE RANGE OF WALL LIGHTS FOR THE INDIAN HOME. THE RANGE USES LATEST TECHNOLOGIES AND IS AVAILABLE AT ATTRACTIVE PRICE POINTS.

THE DESIGNER LED WALL LIGHTS CAN CRAFT DIFFERENT ELEGANT PATTERNS ON THE WALL THEREBY ENHANCING THE BEAUTY OF THE ENTIRE ROOM. THIS RANGE IS ALSO BEING OFFERED WITH AN OPTION OF INTENSITY CONTROL OF LIGHT VIA WALL HELD DIMMER.






VILTIS
WL1023

DESIGN & FEATURES

- MATERIAL : ALUMINIUM HOUSING WITH STEEL BASE PLATE
- COLOR : BLACK OUTER FINISH WITH BRASS BASE
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WITH BUILT-IN LED GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOME
- ARTISTIC OVAL DESIGN BEAUTIFIES THE AMBIENCE OF THE ROOM
- MINIMALISTIC GLARE WITH CLEVERLY CONCEALED LEDs

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




VILTIS
WL1027

DESIGN & FEATURES

- MATERIAL : PRESSED GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH FROSTED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



VILTIS
WP1025

DESIGN & FEATURES

- MATERIAL : MOUTH BLOWN GLASS WITH CHROME BRACKET
- COLOR : RICH CHROME FINISH WITH FROSTED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1023	LED	220U-240U	90U-264U	50HZ	10W	10W	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE
WP1025	9W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1027	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN
WL1026	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN




VILTIS
WL1029

DESIGN & FEATURES

- MATERIAL : MOUTH BLOWN GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH OPAL DIFFUSED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




VILTIS
WL2003

DESIGN & FEATURES

- MATERIAL : MOUTH BLOWN GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH OPAL DIFFUSED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




VILTIS
WL1030

DESIGN & FEATURES

- MATERIAL : MOUTH BLOWN GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH FROSTED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1029	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN
WL1030	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL2003	LED	220U-240U	90U-264U	50HZ	2x6W	12W	3000 KELVIN
WL1028	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN




VILTIS
WL1028

DESIGN & FEATURES

- MATERIAL : MOUTH BLOWN GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH FROSTED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY






VILTIS
WP1022

DESIGN & FEATURES

- MATERIAL : ETCHED GLASS WITH WOODEN BASE
- COLOR : RICH WOODGRAIN FINISH
- INSTALLATION : WALL MOUNTED
- CUTTING EDGE DESIGN WITH A COMBINATION OF RUBBER WOOD BRACKET & ETCHED GLASS
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES




VILTIS
WL2002

DESIGN & FEATURES

- MATERIAL : BLOWN GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH FROSTED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE


THE LED ADVANTAGE
NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY



VILTIS
WP1023

DESIGN & FEATURES

- MATERIAL : ETCHED GLASS WITH WOODEN BASE
- COLOR : MATT CHROME FINISH
- INSTALLATION : WALL MOUNTED
- PRODUCT WITH UNIQUE USER FRIENDLY ROTATIONAL GLASS ARRANGEMENT FOR DIRECTING LIGHT AS REQUIRED
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED OPAL GLASS FOR SIMPLISTIC DESIGN TAST




VILTIS
WL1025

DESIGN & FEATURES

- MATERIAL : BLOWN GLASS WITH METALLIC BRACKET
- COLOR : RICH CHROME FINISH WITH FROSTED GLASS
- INSTALLATION : WALL MOUNTED
- STATE-OF-THE-ART DESIGN WHICH GELS WITH THE DÉCOR OF THE CONTEMPORARY MODERN HOMES
- EMITS A GLAREFREE SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES
- AN ELEGANT PRODUCT WITH RICH CRAFTED BLOWN GLASS & PREMIUM CHROME ASSEMBLY FOR TIMELESS ELEGANCE

THE LED ADVANTAGE
NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1022	7W LED/11W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/11W/40W
WP1023	9W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	9W/40W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL2002	LED	220U-240U	90U-264U	50HZ	2x6W	12W	3000 KELVIN
WL1025	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN



VILTIS
WG2002

DESIGN & FEATURES



- MATERIAL : BOROSILICATE GLASS BRANCHES WITH CHROME BASE
- COLOR : TRANSLUCENT GLASS
- INSTALLATION : WALL MOUNTED
- AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS
- DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*
- SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



VILTIS
WG2001

DESIGN & FEATURES

- MATERIAL : BOROSILICATE GLASS BRANCHES WITH CHROME BASE
- COLOR : TRANSLUCENT GLASS
- INSTALLATION : WALL MOUNTED
- AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS
- DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*
- SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISTICATION TO EVERY ROOM



SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WG2002	2*40W G9 HALOGEN	2N	G9	220U-240U	198U-264U	50HZ	2x40W	80W
WG2001	2*40W G9 HALOGEN	2N	G9	220U-240U	198U-264U	50HZ	2x40W	80W

*NOT SUPPLIED WITH THE PRODUCT.

LYNNERA
WP2010

DESIGN & FEATURES

- MATERIAL : MILD STEEL & GLASS
- COLOR : OPAL GLASS WITH SATIN FINISH
- INSTALLATION : WALL MOUNTED
- LINEAR DESIGN WITH A FUSION OF MATT FINISH METAL AND SATIN FINISH GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS
- SINGLE-HEAD OPTION AVAILABLE



LYNNERA
WP1017

DESIGN & FEATURES

- MATERIAL : MILD STEEL & GLASS
- COLOR : OPAL GLASS WITH SATIN FINISH
- INSTALLATION : WALL MOUNTED
- LINEAR DESIGN WITH A FUSION OF MATT FINISH METAL AND SATIN FINISH GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS
- DUAL-HEAD OPTION AVAILABLE



SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP2010	9W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	16W/80W
WP1017	9W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	9W/40W



CHIARO
WP1016

DESIGN & FEATURES

- MATERIAL : MILD STEEL & GLASS
- COLOR : OPAL GLASS WITH SATIN FINISH
- INSTALLATION : WALL MOUNTED
- RICH DESIGN WITH A BLEND OF METAL AND SATIN FINISH GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- DESIGNED FOR USE WITH ENERGY SAVING BULBS
- DUAL-SHAPE OPTIONS AVAILABLE




ESTRELLA
WL1003

DESIGN & FEATURES

- MATERIAL : STEEL BASE WITH GOOSENECK & ALUMINIUM SHADE
- COLOR : CHROME PLATED
- INSTALLATION : WALL MOUNTED
- MODERN AND ELEGANT SLIM DESIGN
- FLEXIBLE GOOSENECK DESIGN ALLOWS EASY DIRECTIONAL CONTROL
- INBUILT ON/OFF SWITCH
- EMANATES WARM YELLOW LIGHT

THE LED ADVANTAGE


NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY



CHIARO
WP1015

DESIGN & FEATURES

- MATERIAL : MILD STEEL & GLASS
- COLOR : OPAL GLASS WITH SATIN FINISH
- INSTALLATION : WALL MOUNTED
- RICH DESIGN WITH A BLEND OF METAL AND SATIN FINISH GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- DESIGNED FOR USE WITH ENERGY SAVING BULBS
- DUAL-SHAPE OPTIONS AVAILABLE




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1016	40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	40W
WP1015	40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1003	LED	220U-240U	90U-264U	50HZ	2W	2W	3000 KELVIN
WL1004	LED	220U-240U	90U-264U	50HZ	2W	2W	3000 KELVIN




LUCIAN
WL1010

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & STEEL REFLECTOR
- COLOR : WHITE
- INSTALLATION : WALL MOUNTED
- AVAILABLE WITH OPTION OF DIMMING CONTROL
- SLIM DESIGN INSPIRED BY THE URBAN LIFESTYLE
- PROJECTS A UNIQUE HALO OF LIGHT ON THE WALL/CEILING
- EMANATES WARM YELLOW LIGHT

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




AGALIA
WL1007

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & STEEL REFLECTOR
- COLOR : WHITE
- INSTALLATION : WALL MOUNTED
- SLEEK DESIGN PROJECTS A WIDE BEAM ON THE WALL
- REDUCED GLARE WITH INTELLIGENTLY CONCEALED LEDS
- EMANATES WARM YELLOW LIGHT
- COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




LUCIAN
WL1011

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK
- COLOR : WHITE
- INSTALLATION : WALL MOUNTED
- AVAILABLE WITH OPTION OF DIMMING CONTROL
- SLIM DESIGN INSPIRED BY THE URBAN LIFESTYLE
- PROJECTS A UNIQUE HALO OF LIGHT ON THE WALL/CEILING
- EMANATES WARM YELLOW LIGHT

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1010	LED	220U-240U	90U-264U	50HZ	11W	11W	3000 KELVIN
WL1011	LED	220U-240U	90U-264U	50HZ	11W	11W	3000 KELVIN

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1007	LED	220U-240U	90U-264U	50HZ	7W	7W	3000 KELVIN
WL1013	LED	220U-240U	90U-264U	50HZ	7W	7W	3000 KELVIN




TRANQUILO
WL1014

DESIGN & FEATURES

- MATERIAL : ALUMINUM HOUSING
- COLOR : WHITE
- INSTALLATION : RECESSED WALL MOUNTED STEP LIGHT
- ARTISTIC HOUSING SPECIALLY DESIGNED FOR LEDS
- REDUCED GLARE WITH INTELLIGENTLY CONCEALED LEDS
- EMANATES WARM YELLOW LIGHT
- COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



ALLIUM
WP1018

DESIGN & FEATURES

- MATERIAL : MILD STEEL & GLASS
- COLOR : OPAL GLASS WITH SATIN FINISH
- INSTALLATION : WALL MOUNTED
- SLEEK TORCH SHAPED DESIGN WITH MATT FINISH AND SATIN GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- DESIGNED FOR USE WITH ENERGY-SAVING LIGHT LAMPS
- AVAILABLE IN BOTH GLOSSY & MATT FINISH




ANGELICA
WL1012

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK
- COLOR : WHITE
- INSTALLATION : WALL MOUNTED
- HIGHLY SLEEK AND CONTEMPORARY DESIGN
- REDUCED GLARE WITH INTELLIGENTLY CONCEALED LEDS
- EMANATES WARM YELLOW LIGHT
- COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1014	LED	220U-240U	90U-264U	50HZ	2W	2W	3000 KELVIN
WL1012	LED	220U-240U	90U-264U	50HZ	4W	4W	3000 KELVIN

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CIP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1019	13W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	13W/40W
WP1018	13W CFL/40W GLS	1TN	E527	220U-240U	198U-264U	50HZ	40W	13W/40W



moda
WP1021

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL
- COLOR : MATT WHITE
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN USING SUPERIOR QUALITY METAL
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EVEN DISPERSION OF LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



nea
WL1016

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & PIRMA SHADE
- COLOR : CHROME
- INSTALLATION : WALL MOUNTED
- PREMIUM QUALITY AND HIGH LUMEN OUTPUT
- SOPHISTICATED AND LUXURIOUS DESIGN SPECIALLY MADE FOR LEDS
- EMANATES WARM YELLOW LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE



- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



moda
WP1020

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL
- COLOR : MATT BLACK
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN USING SUPERIOR QUALITY METAL
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EVEN DISPERSION OF LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE




althaea
WL1001

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK
- COLOR : WHITE
- INSTALLATION : WALL MOUNTED
- COOL AND TRENDY SLIM DESIGN
- EVENLY DIFFUSED UP AND DOWN NARROW BEAM
- EMANATES WARM YELLOW LIGHT
- COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1021	10W LED/20W CFL/100W GLS	1N	E527	220V-240V	198V-264V	50HZ	100W	10W/20W/100W
WP1020	10W LED/20W CFL/100W GLS	1N	E527	220V-240V	198V-264V	50HZ	100W	10W/20W/100W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1016	LED	220V-240V	198V-264V	50HZ	3W	3W	3000 KELVIN
WL1001	LED	220V-240V	90V-264V	50HZ	2x4W	8W	3000 KELVIN




EL DIA NOCHE
WL1005

DESIGN & FEATURES

- MATERIAL : ALUMINIUM HOUSING & STEEL BASE
- COLOR : METAL FRAME AVAILABLE IN RICH WHITE FINISH WITH CHROME RING
- INSTALLATION : WALL MOUNTED
- FUTURISTIC BALL SHAPED DESIGN
- HIGHLY VERSATILE AS AN UP OR DOWN LIGHTER
- EMANATES WARM YELLOW LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EVA SIDRA
WL2001

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & PMMA SHADE
- COLOR : CHROME
- INSTALLATION : WALL MOUNTED
- PREMIUM QUALITY AND HIGH LUMEN OUTPUT
- LUSTROUS CHROME FINISH DESIGNER FIXTURE SPECIALLY MADE FOR LEDS
- EMANATES WARM YELLOW LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL DIA NOCHE
WL1006

DESIGN & FEATURES

- MATERIAL : ALUMINIUM HOUSING & STEEL BASE
- COLOR : METAL FRAME AVAILABLE IN RICH BLACK FINISH WITH CHROME RING
- INSTALLATION : WALL MOUNTED
- FUTURISTIC BALL SHAPED DESIGN
- HIGHLY VERSATILE AS AN UP OR DOWN LIGHTER
- EMANATES WARM YELLOW LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EVA SIDRA
WL1015

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & PMMA SHADE
- COLOR : CHROME
- INSTALLATION : WALL MOUNTED
- PREMIUM QUALITY AND HIGH LUMEN OUTPUT
- LUSTROUS CHROME FINISH DESIGNER FIXTURE SPECIALLY MADE FOR LEDS
- EMANATES WARM YELLOW LIGHT
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1005	LED	220U-240U	90U-264U	50HZ	7W	7W	3000 KELVIN
WL1006	LED	220U-240U	90U-264U	50HZ	7W	7W	3000 KELVIN

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL2001	LED	220U-240U	198U-264U	50HZ	2x4W	8W	3000 KELVIN
WL1015	LED	220U-240U	198U-264U	50HZ	4W	4W	3000 KELVIN



EVA HESTER
WP1007

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



LE TULIPE
WP1005

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : WALL MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA HESTER
WP2002

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1007	40W GLS	1N	E514	220U-240U	198U-264U	50HZ	40W	40W
WP2002	40W GLS	2N	E514	220U-240U	198U-264U	50HZ	2x40W	80W

LE TULIPE
WP2001

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : WALL MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1005	13W CFL/40W GLS	1N	E514	220U-240U	198U-264U	50HZ	40W	13W/40W
WP2001	13W CFL/40W GLS	2N	E514	220U-240U	198U-264U	50HZ	2x40W	26W/80W




LYNETH
WL1002

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HOUSING & HEAT SINK
- COLOR : WHITE
- INSTALLATION : WALL MOUNTED
- SLEEK DESIGN REFLECTING SIMPLICITY AT ITS BEST
- EVENLY DIFFUSED UP AND DOWN NARROW BEAM
- EMANATES WARM YELLOW LIGHT
- COMPLIMENTS MODERN INTERIORS

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



EVA ARANCINO
WP1008

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA VISCARIA
WP1006

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : WALL MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
WL1002	LED	220U-240U	90U-264U	50HZ	6W	6W	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE
WP1006	11W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1008	40W GLS	1N	E514	220U-240U	198U-264U	50HZ	40W	40W
WP2003	40W GLS	2N	E514	220U-240U	198U-264U	50HZ	2x40W	80W



EVA RETHMETOS
WP1009

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME & ANTIQUE BLACK
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA BELLA
WP1010

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANODIZED TIN FINISH
- INSTALLATION : WALL MOUNTED
- PREMIUM OFFERING OF HIGH QUALITY METAL AND DESIGNER GLASS
- UNIQUE SURFACE MOUNTED DESIGN
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA RETHMETOS
WP2004

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME & ANTIQUE BLACK
- INSTALLATION : WALL MOUNTED
- SLEEK MODERN DESIGN WITH RICH QUALITY GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1009	11W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	11W/40W
WP2004	11W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	22W/80W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1010	13W CFL/40W GLS	1N	E514	220U-240U	198U-264U	50HZ	40W	13W/40W
WP2005	13W CFL/40W GLS	2N	E514	220U-240U	198U-264U	50HZ	2x40W	26W/80W



LA ENCHANTE
WP1011

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : WALL MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA DAPHNE
WP1012

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : WALL MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



LA ENCHANTE
WP2006

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : ANTIQUE BRASS
- INSTALLATION : WALL MOUNTED
- ELEGANT DESIGN WITH ANTIQUE BRASS FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1011	13W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	13W/40W
WP2006	13W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	26W/80W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1012	13W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	13W/40W
WP2007	13W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	26W/80W






EL COQUIN
WP1013

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EVA FEYYO
WP1014

DESIGN & FEATURES


- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE



EL COQUIN
WP2008

DESIGN & FEATURES

- MATERIAL : STEEL BODY & GLASS SHADE
- COLOR : CHROME FINISH
- INSTALLATION : WALL MOUNTED
- MODERN DESIGN WITH RICH CHROME FINISH
- HIGH GLARE REDUCTION DUE TO UPWARD INSTALLATION OF LAMPS
- SPECIALLY DESIGNED FOR ENERGY SAVING LAMPS
- COMPLETE RANGE OF HARMONIZED DESIGNS AVAILABLE




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1013	13W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	13W/40W
WP2008	13W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	26W/80W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1014	13W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	13W/40W
WP2009	13W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	26W/80W



EBNER
WP2011

DESIGN & FEATURES

- MATERIAL : MILD STEEL & GLASS
- COLOR : OPAL GLASS WITH SATIN FINISH
- INSTALLATION : WALL MOUNTED
- SLEEK DESIGN WITH A COMBINATION OF MATT FINISH METAL AND SATIN FINISH GLASS
- SUPERIOR QUALITY GLASS DIFFUSER TO MINIMIZE GLARE
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS
- COMPLIMENTS MODERN INTERIORS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP2011	9W CFL/40W GLS	1N	E514	198U-264U	198U-264U	50HZ	40W	9W/40W



PENDANTS

APPLICATION OF LIGHTS CAN CREATE A DIFFERENT AMBIENCE IN A HOME AND PENDANTS CAN TRULY ACHIEVE THIS TRANSITION. ANY DULL AND GLOOMY ROOM CAN BE TRANSFORMED TO A VIBRANT AND PROSPEROUS AREA ONLY BY THE INSTALLATION OF PENDANTS. TISVA PRESENTS A WIDE RANGE OF PENDANTS WITH PREMIUM MATERIAL, RICH GLOSSY COLOURS AND FUTURISTIC DESIGNS IN CFL AS WELL AS LED VARIANTS.

THE LED VARIANTS OF THE PENDANTS ARE OFFERED WITH AN OPTION OF INTENSITY CONTROL AS WELL AS A WALL HELD ROTARY DIMMER.

THE PENDANT RANGE IS BEING OFFERED AS 1 HEAD, 2 HEAD & 3 HEAD VARIANTS. THE DESIGNER RANGE OF PENDANTS FROM TISVA SPEAKS ABOUT THE PREMIUM OFFERINGS INSPIRED FROM EUROPE AND SUBTLENESS INSPIRED FROM INDIA.






JUBILO
SG6001

DESIGN & FEATURES

- MATERIAL : BOROSILICATE GLASS BRANCHES WITH CHROME BASE
- COLOR : TRANSLUCENT GLASS
- INSTALLATION : TO BE MOUNTED ON FLAT SURFACE
- AN EXCLUSIVE COLLECTION OF ORNAMENTAL LIGHTING PRODUCTS
- DIMMABLE WITH CONVENTIONAL ROTARY DIMMER*
- SUPERIOR QUALITY GLASS BRANCH DESIGN THAT PRODUCES A FASCINATING PRISM EFFECT
- A COMPLETE RANGE OF HARMONIZED DESIGNS, THAT WILL ADD SOPHISITATION TO EVERY ROOM



JUBILO
SL1010

DESIGN & FEATURES

- MATERIAL : POLYCARBONATE SHADE WITH STEEL CANOPY & ALUMINIUM DRIVER COMPARTMENT
- COLOR : CLEAR TRANSPARENT POLYCARBONATE SURFACE
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- ELEGANT ENERGY EFFICIENT PRODUCT SPECIALLY DESIGNED FOR LEDS
- SWANKY DESIGN WITH GLEAMING SPHERICAL FORM FACTOR ACCENTUATES THE AMBIENCE
- PERFECTLY SMOOTH AND CLEAR TRANSPARENT POLYCARBONATE SURFACE

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY




JUBILO
SL1011

DESIGN & FEATURES

- MATERIAL : ALUMINIUM BASE PLATE WITH STEEL CANOPY & POLYCARBONATE SHADES
- COLOR : PRINT WITH LACQUER
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- STATE OF THE ART PENDANT DESIGN WITH BUILT-IN LED SOURCE INTO ULTRA-THIN DISC
- DIMMABILITY FEATURE PROVIDES CONSUMER THE POWER TO CONTROL THE AMBIENCE
- EMITS A SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SG6001	6x40W G9 HALOGEN	6N	G9	220V-240V	198V-264V	50HZ	6x40W	240W
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT	
SL1011	4x5W INTEGRATED LED	220V-240V	198V-264V	50HZ	4x5W	20W	3000 KELVIN	

*NOT SUPPLIED WITH THE PRODUCT.

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
SL1010	1x18W INTEGRATED LED	220V-240V	198V-264V	50HZ	18W	18W	3000 KELVIN
SL1009	1x9W INTEGRATED LED	220V-240V	198V-264V	50HZ	9W	9W	3000 KELVIN



JUBILO
SP1027

DESIGN & FEATURES


- MATERIAL : PREMIUM DOUBLE LAYERED HAND MADE BLOWN GLASS
- COLOR : RED FINISH WITH BLACK WIRE
- INSTALLATION : CEILING MOUNTED
- PERFECTLY SMOOTH & POLISHED PREMIUM DOUBLE LAYERED HAND MADE GLASS, CREATES A CHARMING AMBIENCE
- SWANKY DESIGN CHROME ROD FOR THE INSTALLATION SUPPORT ACCENTUATES THE MOOD
- DOUBLE LAYERED GLASS PROVIDES A GLAREFREE, PLEASANT LIGHTING WITHIN THE ROOM



JUBILO
SP1033

DESIGN & FEATURES


- MATERIAL : METALLIC INSTALLATION ARRANGEMENT WITH BLOWN GLASS
- COLOR : SHINY WHITE FINISH WITH CHROME AS CENTRE PIECE
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SWANKY DESIGN HANGING CENTRE PIECE WITH FISH SCALE PATTERNS ENGENDERS ELEGANCE WITHIN THE ROOM
- SHINY WHITE BLOWN GLASS MATERIAL PROVIDES EXCELLENT CRACK RESISTANCE TO THE PRODUCT
- THE FROSTED GLASS PROVIDES A GLAREFREE LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR EYES
- PENDANT & CEILING RANGE OF HARMONIZED DESIGNS AVAILABLE



JUBILO
SP6001

DESIGN & FEATURES

- MATERIAL : METALLIC CANOPY WITH FROSTED GLASS SHADES
- COLOR : RICH CHROME FINISH
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- SWANKY DESIGN FEATURES 6 LIGHT HEADS WHICH HANG FROM THE TOP CANOPY
- FLEXIBILITY IN SUSPENSION LENGTHS CAN CREATE VARYING LEVELS OF LIGHT HEADS WHICH CAST A ROMANTIC FLAIR WITHIN THE ROOM
- THE GLASS EMITS A GLAREFREE SOFT LIGHT WHICH IS PLEASANT FOR EYES



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1027	7W LED/15W CFL/60W GLS	1N	E527	220V-240V	198V-264V	50HZ	60W	7W/15W/60W
SP6001	7W LED/11W CFL/40W GLS	6N	E527	220V-240V	198V-264V	50HZ	6x40W	42W/66W/240W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1033	7W LED/9W CFL/40W GLS	3N	E527	220V-240V	198V-264V	50HZ	6x40W	21W/27W/120W
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT	
SL1004	LED	220V-240V	90V-264V	50HZ	6x3W	18W	3000 KELVIN	




ENCANTO
SL1004

DESIGN & FEATURES

- MATERIAL : STEEL & ALUMINIUM
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- AVAILABLE WITH OPTION OF DIMMING CONTROL
- GRACEFUL AND ELEGANT SWAN NECK DESIGN
- MAINTENANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDs
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- PRODUCES WARM YELLOW LIGHT

THE LED ADVANTAGE

NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY






ANGELICO
SP1002

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT WHITE
- INSTALLATION : CEILING MOUNTED
- A TRENDY SPHERICAL DESIGN WITH PREMIUM DIFFUSER GLASS
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ANGELICO
SP3002

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT WHITE
- INSTALLATION : CEILING MOUNTED
- THREE SPHERICAL DIFFUSER GLASSES IN PERFECT HARMONY
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ANGELICO
SP2002

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT WHITE
- INSTALLATION : CEILING MOUNTED
- ELEGANT PAIR OF SPHERICAL DIFFUSER GLASSES
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ANGELICO
SP1001

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT PURPLE
- INSTALLATION : CEILING MOUNTED
- A TRENDY SPHERICAL DESIGN WITH PREMIUM DIFFUSER GLASS
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1002	7W LED/15W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/15W/40W
SP2002	7W LED/15W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	14W/30W/80W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP3002	7W LED/15W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	21W/45W/120W
SP1001	7W LED/15W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/15W/40W



ANGELICO
SP2001

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT PURPLE
- INSTALLATION : CEILING MOUNTED
- ELEGANT PAIR OF SPHERICAL DIFFUSER GLASSES
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



PERLE
SP1018

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL AND HIGH QUALITY OPAL GLASS
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- HIGH QUALITY PAINTED GLASS CREATES A CHARMING AMBIENCE
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ANGELICO
SP3001

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT PURPLE
- INSTALLATION : CEILING MOUNTED
- THREE SPHERICAL DIFFUSER GLASSES IN PERFECT HARMONY
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP2001	7W LED/15W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	14W/30W/80W
SP3001	7W LED/15W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	21W/45W/120W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1018	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W
SP1022	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W



TSINNIA
SP1022

DESIGN & FEATURES

- MATERIAL : STEEL SHADE & WHITE TRIPLES GLASS SHADE
- COLOR : MILKY WHITE GLASS & CHROME PLATING
- INSTALLATION : CEILING MOUNTED
- SMOOTHNESS OF CHROME MIXED WITH THE FINESSE OF MOUTH BLOWN GLASS
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS





ALTALUCE
SP1005

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT RED
- INSTALLATION : CEILING MOUNTED
- MODERN CONICAL DIFFUSER GLASS DESIGN
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ALTALUCE
SP1003

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT WHITE
- INSTALLATION : CEILING MOUNTED
- MODERN CONICAL DIFFUSER GLASS DESIGN
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ALTALUCE
SP1004

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : CHROME FINISH
- INSTALLATION : CEILING MOUNTED
- MODERN CONICAL DIFFUSER GLASS DESIGN
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1005	7W LED/15W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/15W/40W
SP1004	7W LED/15W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/15W/40W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1003	7W LED/15W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/15W/40W
SP2003	7W LED/15W CFL/40W GLS	2N	E527	220U-240U	198U-264U	50HZ	2x40W	14W/30W/80W



ALTALUCE
SP3003

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL AND HIGH QUALITY DIFFUSED GLASS
- COLOR : MATT WHITE
- INSTALLATION : CEILING MOUNTED
- A STYLISH TRIO OF CONICAL DIFFUSER GLASSES
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



BRILLAR
SP1012

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : CHROME
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH CHROME FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SIDRA
SL3001

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK AND PMMA HOUSING
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- AVAILABLE WITH OPTION OF DIMMING CONTROL
- HIGH END CHROME FINISH & ULTRA MODERN
- MAINTENANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDs
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- PRODUCES WARM YELLOW LIGHT



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP3003	7W LED/15W CFL/40W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x40W	21W/45W/120W
ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT	
SL3001	LED	220U-240U	198U-264U	50HZ	3x4W	12W	3000 KELVIN	

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1012	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W
SF1001	14W T5	1N	G5	220U-240U	198U-264U	50HZ	14W	14W



**VIVACE
SP1007**

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : BLACK
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH BLACK FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



**VIVACE
SP1009**

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : ORANGE
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH AMBER FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



**VIVACE
SP1008**

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : RED
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH RED FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



**VIVACE
SP1010**

DESIGN & FEATURES

- MATERIAL : STEEL
- COLOR : YELLOW
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH YELLOW FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS




SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1007	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W
SP1008	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1009	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W
SP1010	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W



VIVACE
SP1011

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : BLUE
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DESIGNED WITH A RICH BLUE FINISH
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



BUONA LUCE
SP1019

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL, WOOD AND HIGH QUALITY OPAL GLASS
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- TASTEFUL COMBINATION OF PREMIUM WOOD AND OPAL GLASS
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



VIVACE
SP1006

DESIGN & FEATURES

- MATERIAL : STEEL
- COLOR : WHITE
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM STEEL
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1011	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W
SP1006	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	10W/20W/100W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1019	7W LED/15W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	7W/15W/100W
SP3004	7W LED/15W CFL/100W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x100W	21W/45W/300W



ENCENDER
SP1020

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL, WOOD AND HIGH QUALITY SERRATED GLASS
- COLOR : WOODEN AND CLEAR
- INSTALLATION : CEILING MOUNTED
- MAGNIFICENT CRAFTING OF SERRATED GLASS AND PREMIUM WOOD
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



NEO MODA
SP4002

DESIGN & FEATURES


- MATERIAL : PREMIUM STEEL
- COLOR : MATT WHITE
- INSTALLATION : CEILING MOUNTED
- SLEEK DESIGN USING SUPERIOR QUALITY METAL
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ENCENDER
SP3005

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL, WOOD AND HIGH QUALITY GLASS
- COLOR : WOODEN AND CLEAR
- INSTALLATION : CEILING MOUNTED
- MAGNIFICENT CRAFTING OF SERRATED GLASS AND PREMIUM WOOD
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1020	7W LED/15W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	7W/15W/100W
SP3005	7W LED/15W CFL/100W GLS	3N	E527	220U-240U	198U-264U	50HZ	3x100W	21W/45W/300W

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP4002	10W LED/20W CFL/100W GLS	4N	E527	220U-240U	198U-264U	50HZ	4x100W	40W/80W/400W
SP4001	10W LED/20W CFL/100W GLS	4N	E527	220U-240U	198U-264U	50HZ	4x100W	40W/80W/400W



LA PASSIONE
SP1013

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : MATT BLACK & RED REFLECTOR
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM METAL
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



ARALIA
SP1017

DESIGN & FEATURES


- MATERIAL : STEEL
- COLOR : SHINY WHITE
- INSTALLATION : CEILING MOUNTED
- ENGRAVED RING PATTERN EMBELLISHING A HEMISPHERIC STEEL DOME
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



LA PASSIONE
SP1014

DESIGN & FEATURES

- MATERIAL : STEEL
- COLOR : SHINY WHITE & SILVER REFLECTOR
- INSTALLATION : CEILING MOUNTED
- A SLEEK HEMISPHERIC DESIGN MADE OF PREMIUM METAL
- EVEN DISPERSION OF LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1013	7W LED/15W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	7W/15W/100W
SP1014	7W LED/15W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	7W/15W/100W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1017	7W LED/15W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	7W/15W/100W
SP1016	7W LED/15W CFL/100W GLS	1N	E527	220U-240U	198U-264U	50HZ	100W	7W/15W/100W



DIA NOCHE
SL1002

DESIGN & FEATURES

- MATERIAL : STEEL
- COLOR : WHITE HOUSING WITH CHROME RING
- INSTALLATION : CEILING MOUNTED
- SMART DESIGN INTELLIGENTLY CONCEALS LEDS
- MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS
- PRODUCES WARM YELLOW LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



EPOCHE NEA
SL1003

DESIGN & FEATURES

- MATERIAL : STEEL BODY WITH ALUMINIUM HEAT SINK & PMMA HOUSING
- COLOR : CHROME
- INSTALLATION : CEILING MOUNTED
- HIGHLY CHROME FINISH AND ULTRA MODERN
- MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS
- PRODUCES WARM YELLOW LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




DIA NOCHE
SL1001

DESIGN & FEATURES

- MATERIAL : STEEL
- COLOR : BLACK HOUSING WITH CHROME RING
- INSTALLATION : CEILING MOUNTED
- SMART DESIGN INTELLIGENTLY CONCEALS LEDS
- MAINTAINANCE FREE LIFE WITH BUILT-IN DRIVER AND HIGH QUALITY LEDS
- PRODUCES WARM YELLOW LIGHT
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
SL1002	LED	220U-240U	90U-264U	50HZ	7W	7W	3000 KELVIN
SL1001	LED	220U-240U	90U-264U	50HZ	7W	7W	3000 KELVIN

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
SL1003	LED	220U-240U	198U-264U	50HZ	3W	3W	3000 KELVIN
SL3002	LED	220U-240U	198U-264U	50HZ	3x3W	9W	3000 KELVIN



ANESE
SP1015

DESIGN & FEATURES

- MATERIAL : PREMIUM STEEL & OPAL GLASS
- COLOR : OPAL WHITE
- INSTALLATION : CEILING MOUNTED
- SHARPNESS OF STEEL MIXED WITH THE FINESSE OF MOUTH BLOWN GLASS
- UNIQUE TRI CLAW SUSPENSION FOR QUICK INSTALLATION
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- DESIGNED FOR USE WITH ENERGY SAVING LAMPS



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1015	7W LED/15W CFL/100W GLS	1N	E527	220V-240V	198V-264V	50HZ	100W	7W/15W/100W

KID'S RANGE

KID'S RANGE BY TISUA HAS BEEN SPECIALLY DESIGNED KEEPING THE DESIRES OF CHILDREN IN MIND. THE AIM IS TO TRANSFORM THE KID'S ROOM TO A PLAY AREA JUST BY SWITCHING ON THE PRODUCTS. THE SAFETY OF THE KID'S HAS BEEN THE FOREMOST CONCERN WHILE CONCEPTUALIZING THE RANGE AND HENCE THE PRODUCTS FULLY COMPLY WITH THE INTERNATIONAL CHILD SAFETY NORMS.

THE RANGE PROVIDES OPTIONS FOR GIRLS AS WELL AS BOYS AND INCLUDES CHANDELIER WITH MATCHING WALL LIGHTS AND TABLE LAMPS AND PENDANTS. TISUA RANGE OF LIGHTING FOR KIDS HAVE BEEN DEVISED WITH AN IDEA TO PROVIDE OPTIONS TO KIDS FOR DECORATING THEIR HOME WITH THEIR FAVOURITE CARTOON CHARACTERS.





VRROOM
CP3017P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLACK BASE WITH HOTWHEEL PATTERNS
- DIMENSIONS : Ø470*H480 MM
- INSTALLATION : CEILING MOUNTED
- PREMIUM FABRIC LUMINAIRE WITH HOTWHEEL DESIGN FOR YOUR KIDS ROOM
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL
- ELECTRICAL FIXTURE, NOT A TOY

VRROOM
FP1018P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLACK BASE WITH HOTWHEEL PATTERNS
- DIMENSIONS : Ø260*400 MM
- INSTALLATION : TABLE MOUNTED
- PREMIUM FABRIC LUMINAIRE WITH HOTWHEEL DESIGN FOR YOUR KIDS ROOM
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL
- ELECTRICAL FIXTURE, NOT A TOY



VRROOM
WP1029P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLACK BASE WITH HOTWHEEL PATTERNS
- DIMENSIONS : 245*150*300 MM
- INSTALLATION : WALL MOUNTED
- CREATIE AND FUN LUMINAIRE MADE USING PREMIUM FABRIC WITH HOTWHEEL DESIGNS FOR YOUR KIDS ROOM
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL
- ELECTRICAL FIXTURE, NOT A TOY



VRROOM
CP3014P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLUE BASE WITH HOTWHEEL PATTERNS
- DIMENSIONS : Ø470*H480 MM
- INSTALLATION : CEILING MOUNTED
- PREMIUM FABRIC LUMINAIRE WITH HOTWHEEL DESIGN FOR YOUR KIDS ROOM
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL
- ELECTRICAL FIXTURE, NOT A TOY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3017P	7W CFL/40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	21W/120W
WP1029P	7W CFL/40W GLS	1N	E514	220V-240V	198V-264V	50HZ	40W	7W/40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1018P	7W CFL/40W GLS	1N	E527	220V-240V	198V-264V	50HZ	40W	7W/40W
CP3014P	7W CFL/40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	21W/120W



VROOM
WP1026P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLUE BASE WITH HOTWHEEL PATTERNS
- DIMENSIONS : 245*150*300 MM
- INSTALLATION : WALL MOUNTED
- CREATIVE AND FUN LUMINAIRE MADE USING PREMIUM FABRIC WITH HOTWHEEL DESIGNS FOR YOUR KIDS ROOM
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL
- ELECTRICAL FIXTURE, NOT A TOY

FLUTTERBY
CP3001P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : MULTI COLOR
- DIMENSIONS : Ø480*H800 MM
- INSTALLATION : CEILING MOUNTED
- PREMIUM FABRIC LUMINAIRE FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- MADE FROM NON-TOXIC MATERIAL



VROOM
FP1015P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : WHITE BASE WITH HOTWHEEL PATTERNS
- DIMENSIONS : Ø260*400 MM
- INSTALLATION : TABLE MOUNTED
- PREMIUM FABRIC LUMINAIRE WITH HOTWHEEL DESIGN FOR YOUR KIDS ROOM
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL
- ELECTRICAL FIXTURE, NOT A TOY



FLUTTERBY
WP1001P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : PINK
- DIMENSIONS : 160*240*285 MM
- INSTALLATION : WALL MOUNTED
- FLOWERY LUMINAIRE WITH A PRETTY BUTTERFLY MADE WITH PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1026P	7W CFL/40W GLS	1N	E514	220U-240U	198U-264U	50HZ	40W	7W/40W
FP1015P	7W CFL/40W GLS	1N	E527	220U-240U	198U-264U	50HZ	40W	7W/40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3001P	7W CFL/40W GLS	3N	E514	220U-240U	198U-264U	50HZ	3x40W	21W/120W
WP1001P	7W CFL/40W GLS	1N	E514	220U-240U	198U-264U	50HZ	40W	7W/40W



FLUTTERBY
FP1001P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : MULTI COLOR
- DIMENSIONS : Ø260*410 MM
- INSTALLATION : TABLE MOUNTED
- CUTE BUTTERFLY DESIGN ON PREMIUM FABRIC TO MAKE YOUR KID'S ROOM A LOT MORE FUN
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL

AIRPLAY
WP1002P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLUE
- DIMENSIONS : 200*285*240 MM
- INSTALLATION : WALL MOUNTED
- PREMIUM FABRIC LUMINAIRE FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL



AIRPLAY
CP3002P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : MULTI COLOR
- DIMENSIONS : Ø480*H600 MM
- INSTALLATION : CEILING MOUNTED
- AIRPLANE DESIGN LUMINAIRE MADE WITH PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL



AIRPLAY
FP1002P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLUE
- DIMENSIONS : Ø260*400 MM
- INSTALLATION : TABLE MOUNTED
- AIRPLANE DESIGN LUMINAIRE MADE WITH PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1001P	7W CFL/40W GLS	1N	E527	220V-240V	198V-264V	50HZ	40W	7W/40W
CP3002P	7W CFL/40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	21W/120W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1002P	7W CFL/40W GLS	1N	E514	220V-240V	198V-264V	50HZ	40W	7W/40W
FP1002P	7W CFL/40W GLS	1N	E527	220V-240V	198V-264V	50HZ	40W	7W/40W



ROCK & ROLL CP3003P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : MULTI COLOR
- DIMENSIONS : Ø480*H800 MM
- INSTALLATION : CEILING MOUNTED
- A CUTE LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- MADE FROM NON-TOXIC MATERIAL

ROCK & ROLL FP1003P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : PINK COLOR
- DIMENSIONS : Ø250*410 MM
- INSTALLATION : TABLE MOUNTED
- A CUTE LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL



ROCK & ROLL WP1003P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : PINK COLOR
- DIMENSIONS : 140*200*270 MM
- INSTALLATION : WALL MOUNTED
- A CUTE LUMINAIRE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL



LIL PIRATE CP3004P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : MULTI COLOR
- DIMENSIONS : Ø570*H800 MM
- INSTALLATION : CEILING MOUNTED
- PREMIUM FABRIC WITH SAILOR DESIGNS FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- MADE FROM NON-TOXIC MATERIAL



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
CP3003P	7W CFL/40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	2W/120W
WP1003P	7W CFL/40W GLS	1N	E514	220V-240V	198V-264V	50HZ	40W	7W/40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1003P	15W CFL/60W GLS	1N	E527	220V-240V	198V-264V	50HZ	60W	15W/60W
CP3004P	7W CFL/40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	21W/120W



LIL PIRATE
WP1004P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLUE
- DIMENSIONS : 140*220*260 MM
- INSTALLATION : WALL MOUNTED
- CREATIVE AND FUN LUMINARE MADE USING PREMIUM FABRIC FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL

GLOWORM
WQ1001P

DESIGN & FEATURES

- MATERIAL : STEEL & PLASTIC
- COLOR : MULTI COLOR
- DIMENSIONS : Ø210*320*380 MM
- INSTALLATION : WALL MOUNTED
- CUTE BEE SHAPED DESIGN WALL LIGHT SPECIALLY MADE FOR KIDS
- ELECTRICAL FIXTURE, NOT A TOY
- LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC
- MADE FROM NON-TOXIC MATERIAL



LIL PIRATE
FP1004P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & FABRIC
- COLOR : BLUE
- DIMENSIONS : Ø210*400 MM
- INSTALLATION : TABLE MOUNTED
- PREMIUM FABRIC WITH SAILOR DESIGNS FOR YOUR KID'S ROOM
- EASY TO CLEAN
- ELECTRICAL FIXTURE, NOT A TOY
- PREMIUM DIFFUSER FOR REDUCED GLARE
- MADE FROM NON-TOXIC MATERIAL



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WP1004P	7W CEF/40W GLS	1N	E514	220V-240V	198V-264V	50HZ	40W	7W/40W
FP1004P	7W CEF/40W GLS	1N	E527	220V-240V	198V-264V	50HZ	40W	7W/40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
WQ1001P	40W GLS	1N	E514	220V-240V	198V-264V	50HZ	40W	40W
CQ3001P	40W GLS	3N	E514	220V-240V	198V-264V	50HZ	3x40W	120W



BZBEE
SQ1001P


DESIGN & FEATURES

- MATERIAL : STEEL & PLASTIC
- COLOR : PINK
- DIMENSIONS : 330*275*800 MM
- INSTALLATION : CEILING MOUNTED
- EXTRA FUN WITH A LOURBLE BEE SHAPE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- ELECTRICAL FIXTURE, NOT A TOY
- LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC
- MADE FROM NON-TOXIC MATERIAL

BZBEE
SQ1002P

DESIGN & FEATURES

- MATERIAL : STEEL & PLASTIC
- COLOR : BLUE
- DIMENSIONS : 330*275*800 MM
- INSTALLATION : CEILING MOUNTED
- EXTRA FUN WITH A LOURBLE BEE SHAPE
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- ELECTRICAL FIXTURE, NOT A TOY
- LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC
- MADE FROM NON-TOXIC MATERIAL



BZBEE
FQ1001P

DESIGN & FEATURES

- MATERIAL : STEEL & PLASTIC
- COLOR : PINK
- DIMENSIONS : 280*280*400 MM
- INSTALLATION : TABLE MOUNTED
- BUGSY TABLE LAMP A CUTE AND INNOVATIVE DESIGN
- ELECTRICAL FIXTURE, NOT A TOY
- LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC
- MADE FROM NON-TOXIC MATERIAL



BZBEE
FQ1002P

DESIGN & FEATURES

- MATERIAL : STEEL & PLASTIC
- COLOR : BLUE
- DIMENSIONS : 280*280*480 MM
- INSTALLATION : TABLE MOUNTED
- BUGSY TABLE LAMP A CUTE AND INNOVATIVE DESIGN
- ELECTRICAL FIXTURE, NOT A TOY
- LIGHT WEIGHT DESIGN MADE FROM PREMIUM QUALITY WOOD AND HIGH GRADE PLASTIC
- MADE FROM NON-TOXIC MATERIAL



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SQ1001P	40W GLS	1IN	E527	220U-240U	198U-264U	50HZ	40W	40W
FQ1001P	40W GLS	1IN	E527	220U-240U	198U-264U	50HZ	40W	40W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SQ1002P	40W GLS	1IN	E527	220U-240U	198U-264U	50HZ	40W	40W
FQ1002P	40W GLS	1IN	E527	220U-240U	198U-264U	50HZ	40W	40W



WRIGHT
SP1021P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & GLASS
- COLOR : BROWN
- DIMENSIONS : 440*500*800 MM
- INSTALLATION : CEILING MOUNTED
- DESIGNED FOR FUTURE AVIATORS
- COMBINATION OF HIGH QUALITY METAL AND GLASS
- ELECTRICAL FIXTURE, NOT A TOY
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- MADE FROM NON-TOXIC MATERIAL

HALF TIME
FL1001P

DESIGN & FEATURES

- MATERIAL : STEEL & PLASTIC
- COLOR : BLACK & WHITE
- DIMENSIONS : 160*230*400 MM
- INSTALLATION : TABLE MOUNTED
- HIGH OUTPUT TABLE LAMP DESIGNED FOR THE SOCCER FANS
- PREMIUM DIFFUSER FOR REDUSED GLARE
- ELECTRICAL FIXTURE, NOT A TOY
- EASY TO CLEAN
- MADE FROM NON-TOXIC MATERIAL

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



CHOPPER
SQ1003P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & GLASS
- COLOR : BROWN
- DIMENSIONS : 550*170*800 MM
- INSTALLATION : CEILING MOUNTED
- COOL AND UNIQUE BIKE DESIGN FOR THE TOUGH RIDERS
- COMBINATION OF HIGH QUALITY METAL AND GLASS
- ELECTRICAL FIXTURE, NOT A TOY
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- MADE FROM NON-TOXIC MATERIAL



VROOM
SQ1004P

DESIGN & FEATURES

- MATERIAL : STEEL, PLASTIC & GLASS
- COLOR : SILVER FINISH
- DIMENSIONS : 675*240*800 MM
- INSTALLATION : CEILING MOUNTED
- EXCITING F1 CAR SHAPED PENDANT
- COMBINATION OF HIGH QUALITY METAL AND GLASS
- ELECTRICAL FIXTURE, NOT A TOY
- EASY HEIGHT ADJUSTMENT DURING INSTALLATION
- MADE FROM NON-TOXIC MATERIAL

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
SP1021P	9W CFL/40W GLS	1N	E527	220V-240V	198V-264V	50HZ	40W	9W/40W
SQ1003P	40W GLS & 35W HALOGEN	2x40W & 1x35W	E514 & GU10	220V-240V	198V-264V	50HZ	2x40W & 35W	115W


SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT	CRI
FL1001P	5W LED			220V-240V	100V-240V	50HZ	5W	5W	2700K	80
ITEM CODE	TYPE OF LAMP	NO. OF LAMP	FITTING/CAP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE		
SQ1004P	40W GLS	1N	E514	220V-240V	198V-264V	50HZ	40W	40W		

LED SPOTS

ART DÉCOR & SCULPTURES ARE THE BASIC TRADITIONAL ELEMENTS OF AN INDIAN HOME AND TO INTENSIFY AND MAINTAIN THE BEAUTY OF THE ARTEFACTS IN THE HOME, TISVA PRESENTS A COMPLETE RANGE OF LOW POWER CONSUMING LED SPOTS.

THE LED SPOTS ARE AVAILABLE IN THE VARIANTS OF 1 HEAD, 2 HEAD, 3 HEAD & 4 HEAD THUS PROVIDING A CUSTOMER A CHOICE TO USE THE APPROPRIATE ILLUMINATION FOR THE ART.






EL PINTURA
HL1003

DESIGN & FEATURES

- MATERIAL : MS BODY & ALUMINUM
- COLOR : NICKEL BRUSH, ANODIZE & PRINTING SILVER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL PINTURA
HL3003

DESIGN & FEATURES

- MATERIAL : MS BODY & ALUMINUM
- COLOR : NICKEL BRUSH, ANODIZE & PRINTING SILVER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL PINTURA
HL2003

DESIGN & FEATURES

- MATERIAL : MS BODY & ALUMINUM
- COLOR : NICKEL BRUSH, ANODIZE & PRINTING SILVER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
HL1003	LED	220U-240U	198U-264U	50HZ	3W	3W	3000 KELVIN
HL2003	LED	220U-240U	198U-264U	50HZ	2x3W	6W	3000 KELVIN

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
HL3003	LED	220U-240U	198U-264U	50HZ	3x3W	9W	3000 KELVIN
HL4003	LED	220U-240U	198U-264U	50HZ	4x3W	12W	3000 KELVIN




EL ESPECTACULO HL1001

DESIGN & FEATURES

- MATERIAL : MS BODY & GLASS
- COLOR : NICKEL BRUSH & CHROME
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL ESPECTACULO HL3001

DESIGN & FEATURES

- MATERIAL : MS BODY & GLASS
- COLOR : NICKEL BRUSH & CHROME
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL ESPECTACULO HL2001

DESIGN & FEATURES

- MATERIAL : MS BODY & GLASS
- COLOR : NICKEL BRUSH & CHROME
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
HL1001	LED	220U-240U	198U-264U	50HZ	3W	3W	3000 KELVIN
HL2001	LED	220U-240U	198U-264U	50HZ	2x3W	6W	3000 KELVIN

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
HL3001	LED	220U-240U	198U-264U	50HZ	3x3W	9W	3000 KELVIN
HL4001	LED	220U-240U	198U-264U	50HZ	4x3W	12W	3000 KELVIN




EL STUDIO
HL1002

DESIGN & FEATURES

- MATERIAL : MS BODY
- COLOR : CHROME FINISH WITH WHITE POWDER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL STUDIO
HL3002

DESIGN & FEATURES

- MATERIAL : MS BODY
- COLOR : CHROME FINISH WITH WHITE POWDER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY




EL STUDIO
HL2002

DESIGN & FEATURES

- MATERIAL : MS BODY
- COLOR : CHROME FINISH WITH WHITE POWDER
- INSTALLATION : CEILING/WALL MOUNTED
- ULTRA MODERN AND ARTISTIC DESIGN
- EMANATES A WARM YELLOW LIGHT
- CONVENIENT DIRECTION CONTROL WITH UNIQUE SWIVEL MOUNT
- MULTI-HEAD OPTIONS AVAILABLE

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
HL1002	LED	220U-240U	198U-264U	50HZ	3W	3W	3000 KELVIN
HL2002	LED	220U-240U	198U-264U	50HZ	2x3W	6W	3000 KELVIN

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE	CCT
HL3002	LED	220U-240U	198U-264U	50HZ	3x3W	9W	3000 KELVIN
HL4002	LED	220U-240U	198U-264U	50HZ	4x3W	12W	3000 KELVIN

TABLE LAMPS

A WORK STATION AT HOME IS THE SIGN OF A DEDICATED PERSON. AND THIS KIND OF COMMITMENT DESERVES A SOURCE OF LIGHT THAT CAN INSPIRE AND LITERALLY SHOW THE WAY. OUR RANGE OF TABLE LAMPS HAS BEEN CREATED KEEPING FUNCTIONALITY IN MIND WITH A FINE AESTHETIC SENSE. COMPATIBLE WITH LED AND CFL BULBS THEY GIVE YOU JUST THE LIGHT YOU WANT.






J'AIME
FL1005

DESIGN & FEATURES

- MATERIAL : ALUMINUM DIE CAST BODY WITH STEEL BASE
- COLOR : WHITE FINISH WITH RED TEXTILE WIRE
- INSTALLATION : TABLE MOUNTED
- ELEGANT SWAN NECK DESIGN ALONGWITH INNOVATIVE STEEL BASE PLATE ACCENTUATES THE DECOR OF THE MODERN HOMES
- PROVIDES GOOD CONCENTRATED LIGHT FOR ANY APPLICATION
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA PUSH SWITCH ON THE PRODUCT
- AVAILABLE IN PENDANT & TABLE LAMP VARIANTS

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



J'AIME
FP1013

DESIGN & FEATURES

- MATERIAL : OAK WOOD BRACKET, SOLID METALLIC BASE AND STEEL SUPPORT ROD WITH FABRIC HEAD
- COLOR : BLACK HEAD & BLACK WIRE
- INSTALLATION : TABLE MOUNTED
- TABLE MOUNTED LAMP WITH PREMIUM BLACK PLEATED FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DECOR
- UNIQUE FISHING ROD DESIGN WITH SOLID METALLIC BASE AND OAK-WOOD BRACKET WITH STEEL ROD FOR FABRIC HEAD
- INNOVATIVE DESIGN WITH 3 STEP TILT ARRANGEMENT AT THE BASE CONTROLLED BY FISH-HOOK STEEL WIRE COUPLED WITH MAIN ROD
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE HAND SWITCH
- AVAILABLE IN FLOOR & TABLE LAMP RANGE




J'AIME
FL1004

DESIGN & FEATURES

- MATERIAL : ALUMINUM BODY
- COLOR : BRUSHED ALUMINUM FINISH WITH BLACK WIRE
- INSTALLATION : TABLE MOUNTED
- CONTEMPORARY ARC SHAPED DESIGN WHICH ALLURES THE AMBIENCE
- EASE OF CONTROL VIA TOUCH DIMMING SWITCH ON THE BASE PLATE PROVIDES THE CONSUMER THE POWER TO CONTROL
- PROVIDES GOOD CONCENTRATED LIGHT FOR ANY APPLICATION

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	CCT
FL1005	3x3W INTEGRATED LED	220U-240U	90U-244U	50HZ	9W	3000 KELVIN
FL1004	1x5W INTEGRATED LED	220U-240U	90U-244U	50HZ	5W	3000 KELVIN

SPECIFICATIONS:


ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1013	7W LED/11W CFL/60W GLS	1N	E527	220U-240U	50HZ	60W	7W/11W/60W
FP1008	7W LED/9W CFL/60W GLS	1N	E527	220U-240U	50HZ	60W	7W/9W/60W



J'AIME
FP1008

DESIGN & FEATURES

- MATERIAL : PREMIUM CHROME FINISH HEAD WITH CONNECTING ARM AND SOLID METALLIC BASE
- COLOR : CHROME HEAD WITH BLACK WIRE
- INSTALLATION : TABLE MOUNTED
- PROVIDES GOOD CONCENTRATED LIGHT FOR ANY APPLICATION
- SPLASHY DESIGN WITH GLEAMING SPHERICAL FORM FACTOR WHICH ACCENTUATES THE AMBIENCE
- SOLID METALLIC BASE WITH METALLIC ARM AND ADJUSTABLE METALLIC HEAD
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE HAND SWITCH
- AVAILABLE IN TABLE & FLOOR LAMP VARIANTS



FLOOR LAMPS

GET FLOORED! BY THESE DESIGNS, THE FUNCTIONALITY AND BY THE WAY OUR NEW RANGE OF FLOOR LAMPS CREATE SPACE AND MAGIC IN YOUR HOME. LOOK AT THE DESIGN AND YOU WILL SEE THE WAY EVERY DETAIL HAS BEEN LOOKED INTO. FROM THE THROW OF LIGHT, THEIR REACH AND THE USE OF SPACE, EVERYTHING HAS BEEN OPTIMISED. SO FIND A GOOD BOOK AND SETTLE DOWN IN YOUR LAZYBOY, EVENINGS CAN'T GET BETTER NOW.






SCINTILLER
FL1003

DESIGN & FEATURES

- MATERIAL : CARBON FIBER STEM WITH STEEL BASE
- COLOR : BLACK HEAD WITH BLACK TEXTILE WIRE
- INSTALLATION : FLOOR MOUNTED
- PROVIDES GOOD CONCENTRATED LIGHT FOR READING AND GENERAL LIGHTING FOR SMALLER AREAS
- UNIQUE CARBON FIBER ROD BASED LED FLOOR LAMP WITH SWIPE HEAD AND SOLID METALLIC BASE
- EASY TO USE CLAMP ARRANGEMENT FOR CONTROLLING ANGLE OF LIGHT AS PER REQUIREMENT
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SCINTILLER
FP1012

DESIGN & FEATURES


- MATERIAL : OAK WOOD BRACKET, SOLID METALLIC BASE AND STEEL SUPPORT ROD WITH FABRIC HEAD
- COLOR : BLACK HEAD & BLACK WIRE
- INSTALLATION : FLOOR MOUNTED
- FLOOR MOUNTED LAMP WITH PREMIUM BLACK PLEATED FABRIC WHICH GELS PERFECTLY WITH MODERN HOME DECOR
- UNIQUE FISHING ROD DESIGN WITH SOLID METALLIC BASE AND OAK WOOD BRACKET WITH STEEL ROD FOR FABRIC HEAD
- INNOVATIVE DESIGN WITH 4 STEP TILT ARRANGEMENT AT THE BASE CONTROLLED BY FISH-HOOK STEEL WIRE COUPLED WITH MAIN ROD
- DIFFUSED LIGHTING WITH REDUCED GLARE
- EASE OF SAFE CONTROL FOR THE CONSUMER VIA IN-LINE FOOT SWITCH
- AVAILABLE IN FLOOR & TABLE LAMP RANGE



SCINTILLER
FP1014

DESIGN & FEATURES

- MATERIAL : METALLIC BODY WITH FABRIC HEAD
- COLOR : RICH WOODGRAIN FINISH WITH FLASH SILVER BASE
- INSTALLATION : FLOOR MOUNTED
- STURDY TOUCH SWITCH ON THE METALLIC BRANCH FOR SWITCHING CONTROL
- ELEGANT CURVED DESIGN WITH METALLIC BRANCH IN RICH WOODGRAIN FINISH
- PREMIUM DIFFUSER FOR GLARE FREE LIGHTING AND UNIFORM DISTRIBUTION
- SOLID BASE WITH FLASHY ALUMINIUM FINISH PROVIDES SUPERB BALANCE TO THE FLOOR LAMP



SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	CCT
FL1003	3*3W INTEGRATED LED	220U-240U	90U-264U	50HZ	9W	3000 KELVIN
ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE
FP1014	60W GLS	1N	E527	220U-240U	50HZ	60W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	NO OF LAMPS	FITTING/CAP	RATED VOLTAGE	FREQUENCY	RATED WATTAGE	TOTAL WATTAGE
FP1012	10W LED/20W CFL/100W GLS	1N	E527	220U-240U	50HZ	100W	10W/20W/100W
FP1009	7W LED/11W CFL/60W GLS	1N	E527	220U-240U	50HZ	60W	7W/11W/60W

AMBIENT LIGHTING

THIS LIMITED RANGE FROM TISUA PROVIDES A CUSTOMER AN ABILITY TO CONTROL THE LIGHT COLOURS AND LIGHT INTENSITY WITHIN THE HOME. THE TUNABLE WHITE OFFERING FROM TISUA PRESENTS THE INNOVATIVE 'SUN IN HOME' CONCEPT WITH THE POSSIBILITY OF MAINTAINING THE COLOUR OF THE LIGHTS WITHIN THE HOME MATCHED TO THE COLOUR OF SUN LIGHT OUTSIDE AT ANY POINT OF TIME DURING THE DAY. THE RANGE PRESENTLY INCLUDES MULTI COLOUR TOUCH BASED LED STRIPS, TUNABLE WHITE LED STRIPS AND TUNABLE WHITE CEILING LIGHT.





*Available with remote control

LUCE

LS20R0503*
LS20R0505*
LS20R1415*

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : RED
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 3000*8*2.35 MM
5000*8*2.35 MM
5000*10*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING
- LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE
- DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20R1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY

LUCE

LS20G0503*
LS20G0505*
LS20G1415*

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : GREEN
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 3000*8*2.35 MM
5000*8*2.35 MM
5000*10*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING
- LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE
- DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20G1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



*Available with remote control

LUCE

LSH20R0505
LSH20R0503

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : RED
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 5000*8*2.35 MM
3000*8*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	RATED WATTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDs	WATTAGE	DIMMING
LS20R0503	220-240U AC	90-264U AC	50 Hz	180	14.4 W	DIMMABLE
LS20R0505	220-240U AC	90-264U AC	50 Hz	300	24 W	DIMMABLE
LS20R1415	220-240U AC	90-264U AC	50 Hz	300	72 W	DIMMABLE
LSH20R0503	12 U DC	11.5-12.2 DC	-	180	14.4 W	DIMMABLE
LSH20R0505	12 U DC	11.5-12.2 DC	-	300	24 W	DIMMABLE

SPECIFICATIONS:

ITEM CODE	RATED WATTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDs	WATTAGE	DIMMING
LS20G0503	220-240U AC	90-264U AC	50 Hz	180	14.4 W	DIMMABLE
LS20G0505	220-240U AC	90-264U AC	50 Hz	300	24 W	DIMMABLE
LS20G1415	220-240U AC	90-264U AC	50 Hz	300	72 W	DIMMABLE
LSH20G0503	12 U DC	11.5-12.2 DC	-	180	14.4 W	DIMMABLE
LSH20G0505	12 U DC	11.5-12.2 DC	-	300	24 W	DIMMABLE



*Available with remote control

LUCE

LS20B0503*
LS20B0505*
LS20B1415*

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : BLUE
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 3000*8*2.35 MM
5000*8*2.35 MM
5000*10*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING
- LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE
- DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20B1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY

LUCE

LS20W0503*
LS20W0505*
LS20W1415*

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : WHITE
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 3000*8*2.35 MM
5000*8*2.35 MM
5000*10*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING
- LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE
- DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20W1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY



*Available with remote control

LUCE

LSH20B0505
LSH20B0503

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : BLUE
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 5000*8*2.35 MM
3000*8*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
LOW CARBON FOOTPRINT
ZERO MERCURY
LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	RATED WATTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDs	WATTAGE	DIMMING
LS20B0503	220-240U AC	90-264U AC	50 Hz	180	14.4 W	DIMMABLE
LS20B0505	220-240U AC	90-264U AC	50 Hz	300	24 W	DIMMABLE
LS20B1415	220-240U AC	90-264U AC	50 Hz	300	72 W	DIMMABLE
LSH20B0503	12 V DC	11.5-12.2V DC	-	180	14.4 W	DIMMABLE
LSH20B0505	12 V DC	11.5-12.2V DC	-	300	24 W	DIMMABLE

SPECIFICATIONS:

ITEM CODE	RATED WATTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDs	WATTAGE	DIMMING
LS20W0503	220-240U AC	90-264U AC	50 Hz	180	14.4 W	DIMMABLE
LS20W0505	220-240U AC	90-264U AC	50 Hz	300	24 W	DIMMABLE
LS20W1415	220-240U AC	90-264U AC	50 Hz	300	72 W	DIMMABLE
LSH20W0503	12 V DC	11.5-12.2V DC	-	180	14.4 W	DIMMABLE
LSH20W0505	12 V DC	11.5-12.2V DC	-	300	24 W	DIMMABLE



*Available with remote control

LUCE

LS20Y0503*
LS20Y0505*
LS20Y1415*

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : WARM YELLOW
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 3000*8*2.35 MM
5000*8*2.35 MM
5000*10*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING
- LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE
- DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20Y1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY

LUCE


LS20M0715*
LS20M0713*
LS20M1415*

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : RGB COLOR CHANGING
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 5000*10*2.35 MM
3000*10*2.35 MM
5000*10*2.35 MM
- RANGE OF 16 COLORS FOR SELECTION
- AUTOMATIC COLOR CHANGING MODE
- INTENSITY & COLOR CONTROL VIA REMOTE
- QUICK & EASY INSTALLATION WITH 3M TAPE
- ENERGY SAVING
- LOOSE PACKS OF 3M & 5M STRIPS ARE ALSO AVAILABLE
- DRIVER SUITABLE FOR UPTO 10M STRIPS (LS20M1415 SUITABLE FOR 5M STRIP)

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



*Available with remote control



*Available with remote control (LS20M1415)

LUCE

LSH20Y0505
LSH20Y0503

DESIGN & FEATURES

- MATERIAL : SOFT PCB & LED
- COLOR : WARM YELLOW
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 5000*8*2.35 MM
3000*8*2.35 MM
- DIMMABLE VIA EASY TO USE REMOTE
- QUICK AND EASY INSTALLATION WITH 3M TAPE WITH PLUG AND PLAY DRIVER
- HIGHLY DURABLE
- HIGHLY FLEXIBLE AND VERSATILE
- ENERGY SAVING

THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



SPECIFICATIONS:

ITEM CODE	RATED WATTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDs	WATTAGE	DIMMING
LS20Y0503	220-240U AC	90-264U AC	50 Hz	180	14.4 W	DIMMABLE
LS20Y0505	220-240U AC	90-264U AC	50 Hz	300	24 W	DIMMABLE
LS20Y1415	220-240U AC	90-264U AC	50 Hz	300	72 W	DIMMABLE
LSH20Y0503	12 U DC	11.5-12.2U DC	-	180	14.4 W	DIMMABLE
LSH20Y0505	12 U DC	11.5-12.2U DC	-	300	24 W	DIMMABLE

SPECIFICATIONS:

ITEM CODE	RATED WATTAGE	OPERATING VOLTAGE	FREQUENCY	NO OF LEDs	WATTAGE	DIMMING
LS20M0715	220-240U AC	90-264U AC	50 Hz	150	36 W	DIMMABLE
LS20M0713	220-240U AC	90-264U AC	50 Hz	90	22 W	DIMMABLE
LS20M1415	220-240U AC	90-264U AC	50 Hz	300	72 W	DIMMABLE
LSH20M0715	24 U DC	20.4-24 U DC	-	150	36 W	DIMMABLE
LSH20M0713	24 U DC	20.4-24 U DC	-	90	22 W	DIMMABLE



*Available with remote control

LUCE LS20T0915*

DESIGN & FEATURES

- MATERIAL : SOFT PCB BOARD & LED
- COLOR : TUNABLE WHITE
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 5000*10*2.35 MM
- A VARIETY OF CONTINUOUS COLOR SELECTION RANGING FROM WARM YELLOW TO COOL DAYLIGHT
- LIGHT INTENSITY & COLOR CONTROL OF LIGHT VIA TOUCH BASED RF REMOTE CONTROL
- HIGHLY FLEXIBLE AND VERSATILE


THE LED ADVANTAGE

- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY

ELYSIAN MUL001

DESIGN & FEATURES

- MATERIAL : FINE ACRYLIC
- COLOR : WHITE
- INSTALLATION : CEILING MOUNTED
- UNIQUE PRODUCT CREATING SUN IN HOME BY THE CHOICE OF CONTINUOUS COLOR SELECTION FROM WARM WHITE TO COOL DAYLIGHT
- ADJUSTMENT OF LIGHT INTENSITY BY USING REMOTE CONTROL
- DIFFUSED LIGHT EFFECT
- FLEXIBILITY AS PER USAGE
- EASY INSTALLATION



LUCE LSH20T0915

DESIGN & FEATURES

- MATERIAL : SOFT PCB BOARD & LED
- COLOR : TUNABLE WHITE
- INSTALLATION : WITH 3M TAPE
- DIMENSIONS : 5000*10*2.35 MM
- A VARIETY OF CONTINUOUS COLOR SELECTION RANGING FROM WARM YELLOW TO COOL DAYLIGHT
- LIGHT INTENSITY & COLOR CONTROL OF LIGHT VIA TOUCH BASED RF REMOTE CONTROL
- HIGHLY FLEXIBLE AND VERSATILE

THE LED ADVANTAGE


- NO HARMFUL UV/INFRARED EMISSION
- LOW CARBON FOOTPRINT
- ZERO MERCURY
- LONG LIFE LED TECHNOLOGY



JUBILO UL4001

DESIGN & FEATURES

- MATERIAL : ALUMINIUM BASE PLATE WITH STEEL CANOPY & POLYCARBONATE SHADES
- COLOR : PAINT WITH LACQUER
- INSTALLATION : TO BE MOUNTED ON FLAT CEILING
- STATE OF THE ART PENDANT DESIGN WITH BUILT-IN LED SOURCE INTO ULTRA-THIN DISC
- DIMMABILITY FEATURE PROVIDES CONSUMER THE POWER TO CONTROL THE AMBIENCE
- EMITS A SOFT LIGHT WITHIN THE ROOM WHICH IS PLEASANT FOR THE EYES



SPECIFICATIONS (LED DRIVER):

ITEM CODE	RATED VOLTAGE	OPERATING VOLTAGE (Input)	OPERATING VOLTAGE (Output)	FREQUENCY	NO OF LEDs	WATTAGE	COLOR	CCT
MUL001	220U-240U	220U-240U	54U/0.8A	50HZ	145PCS	51W	TUNABLE WHITE	2700 K-6500 K

SPECIFICATIONS (LED MODULE):

ITEM CODE	LED CHIP (2700K)	LED CHIP (6500K)	OPERATING VOLTAGE (@LED CHIP)	TOTAL WATTAGE
MUL001	0.3W	0.3W	3U/0.1A	43.5W

SPECIFICATIONS:

ITEM CODE	TYPE OF LAMP	RATED VOLTAGE	OPERATING VOLTAGE	FREQUENCY	RATED WATTAGE	CCT
UL4001	4H5W LED	220U-240U	198U-264U	50HZ	20W	3000 KELVIN

SPECIFICATIONS:

ITEM CODE	RATED VOLTAGE	OPERATING VOLTAGE	CCT	NO OF LEDs	WATTAGE	DIMMING
LS20T0915	220 - 240 U AC	90-264 U AC	2000 K-6300 K	300	25-50 W	DIMMABLE
LSH20T0915	12U DC	12U DC	2000 K-6300 K	300	25-50 W	DIMMABLE

DLWNIGHTERS

LIGHT PLAYS A MAJOR ROLE TO ENHANCE THE INTERIORS OF ANY HOME. IT HAS A MAGICAL QUALITY THAT CAN TRANSFORM ANY ENVIRONMENT. OUR RANGE OF DOWNLIGHTERS HAVE BEEN DESIGNED TO THROW AN EVENLY DIFFUSED WIDE BEAM OF LIGHT. YOU CAN ADD DRAMA TO A CORRIDOR, STYLE TO A PORCH OR CHANGE THE WAY A ROOM FEELS BY JUST USING THESE INNOVATIVE DESIGNS CREATIVELY.

TISVA HAS TAKEN THIS COLLECTION OF DESIGNER DOWNLIGHTERS A STEP FORWARD. NOW WITH ADDED DIMMERS AND DIMMABLE DRIVERS YOU HAVE COMPLETE CONTROL OVER THE INTENSITY LIGHT TO CREATE THE RIGHT MOOD AND AMBIENCE. SO GET CREATIVE AND PLAY WITH THE AMBIENCE OF A ROOM.

THESE DIMMERS AND DRIVERS CAN ALSO BE INCORPORATED WITH ANY TISVA LED LUMINAIRE. JUST ADD THEM ON AND SEE HOW MAGIC HAPPENS WITH THE TURN OF A KNOB. FOR FURTHER INFORMATION PLEASE ASK OUR STORE MANAGER OR CALL TISVA CARE @ 180010332222






PALETTE

DESIGN & FEATURES


- MATERIAL : DIE CAST ALUMINIUM HOUSING WITH CONCAVE DIFFUSER DESIGN
- COLOR : POWDER COATED WHITE
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE
- HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES
- READY TO USE INTEGRATED PACK WITH DRIVER



PALETTE

DESIGN & FEATURES

- MATERIAL : DIE CAST ALUMINIUM WITH DUAL RIM STRUCTURE
- COLOR : WHITE WITH GLASS RIM
- ELEGANT ULTRA THIN ROUND DESIGN WITH GLASS EDGE GLOWING CONCEPT
- OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM
- HIGH TRANSMITTANCE DIFFUSER EMITS A GLARE FREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES
- READY TO USE INTEGRATED PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE



ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0431007	ROUND 3.5W	220V-240V	50 Hz	4000K	210 LUMEN	A-095MM B-080MM C-75MM
DL0461008	ROUND 3.5W	220V-240V	50 Hz	6500K	225 LUMEN	A-095MM B-080MM C-75MM
DL0531005	ROUND 5W	220V-240V	50 Hz	4000K	310 LUMEN	A-0105MM B-090MM C-80 MM
DL0561006	ROUND 5W	220V-240V	50 Hz	6500K	350 LUMEN	A-0105MM B-090MM C-80MM
DL0831003	ROUND 7W	220V-240V	50 Hz	4000K	490 LUMEN	A-0115MM B-0100MM C-90MM
DL0861004	ROUND 7W	220V-240V	50 Hz	6500K	525 LUMEN	A-0115MM B-0100MM C-90MM
DL1031001	ROUND 9W	220V-240V	50 Hz	4000K	700 LUMEN	A-0140MM B-0115MM C-90MM
DL1061002	ROUND 9W	220V-240V	50 Hz	6500K	750 LUMEN	A-0140MM B-0115MM C-90MM


ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0612009	ROUND 6W	220V-240V	50 Hz	2700K	400 LUMEN	A-097MM B-075MM C-43MM
DL0632010	ROUND 6W	220V-240V	50 Hz	4000K	400 LUMEN	A-097MM B-075MM C-43MM
DL0662011	ROUND 6W	220V-240V	50 Hz	650K	400 LUMEN	A-097MM B-075MM C-43MM
DL1212012	ROUND 12W	220V-240V	50 Hz	2700K	850 LUMEN	A-0160MM B-0132 MM C-43MM
DL1232013	ROUND 12W	220V-240V	50 Hz	4000K	850 LUMEN	A-0160MM B-0132MM C-43MM
DL1262014	ROUND 12W	220V-240V	50 Hz	6500K	850 LUMEN	A-0160MM B-0132MM C-43MM
DL1812015	ROUND 18W	220V-240V	50 Hz	2700K	1500 LUMEN	A-0200MM B-0170MM C-43MM
DL1832016	ROUND 18W	220V-240V	50 Hz	4000K	1500 LUMEN	A-0200MM B-0170MM C-43MM
DL1862017	ROUND 18W	220V-240V	50 Hz	6500K	1500 LUMEN	A-0200MM B-0170MM C-43MM



PALETTE

DESIGN & FEATURES


- MATERIAL : DIE CAST ALUMINIUM WITH DUAL RIM STRUCTURE
- COLOR : WHITE WITH GLASS RIM
- ELEGANT ULTRA THIN SQUARE DESIGN WITH GLASS EDGE GLOWING CONCEPT
- OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM
- HIGH TRANSMITTANCE DIFFUSER EMITS A GLAREFREE NATURAL SOFT LIGHT WHICH IS PLEASANT FOR THE EYES
- READY TO USE INTEGRATED PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE



PALETTE

DESIGN & FEATURES

- MATERIAL : DIE CAST ALUMINIUM
- COLOR : WHITE POWDER COATED
- EVENLY DIFFUSED SLENDER & LIGHT WEIGHT WIDE BEAM DOWNLIGHTER
- NON-YELLOWING SUPERIOR ANTI-GLARE DIFFUSER
- READY TO USE PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE



ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0614013	SQUARE 6W	220V-240V	50 Hz	2700K	310 LUMEN	A-98x98mm B-77x70mm C-39mm
DL0634014	SQUARE 6W	220V-240V	50 Hz	4000K	330 LUMEN	A-98x98mm B-77x70mm C-39mm
DL0664015	SQUARE 6W	220V-240V	50 Hz	6500K	330 LUMEN	A-98x98mm B-77x70mm C-39mm
DL1214010	SQUARE 12W	220V-240V	50 Hz	2700K	850 LUMEN	A-160x160mm B-135x125 mm C-43 mm
DL1234011	SQUARE 12W	220V-240V	50 Hz	4000K	850 LUMEN	A-160x160mm B-135x125mm C-43mm
DL1264012	SQUARE 12W	220V-240V	50 Hz	6500K	850 LUMEN	A-160x160mm B-135x125mm C-43mm
DL1814016	SQUARE 18W	220V-240V	50 Hz	2700K	1400 LUMEN	A-200x200mm B-180x165mm C-43mm
DL1834017	SQUARE 18W	220V-240V	50 Hz	4000K	1400 LUMEN	A-200x200mm B-180x165mm C-43 mm
DL1864018	SQUARE 18W	220V-240V	50 Hz	6500K	1400LUMEN	A-200x200mm B-180x165mm C-43mm


ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DLP0514007	SQUARE 5W	220V-240V	50 Hz	2700K	200 LUMEN	A-85x85mm B-75x75mm C-22mm
DLP0534008	SQUARE 5W	220V-240V	50 Hz	4000K	230 LUMEN	A-85x85mm B-75x75mm C-22mm
DLP0564009	SQUARE 5W	220V-240V	50 Hz	6500K	250 LUMEN	A-85x85mm B-75x75mm C-22mm
DLP0814012	SQUARE 8W	220V-240V	50 Hz	2700K	400 LUMEN	A-118x118mm B-108x108mm C-24mm
DLP0834006	SQUARE 8W	220V-240V	50 Hz	4000K	416 LUMEN	A-118x118mm B-108x108mm C-24mm
DLP0864013	SQUARE 8W	220V-240V	50 Hz	6500K	440 LUMEN	A-118x118mm B-108x108mm C-24mm
DLP1214010	SQUARE 12W	220V-240V	50 Hz	2700K	640 LUMEN	A-172x172mm B-160x160mm C-24mm
DLP1234005	SQUARE 12W	220V-240V	50 Hz	4000K	700 LUMEN	A-172x172mm B-160x160mm C-24mm
DLP1264011	SQUARE 12W	220V-240V	50 Hz	6500K	720 LUMEN	A-172x172mm B-160x160mm C-24mm



PALETTE

DESIGN & FEATURES


- MATERIAL : DIE CAST ALUMINIUM
- COLOR : POWDER COATED WHITE
- EVENLY DIFFUSED SLENDER & LIGHT WEIGHT WIDE BEAM DOWNLIGHTER
- NON YELLOWING SUPERIOR ANTI GLARE DIFFUSER
- READY TO USE PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE
- *AVAILABLE WITH OPTION OF DIMMING CONTROL



PALETTE

DESIGN & FEATURES

- MATERIAL : DIE CAST ALUMINIUM
- COLOR : WHITE POWDER COATED RIM WITH ANODIZED PATTERNED REFLECTOR
- COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM
- OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM
- READY TO USE INTEGRATED PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE



ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0711009	ROUND 6.5W	220V-240V	50 Hz	2700K	520 LUMEN	A-084mm B-076mm C-74mm
DL0731010	ROUND 6.5W	220V-240V	50 Hz	4000K	580 LUMEN	A-084mm B-076mm C-74mm
DL0761011	ROUND 6.5W	220V-240V	50 Hz	6500K	650 LUMEN	A-084mm B-076mm C-74mm

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DLP0512001	ROUND 5W	220V-240V	50 Hz	2700K	200 LUMEN	A-085mm B-075mm C-22mm
DLP0532002	ROUND 5W	220V-240V	50 Hz	4000K	230 LUMEN	A-085mm B-075mm C-22mm
DLP0562003	ROUND 5W	220V-240V	50 Hz	6500K	250 LUMEN	A-085mm B-075mm C-22mm
DLP0812004	ROUND 8W	220V-240V	50 Hz	2700K	400 LUMEN	A-0122mm B-0108mm C-26mm
DLP0832005	ROUND 8W	220V-240V	50 Hz	4000K	416 LUMEN	A-0122mm B-0108mm C-26mm
DLP0862006	ROUND 8W	220V-240V	50 Hz	6500K	440 LUMEN	A-0122mm B-0108mm C-26mm
DLP1212007	ROUND 12W	220V-240V	50 Hz	2700K	640 LUMEN	A-0172mm B-0160mm C-26mm
DLP1232008	ROUND 12W	220V-240V	50 Hz	4000K	700 LUMEN	A-0172mm B-0160mm C-26mm
DLP1262009	ROUND 12W	220V-240V	50 Hz	6500K	720 LUMEN	A-0172mm B-0160mm C-26mm




PALETTE

DESIGN & FEATURES

- MATERIAL : DIE CAST ALUMINIUM
- COLOR : WHITE POWDER COATED RIM WITH ANODIZED PATTERNED REFLECTOR
- COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM.
- SWIVEL DESIGN PROVIDES FLEXIBILITY OF DIRECTING LIGHT AS DESIRED
- OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM
- READY TO USE INTEGRATED PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0711012	ROUND SWIVEL 6.5W	220V-240V	50 Hz	2700K	520 LUMEN	A-094mm B-082mm C-56mm
DL0731013	ROUND SWIVEL 6.5W	220V-240V	50 Hz	4000K	600 LUMEN	A-094mm B-082mm C-56mm
DL0761014	ROUND SWIVEL 6.5W	220V-240V	50 Hz	6500K	650 LUMEN	A-094mm B-082mm C-56mm



PALETTE

DESIGN & FEATURES

- MATERIAL : DIE CAST ALUMINIUM
- COLOR : WHITE
- COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM
- OPTIMIZED HEAT SINK
- DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM
- READY TO USE INTEGRATED PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE




PALETTE

DESIGN & FEATURES

- MATERIAL : ALUMINIUM
- COLOR : PAINTED WHITE
- EVENLY DIFFUSED WIDE BEAM DOWNLIGHTER
- NON YELLOWING SUPERIOR ANTI GLARE DIFFUSER
- SLENDER & LIGHT WEIGHT
- READY TO USE PACK WITH INTEGRATED DRIVER

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0713001	ROUND GLASS WITH SQUARE RIM 6.5W	220V-240V	50 Hz	2700K	500 LUMEN	A-75x75MM B-070MM C-58MM
DL0733002	ROUND GLASS WITH SQUARE RIM 6.5W	220V-240V	50 Hz	4000K	580 LUMEN	A-75x75MM B-070MM C-58MM
DL0763003	ROUND GLASS WITH SQUARE RIM 6.5W	220V-240V	50 Hz	6500K	650 LUMEN	A-75x75MM B-070MM C-58MM


ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0522001	ROUND 5W	220V-240V	50 Hz	3000K	350 LUMEN	A-084MM B-080MM C-52MM
DL0552002	ROUND 5W	220V-240V	50 Hz	6000K	400 LUMEN	A-084MM B-080MM C-52MM
DL1022003	ROUND 10W	220V-240V	50 Hz	3000 KELVIN	650 LUMEN	A-0110MM B-0100MM C-68MM
DL1052004	ROUND 10W	220V-240V	50 Hz	6000 KELVIN	750 LUMEN	A-0110MM B-0100MM C-68MM



PALETTE

DESIGN & FEATURES

- MATERIAL : DIE CAST ALUMINIUM
- COLOR : WHITE
- COB BASED DESIGN EMITS SHARP BEAM FOR ACCENTUATING ELEMENTS WITHIN THE ROOM
- OPTIMIZED HEAT SINK DESIGN FOR ENSURING EXCELLENT HEAT DISSIPATION SYSTEM
- READY TO USE INTEGRATED PACK WITH DRIVER
- LOW POWER CONSUMPTION PRODUCT WITH MINIMUM MAINTENANCE



PALETTE

DESIGN & FEATURES

- MATERIAL : ALUMINIUM
- COLOR : PAINTED WHITE
- AVAILABLE WITH OPTION OF DIMMING CONTROL
- NON YELLOWING SUPERIOR ANTI GLARE DIFFUSER
- FLAT LED PANEL LIGHTS
- EVENLY DIFFUSED WIDE BEAM DOWNLIGHTER
- SLENDER & LIGHT WEIGHT

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0713004	SQUARE 6.5W	220V-240V	50 Hz	2700K	500 LUMEN	A-80x80MM B-72x72MM C-62MM
DL0733005	SQUARE 6.5W	220V-240V	50 Hz	4000K	550 LUMEN	A-80x80MM B-72x72MM C-62MM
DL0763006	SQUARE 6.5W	220V-240V	50 Hz	6500K	650 LUMEN	A-80x80MM B-72x72MM C-62MM

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0922005	ROUND 9W	220V-240V	50 Hz	3000 KELVIN	350 LUMEN	A-0122MM B-0110MM C-26MM
DL0952006	ROUND 9W	220V-240V	50 Hz	6000 KELVIN	400 LUMEN	A-0122MM B-0110MM C-26MM
DL1322007	ROUND 13W	220V-240V	50 Hz	3000 KELVIN	600 LUMEN	A-0172MM B-0160MM C-26MM
DL1352008	ROUND 13W	220V-240V	50 Hz	6000 KELVIN	600 LUMEN	A-0172MM B-0160MM C-26MM



PALETTE

- DESIGN & FEATURES**
- MATERIAL : ALUMINIUM
 - COLOR : PAINTED WHITE
 - AVAILABLE WITH OPTION OF DIMMING CONTROL
 - NON YELLOWING SUPERIOR ANTI GLARE DIFFUSER
 - FLAT LED PANEL LIGHTS
 - EVENLY DIFFUSED WIDE BEAM DOWNLIGHTER
 - SLENDER & LIGHT WEIGHT

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	CCT	LUMINOUS FLUX	DIMENSIONS
DL0924001	SQUARE 9W	220V-240V	50 Hz	3000 KELVIN	300 LUMEN	A-118x118mm B-110x110mm C-24mm
DL0954002	SQUARE 9W	220V-240V	50 Hz	6000 KELVIN	400 LUMEN	A-118x118mm B-110x110mm C-24mm
DL1324003	SQUARE 13W	220V-240V	50 Hz	3000 KELVIN	600 LUMEN	A-172x172mm B-160x160mm C-24mm
DL1354004	SQUARE 13W	220V-240V	50 Hz	6000 KELVIN	700 LUMEN	A-172x172mm B-160x160mm C-24mm



HORDE

- DESIGN & FEATURES**
- MATERIAL : STEEL FRAME & ALUMINIUM REFLECTOR
 - COLOR : WHITE POWDER COATING
 - EVENLY DIFFUSED WIDE BEAM DOWNLIGHTER
 - SLENDER STYLING AND LIGHT WEIGHT
 - HASSLE-FREE INSTALLATION

ITEM CODE	WATTAGE	RATED VOLTAGE	FREQUENCY	FITTING /CAP	NO. OF LAMP	DIMENSIONS
DP1105001	11W	220V-240V	50 Hz	B22D	1N	A-Ø106mm B-Ø90mm C-90mm
DP1505002	15W	220V-240V	50 Hz	B22D	1N	A-Ø142mm B-Ø120mm C-115mm
DP2005003	20W	220V-240V	50 Hz	B22D	1N	A-Ø180mm B-Ø150mm C-162mm

Brand Stores:

New Delhi: Aventia Lights, 426, Ghitorni, MG Road, Opp. Metro Pillar No. 133, New Delhi - 110030. Ph.: 011 - 26502325.

New Delhi: Kathuria Electrical, A- 31 A, Ring Road, Rajouri Garden, New Delhi.

Gurgaon: Alpha Radio Co., Old Station Road, SCO 9 Hudda Jail Complex, Gurgaon - 122001. Ph.: 0124 - 4145459.

Hyderabad: GREENLINE INC. (DREAMS KITCHEN), Road No-3, First Floor, (Above Pizza Corner/Opp. to Mufakkahmja college), Nagarjuna Circle, Banjara Hills, Hyderabad - 500004.

Chandigarh: Elante Mall Store, Shop No.246, II Floor, Elante Mall, (CSJ Infrastructure Pvt. Ltd), 178-178A, Industrial & Business Park Phase 1, Chandigarh - 160002.

Chandigarh: M/s Kasturi Lights, SCO 17, Sector - 7, Madhya Marg, Chandigarh - 160007.

Pune: Blue Rays (BLEU RAYONS), 115, MG Road, Camp, Pune - 411001.

Mumbai: TISRA, The Lighting Studio, G-1, 444 Corporate Lounge, Opp. Sahib Khatwara Darbar, Rd. No. 7, Khar - Bandra Linking Road, Near Citibank, Khar (W), Mumbai - 400052. Ph.: 022 - 61274455/6.

Noida: Dinesh Industrial Corporation, C - 33, Sector - 9, Noida.

Ludhiana: M/s Ram kumar Ajay Kumar, LG shoppe . Malhar Road, Sarabha Nagar, Near Welcome Palace, Ludhiana.

Chennai: Aksara Trading Company, Hamid Building, 190 Anna Salai, Chennai - 600006.

Ahmedabad: De Luce, Shivalik - 10, Nr. LG Shop, Opp. SBI Zonal Office, Nehrunagar Ambawadi Road, Ambawadi, Ahmedabad - 380015. Ph.: 079 - 26306377.

Terms & conditions:

- a. All purchases are subject to company's general terms and conditions of business.
- b. All product and installation images are indicative only. The colour shade of the product shown may differ from the actual colour.
- c. Disputes, if any, are subject to Delhi jurisdiction only.
- d. Due to continuous efforts in developing and improving products - we reserve the right to make changes in the design and data and withdraw the product without any prior notice.
- e. Every effort has been made to ensure accuracy in compilation of technical / commercial detail within this publication. However, customer is advised to check exact product details with the company before buying the product.

Location Sales Offices:

Ahmedabad: 1st Floor, Super Mkt., Near Natraj Cinema, Ashram Road, Ahmedabad - 380 009.
Tel.: 079-26583999, 9909905005. Fax: 26581269.

Bangalore: Survey No. 112/5, Pantharapalya, Nayandahalli, Mysore Road, Bangalore - 560 039.
Tel.: 080-28606434, 28606435.

Chennai: 4/59-A, Mount Poonamalee Road, Manappakkam, Chennai - 600 089.
Tel.: 044-22521749, 22520132, 22520482, 22521440. Fax: 22520708.

Cuttack: Telengapenta, Off.: NH - 5, Via - Phulnakhara, Cuttack - 754 001.
Tel.: 0671-2586023, 2586911, 2586015, 2586115. Fax: 2586026.

Ernakulam: I/R/418/A1, Logistic Park, Thengode P.O., Edachira, Kakkanad, Ernakulam - 682 030.
Tel.: 0484-2421724/725/726/727. Fax: 2421723.

Ghaziabad: A 201 - 206, 2nd Floor, Pacific Business Park, Sahibabad Industrial Area Site -II, Ghaziabad - 201 010.
Tel.: 0120-4550200.

Gurgaon: Plot No. 3, Institutional Area, Sector-32, Gurgaon - 122 001. Tel.: 0124-4767100.

Guwahati: Chakradhar Villa, 3rd Floor, Chandmari U-Turn, Opposite All India Radio Office, P.O.: Silpukhuri,
Guwahati - 781 003, Assam.

Hyderabad: P.O. Balanagar Township, Balanagar, Hyderabad - 500 037. Tel.: 040-23078900.

Indore: 602 & 603A, 6th Floor, NRK Business Park, Scheme-54, Vijayanagar Square, Indore - 452 010,
Madhya Pradesh. Tel.: 0731-4700140, 4700147.

Jaipur: 2nd Floor, Dainik Nav Jyoti Building, Amrapali Circle, Vaishali Nagar, Jaipur.
Tel.: 0141-2641264, 2641628, 4011616. Fax: 4031616.

Jalandhar: Lally Niwas, G.T. Road, Jalandhar City - 144 001. Tel.: 0181-4351700. Fax: 2234983.

Kolkata: 5th Floor, 9, Elgin Road, "North Wing", Kolkata - 700 020. Tel.: 033-40120800, Fax: 22905310.

Lucknow: 1st Floor, 163, Shah Najaf Road, Lucknow - 226 001.
Tel.: 0522-2612507, 2612508, 2612509. Fax: 2627536.

Mumbai: 5th Floor, South Side, Oberoi Commerz Building, International Business Park, Off Western Express
Highway, Goregaon (E), Mumbai - 400 063. Tel.: 022-41560000. Fax: 41560001.

Patna: 1st Floor, Shahi Bhawan, Exhibition Road, Patna-800 001. Tel: 0612-2222175, 3260695. Fax: 2501128.