




|                                        |                  |             |
|----------------------------------------|------------------|-------------|
| Sheet: /<br>File: meshtastic.kicad_sch |                  |             |
| <b>Title:</b>                          |                  |             |
| Size: A4                               | Date: 2026-05-14 | <b>Rev:</b> |
| KiCad E.D.A. 10.0.3                    |                  | Id: 1/3     |

## LEDs and Jumpers



## SMA + IPEX Connector



Sparkfun Schematic: [https://cdn.sparkfun.com/assets/1/0/a/8/a/SparkFun\\_GPS\\_NEO\\_M9N\\_SMA\\_UPDATE.pdf](https://cdn.sparkfun.com/assets/1/0/a/8/a/SparkFun_GPS_NEO_M9N_SMA_UPDATE.pdf)  
 U-Blox Datasheet: [https://content.u-blox.com/sites/default/files/NEO-M9N\\_Integrationmanual\\_UBX-19014286.pdf](https://content.u-blox.com/sites/default/files/NEO-M9N_Integrationmanual_UBX-19014286.pdf)

Sheet: /GNSS/  
 File: GNSS-NEO.kicad\_sch

### Title:


Size: A4

Date:

KiCad E.D.A. 10.0.3

Rev:

Id: 4/3



Ensure you set DIO2 as RF Switch in program  
[https://jgromes.github.io/RadioLib/class\\_s\\_x126x.html#ae46e08d579f4acbad029b4cd4f4ffffaf](https://jgromes.github.io/RadioLib/class_s_x126x.html#ae46e08d579f4acbad029b4cd4f4ffffaf)

Sheet: /LORA/  
 File: LORA-E22.kicad\_sch

**Title:**

Size: A4

Date:

KiCad E.D.A. 10.0.3

**Rev:**

Id: 5/3