Cucumber Report

Aug 19, 2023, 5:14:02 PM

Start : Aug 19, 5:12:53.446 PM	End : Aug 19, 5:14:01.150 PM	Duration : 1 m 7.704 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 9 SKIPPED - 0	PASSED - 58 FAILED - 66 SKIPPED - 0	PASSED - 234 FAILED - 66 SKIPPED - 205

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Open Ds algo portal url	0.702 s	1	1	0	0	3	3	0	0
User Navigated to Home Page	7.199 s	15	15	0	0	45	45	0	0
Register page Validation	8.042 s	12	4	8	0	36	27	8	1
Validating Sign in page	6.959 s	10	6	4	0	30	25	4	1
Evaluate Data stuructures Introduction	2.482 s	3	1	2	0	12	4	2	6
Evaluate arrays module	9.633 s	19	2	17	0	90	13	17	60
Evaluate Linkedlist Module	7.849 s	15	7	8	0	68	28	8	32
Evaluate Stack Module	3.322 s	7	3	4	0	32	12	4	16
Evaluate Queue module	4.646 s	9	4	5	0	41	16	5	20
Evaluate Tree module	14.066 s	27	13	14	0	122	52	14	56
Evaluate Graph module	2.575 s	6	2	4	0	26	9	4	13

#	Feature Name	Scenario Name
1	Register page Validation	The user is presented with error message for invalid username
2		The user is presented with error message for password with characters less than 8
3		The user is presented with error message for password with only numbers
4		The user is presented with error message for password too similar to your other personal information
5		The user is presented with error message for commonly used password
6		The user is presented with error message for existing username
7		The user redirected to Homepage with valid details
8		The user is able to signout from the registered page
9	Validating Sign in page	User on login page and login with invalid and valid inputs from Excel "Sheet1" and 0
10		User on login page and login with invalid and valid inputs from Excel "Sheet1" and 1

#	Feature Name	Scenario Name
11	Validating Sign in page	User on login page and login with invalid and valid inputs from Excel "Sheet1" and 3
12		Verifying signout link
13	Evaluate Data stuructures Introduction	User is able to navigate Data Structures Introduction
14		User is able to navigate to practice questions
15	Evaluate arrays module	Evaluate Arrays in Python link
16		User is able to navigate to tryeditor page and run valid python code
17		User is able to navigate to tryeditor page and run invalid python code
18		User is able to navigate to tryeditor page and run valid python code
19		User is able to navigate to tryeditor page and run invalid python code
20		User is able to navigate to tryeditor page and run valid python code
21		User is able to navigate to tryeditor page and run invalid python code
22		User is able to navigate to tryeditor page and run valid python code

#	Feature Name	Scenario Name
23	Evaluate arrays module	User is able to navigate to tryeditor page and run invalid python code
24		User is able to navigate to tryeditor page and run valid python code
25		User is able to navigate to tryeditor page and submit valid python code
26		User is able to navigate to tryeditor page and run valid python code
27		User is able to navigate to tryeditor page and run invalid python code
28		User is able to navigate to tryeditor page and run valid python code
29		User is able to navigate to tryeditor page and run invalid python code
30		User is able to navigate to tryeditor page and run valid python code
31		User is able to navigate to tryeditor page and run invalid python code
32	Evaluate Linkedlist Module	User is able to navigate Linked List
33		User is able to navigate to tryeditor page and run valid python code
34		User is able to navigate to tryeditor page and run valid python code
35		User is able to navigate to tryeditor page and run valid python code

#	Feature Name	Scenario Name
36	Evaluate Linkedlist Module	User is able to navigate to tryeditor page and run valid python code
37		User is able to navigate to tryeditor page and run valid python code
38		User is able to navigate to tryeditor page and run valid python code
39		User validating Practice Questions Page and navigate back to home page
40	Evaluate Stack Module	User is able to navigate Stack
41		User is able to navigate to tryeditor page and run valid python code
42		User is able to navigate to tryeditor page and run valid python code
43		User validating Practice Questions Page and navigate back to home page
44	Evaluate Queue module	User is able to navigate Queue
45		User is able to navigate to tryeditor page and run valid python code
46		User is able to navigate to tryeditor page and run valid python code
47		User is able to navigate to tryeditor page and run valid python code
48		User validating Practice Questions Page and navigate back to home page

#	Feature Name	Scenario Name
49	Evaluate Tree module	User is able to navigate Tree
50		User is able to navigate to tryeditor page and run valid python code
51		User is able to navigate to tryeditor page and run valid python code
52		User is able to navigate to tryeditor page and run valid python code
53		User is able to navigate to tryeditor page and run valid python code
54		User is able to navigate to tryeditor page and run valid python code
55		User is able to navigate to tryeditor page and run valid python code
56		User is able to navigate to tryeditor page and run valid python code
57		User is able to navigate to tryeditor page and run valid python code
58		User is able to navigate to tryeditor page and run valid python code
59		User is able to navigate to tryeditor page and run valid python code
60		User is able to navigate to tryeditor page and run valid python code
61		User is able to navigate to tryeditor page and run valid python code

#	Feature Name	Scenario Name
62	Evaluate Tree module	User validating Practice Questions Page and navigate back to home page
63	Evaluate Graph module	User is able to navigate Graph
64		User is able to navigate to tryeditor page and run valid python code
65		User validating Practice Questions Page and navigate back to home page
66		User is able to sign out

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	1	1	0	0	1	1	0	0
@1	1	1	0	0	1	1	0	0
@2	15	15	0	0	1	1	0	0
@tag1	16	10	6	0	10	1	9	0
@tag2	17	16	1	0	10	1	9	0
@tag3	12	3	9	0	9	1	8	0
@tag4	9	5	4	0	9	1	8	0
@3	12	4	8	0	1	0	1	0
@tag5	8	3	5	0	8	0	8	0
@tag6	7	3	4	0	7	0	7	0
@tag7	6	1	5	0	6	0	6	0
@tag8	5	2	3	0	5	0	5	0
@tag9	5	1	4	0	5	0	5	0
@tag10	4	1	3	0	4	0	4	0
@tag11	4	1	3	0	4	0	4	0
@tag13	4	1	3	0	4	0	4	0
@4	10	6	4	0	1	0	1	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@5	3	1	2	0	1	0	1	0
@6	19	2	17	0	1	0	1	0
@tag12	3	2	1	0	3	0	3	0
@tag14	3	1	2	0	3	0	3	0
@tag15	3	1	2	0	3	0	3	0
@tag16	3	1	2	0	3	0	3	0
@tag17	2	0	2	0	2	0	2	0
@tag18	2	1	1	0	2	0	2	0
@tag19	2	0	2	0	2	0	2	0
@7	15	7	8	0	1	0	1	0
@8	7	3	4	0	1	0	1	0
@9	9	4	5	0	1	0	1	0
@11	33	15	18	0	2	0	2	0
@tag20	1	1	0	0	1	0	1	0
@tag21	1	0	1	0	1	0	1	0
@tag22	1	1	0	0	1	0	1	0
@tag23	1	0	1	0	1	0	1	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag24	1	1	0	0	1	0	1	0
@tag25	1	0	1	0	1	0	1	0
@tag26	1	1	0	0	1	0	1	0
@tag27	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Open Ds algo portal url	1	1	0	0	0.702 s
2	User Navigated to Home Page	15	15	0	0	7.199 s
3	Register page Validation	12	4	8	0	8.042 s
4	Validating Sign in page	10	6	4	0	6.959 s
5	Evaluate Data stuructures Introduction	3	1	2	0	2.482 s
6	Evaluate arrays module	19	2	17	0	9.633 s
7	Evaluate Linkedlist Module	15	7	8	0	7.849 s
8	Evaluate Stack Module	7	3	4	0	3.322 s
9	Evaluate Queue module	9	4	5	0	4.646 s
10	Evaluate Tree module	27	13	14	0	14.066 s

#	Feature Name	T	P	F	S	Duration
11	Evaluate Graph module	6	2	4	0	2.575 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Open Ds algo portal url	Launch url	3	3	0	0	0.699 s
2	User Navigated to Home Page	User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.445 s
3		User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.542 s
4		User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.531 s
5		User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.507 s
6		User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.443 s
7		User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.470 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		User is on Home page and click getstarted link on home page without sign in	3	3	0	0	0.456 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	User Navigated to Home Page	User is on Home page and click on dropdown "Arrays" without sign in	3	3	0	0	0.476 s
10		User is on Home page and click on dropdown "Linkedlist" without sign in	3	3	0	0	0.440 s
11		User is on Home page and click on dropdown "Stack" without sign in	3	3	0	0	0.477 s
12		User is on Home page and click on dropdown "Queue" without sign in	3	3	0	0	0.484 s
13		User is on Home page and click on dropdown "Tree" without sign in	3	3	0	0	0.519 s
14		User is on Home page and click on dropdown "Graph" without sign in	3	3	0	0	0.499 s
15		User is on Home page and click on sign in	3	3	0	0	0.334 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
16		User is on Home page and click on Register	3	3	0	0	0.344 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Register page Validation	The user is presented with error message for empty fields below Username textbox	3	3	0	0	0.285 s
18		The user is presented with error message for empty fields below Password textbox	3	3	0	0	0.314 s
19		The user is presented with error message for empty fields below confirm Password textbox	3	3	0	0	0.391 s
20		The user is presented with error message for invalid username	3	2	1	0	0.848 s
21		The user is presented with error message for password mismatch	3	3	0	0	0.506 s
22		The user is presented with error message for password with characters less than 8	3	2	1	0	0.865 s
23		The user is presented with error message for password with only numbers	3	2	1	0	0.837 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
24	Register page Validation	The user is presented with error message for password too similar to your other personal information	3	2	1	0	0.818 s
25		The user is presented with error message for commonly used password	3	2	1	0	0.807 s
26		The user is presented with error message for existing username	3	2	1	0	0.853 s
27		The user redirected to Homepage with valid details	3	2	1	0	1.056 s
28		The user is able to signout from the registered page	3	1	1	1	0.328 s
29	Validating Sign in page	Verifying Register link	3	3	0	0	0.444 s
30		User on login page and login with the fields empty "" and ""	3	3	0	0	0.366 s
31		User on login page and login with the fields empty "user" and ""	3	3	0	0	0.353 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		User on login page and login with the fields empty "" and "passowrd"	3	3	0	0	0.297 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
33	Validating Sign in page	User on login page and login with invalid and valid inputs from Excel "Sheet1" and 0	3	2	1	0	1.556 s
34		User on login page and login with invalid and valid inputs from Excel "Sheet1" and 1	3	2	1	0	0.970 s
35		User on login page and login with invalid and valid inputs from Excel "Sheet1" and 2	3	3	0	0	0.594 s
36		User on login page and login with invalid and valid inputs from Excel "Sheet1" and 3	3	2	1	0	1.220 s
37		Verifying signout link	3	1	1	1	0.340 s
38		Signin to Navigate through modules	3	3	0	0	0.730 s
39	Evaluate Data stuructures Introduction	User is able to navigate Data Structures Introduction	6	0	1	5	0.363 s
40		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	1.552 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
41		User is able to navigate to practice questions	2	0	1	1	0.540 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
42	Evaluate arrays module	Evaluate Array Module	3	3	0	0	0.536 s
43		Evaluate Arrays in Python link	3	1	1	1	0.410 s
44		User is able to navigate to tryeditor page and run valid python code	4	0	1	3	0.306 s
45		User is able to navigate to tryeditor page and run invalid python code	3	0	1	2	0.421 s
46		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.511 s
47		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	0.456 s
48		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.510 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	0.412 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.401 s
51		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	0.361 s
52		User is able to navigate to tryeditor page and run valid python code	6	0	1	5	0.410 s
53		User is able to navigate to tryeditor page and run invalid python code	5	5	0	0	1.024 s
54		User is able to navigate to tryeditor page and submit valid python code	5	4	1	0	1.860 s
55		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.157 s
56		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	0.414 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
57	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.202 s
58		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	0.179 s
59		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.490 s
60		User is able to navigate to tryeditor page and run invalid python code	6	0	1	5	0.380 s
61	Evaluate Linkedlist Module	User is able to navigate Linked List	6	0	1	5	0.302 s
62		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.806 s
63		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.157 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
64		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.817 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
65	Evaluate Linkedlist Module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.427 s
66		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.828 s
67		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.199 s
68		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.740 s
69		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.473 s
70		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.779 s
71		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.163 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
72	Evaluate Linkedlist Module	User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.701 s
73		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.380 s
74		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.742 s
75		User validating Practice Questions Page and navigate back to home page	4	0	1	3	0.148 s
76	Evaluate Stack Module	User is able to navigate Stack	6	0	1	5	0.136 s
77		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.752 s
78		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.414 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
79		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.707 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
80	Evaluate Stack Module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.162 s
81		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.669 s
82		User validating Practice Questions Page and navigate back to home page	4	0	1	3	0.399 s
83	Evaluate Queue module	User is able to navigate Queue	6	0	1	5	0.307 s
84		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.805 s
85		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.167 s
86		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.780 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
87		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.432 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
88	Evaluate Queue module	User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.784 s
89		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.171 s
90		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.697 s
91		User validating Practice Questions Page and navigate back to home page	4	0	1	3	0.395 s
92	Evaluate Tree module	User is able to navigate Tree	6	0	1	5	0.311 s
93		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.735 s
94		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.163 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
95		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.815 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
96	Evaluate Tree module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.423 s
97		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.744 s
98		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.156 s
99		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.787 s
10-0		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.427 s
10-1		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.694 s
10-2		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.164 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-3	Evaluate Tree module	User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.752 s
10-4		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.409 s
10-5		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.767 s
10-6		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.159 s
10-7		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.822 s
10-8		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.432 s
10-9		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.750 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-0	Evaluate Tree module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.161 s
11-1		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.774 s
11-2		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.419 s
11-3		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.779 s
11-4		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.156 s
11-5		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.761 s
11-6		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.423 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-7	Evaluate Tree module	User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.674 s
11-8		User validating Practice Questions Page and navigate back to home page	4	0	1	3	0.140 s
11-9	Evaluate Graph module	User is able to navigate Graph	6	0	1	5	0.119 s
12-0		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.733 s
12-1		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	0.392 s
12-2		User is able to navigate to tryeditor page and run invalid python code	4	4	0	0	0.707 s
12-3		User validating Practice Questions Page and navigate back to home page	4	0	1	3	0.153 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-4		User is able to sign out	3	1	1	1	0.403 s

Open Ds algo portal url

PASSED	DURATION - 0.702 s	Scenarios		Steps	
/ 5:12:53.446 PM // 5:12:54.148 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 3 Pass - 3 Fail - 0 Skip - 0	3

Launch url

PASSED	DURATION - 0.699 s		Steps
/ 5:12:53.449 PM // 5:12:54.148 PM /		0.6 0.4 0.2 0 1 2 3	Total - 3 Pass - 3 Fail - 0 Skip - 0
Open Ds algo portal url			3
@tag @1			

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.385 s
2	When User click on Get Started button	PASSED	0.273 s
3	Then User is navigated to Home page	PASSED	0.015 s

User Navigated to Home Page

PASSED	DURATION - 7.199 s	Scenarios		Steps	
/ 5:12:54.253 PM // 5:13:01.452 PM /		Total - 15 Pass - 15 Fail - 0 Skip - 0	15	Total - 45 Pass - 45 Fail - 0 Skip - 0	45

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.445 s
/ 5:12:54.259 PM // 5:12:54.704 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.093 s
2	When The user clicks on Get Started link on homepage "Datastructures" without login	PASSED	0.296 s
3	Then The user get warning message "You are not logged in"	PASSED	0.046 s

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.542 s
/ 5:12:54.728 PM // 5:12:55.270 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.137 s
2	When The user clicks on Get Started link on homepage "Arrays" without login	PASSED	0.351 s
3	Then The user get warning message "You are not logged in"	PASSED	0.036 s

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.531 s
/ 5:12:55.288 PM // 5:12:55.819 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.112 s
2	When The user clicks on Get Started link on homepage "Linkedlist" without login	PASSED	0.371 s
3	Then The user get warning message "You are not logged in"	PASSED	0.033 s

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.507 s
/ 5:12:55.848 PM // 5:12:56.355 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.130 s
2	When The user clicks on Get Started link on homepage "Stack" without login	PASSED	0.334 s
3	Then The user get warning message "You are not logged in"	PASSED	0.032 s

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.443 s
/ 5:12:56.381 PM // 5:12:56.824 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.148 s
2	When The user clicks on Get Started link on homepage "Queue" without login	PASSED	0.245 s
3	Then The user get warning message "You are not logged in"	PASSED	0.035 s

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.470 s
/ 5:12:56.837 PM // 5:12:57.307 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.116 s
2	When The user clicks on Get Started link on homepage "Tree" without login	PASSED	0.315 s
3	Then The user get warning message "You are not logged in"	PASSED	0.028 s

User is on Home page and click getstarted link on home page without sign in

PASSED	DURATION - 0.456 s
/ 5:12:57.320 PM // 5:12:57.776 PM /	
User Navigated to Home Page	
@2 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.095 s
2	When The user clicks on Get Started link on homepage "Graph" without login	PASSED	0.323 s
3	Then The user get warning message "You are not logged in"	PASSED	0.033 s

User is on Home page and click on dropdown "Arrays" without sign in

PASSED	DURATION - 0.476 s
/ 5:12:57.787 PM // 5:12:58.263 PM /	
User Navigated to Home Page	
@2 @tag2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.099 s
2	When The user clicks on dropdown "Arrays"	PASSED	0.329 s
3	Then The second warning message "You are not logged in"	PASSED	0.039 s

User is on Home page and click on dropdown "Linkedlist" without sign in

PASSED	DURATION - 0.440 s
/ 5:12:58.274 PM // 5:12:58.714 PM /	
User Navigated to Home Page	
@2 @tag2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.093 s
2	When The user clicks on dropdown "Linkedlist"	PASSED	0.303 s
3	Then The second warning message "You are not logged in"	PASSED	0.040 s

User is on Home page and click on dropdown "Stack" without sign in

PASSED	DURATION - 0.477 s
/ 5:12:58.725 PM // 5:12:59.202 PM /	
User Navigated to Home Page	
@2 @tag2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.136 s
2	When The user clicks on dropdown "Stack"	PASSED	0.280 s
3	Then The second warning message "You are not logged in"	PASSED	0.055 s

User is on Home page and click on dropdown "Queue" without sign in

PASSED	DURATION - 0.484 s
/ 5:12:59.232 PM // 5:12:59.716 PM /	
User Navigated to Home Page	
@2 @tag2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.111 s
2	When The user clicks on dropdown "Queue"	PASSED	0.319 s
3	Then The second warning message "You are not logged in"	PASSED	0.039 s

User is on Home page and click on dropdown "Tree" without sign in

PASSED	DURATION - 0.519 s
/ 5:12:59.723 PM // 5:13:00.242 PM /	
User Navigated to Home Page	
@2 @tag2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.152 s
2	When The user clicks on dropdown "Tree"	PASSED	0.325 s
3	Then The second warning message "You are not logged in"	PASSED	0.033 s

User is on Home page and click on dropdown "Graph" without sign in

PASSED	DURATION - 0.499 s
/ 5:13:00.253 PM // 5:13:00.752 PM /	
User Navigated to Home Page	
@2 @tag2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.139 s
2	When The user clicks on dropdown "Graph"	PASSED	0.316 s
3	Then The second warning message "You are not logged in"	PASSED	0.033 s

User is on Home page and click on sign in

PASSED	DURATION - 0.334 s
/ 5:13:00.761 PM // 5:13:01.095 PM /	
User Navigated to Home Page	
@tag3 @2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.111 s
2	When The user clicks on signin link	PASSED	0.205 s
3	Then The user redirected to login page	PASSED	0.010 s

User is on Home page and click on Register

PASSED	DURATION - 0.344 s
/ 5:13:01.108 PM // 5:13:01.452 PM /	
User Navigated to Home Page	
@tag4 @2	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.093 s
2	When The user clicks on register link	PASSED	0.232 s
3	Then The user redirected to Registration page	PASSED	0.009 s

Register page Validation

FAILED	DURATION - 8.042 s
/ 5:13:01.478 PM // 5:13:09.520 PM /	

Scenarios
Total - 12
Pass - 4
Fail - 8
Skip - 0

Steps
Total - 36
Pass - 27
Fail - 8
Skip - 1

The user is presented with error message for empty fields below Username textbox

PASSED	DURATION - 0.285 s
/ 5:13:01.478 PM // 5:13:01.763 PM /	
Register page Validation	
@3 @tag1	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.093 s
2	When The user clicks "Register" button with all fields empty	PASSED	0.076 s

#	Step / Hook Details	Status	Duration
3	Then It should display an error message "Please fill out this field." below Username textbox	PASSED	0.107 s

The user is presented with error message for empty fields below Password textbox

PASSED *DURATION - 0.314 s*

/ 5:13:01.777 PM // 5:13:02.091 PM /

Register page Validation

@3 @tag2

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.112 s
2	When The user clicks "Register" button after entering username with other fields empty username: Numpy@sdet84_1	PASSED	0.110 s
3	Then It should display an error message "Please fill out this field." below Password textbox	PASSED	0.091 s

The user is presented with error message for empty fields below confirm Password textbox

PASSED *DURATION - 0.391 s*

/ 5:13:02.104 PM // 5:13:02.495 PM /

Register page Validation

@tag3 @3

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.102 s
2	When The user clicks "Register" button after entering "username" and "password" with Password Confirmation field empty username: Numpy@sdet84_1; password: testpassword	PASSED	0.185 s

#	Step / Hook Details	Status	Duration
3	Then It should display an error message "Please fill out this field." below Password Confirmation textbox	PASSED	0.099 s

The user is presented with error message for invalid username

FAILED	DURATION - 0.848 s
/ 5:13:02.508 PM // 5:13:03.356 PM /	
Register page Validation	
@tag4 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.100 s
2	When The user enters a "username" with characters other than Letters, digits and "@/./+/-/_"	PASSED	0.350 s

username	password	password confirmation
&**&**&	testpassword	testpassword

3	Then It should display an error message "Please enter a valid username"	FAILED	0.052 s

```
java.lang.AssertionError: expected [Please enter a valid username] but found [password_mismatch:The two password fields didn't match.]
    at org.testng.Assert.fail(Assert.java:110)
    at org.testng.Assert.failNotEquals(Assert.java:1577)
    at org.testng.Assert.assertEqualsImpl(Assert.java:149)
    at org.testng.Assert.assertEquals(Assert.java:131)
    at org.testng.Assert.assertEquals(Assert.java:655)
    at org.testng.Assert.assertEquals(Assert.java:665)
    at StepDefinition.C_Register_SD.it_should_display_an_error_message(C_Register_SD.java:79)
    at ?.It should display an error message "Please enter a valid username"(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/
resources/features/3_Register.feature:51)
* Not displayable characters are replaced by '?'.
```

	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.339 s

My screenshot

The user is presented with error message for password mismatch

PASSED	DURATION - 0.506 s
/ 5:13:03.372 PM // 5:13:03.878 PM /	
Register page Validation	
@tag5 @3	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.105 s
2	When The user clicks "Register" button after entering valid "username" and different passwords in "password" and "password confirmation" fields	PASSED	0.315 s
	username: Numpy@sdet84_1; password: testpassword; password confirmation: testpassword1		
3	Then It should display an error message "password_mismatch:The two password fields didn't match."	PASSED	0.081 s

The user is presented with error message for password with characters less than 8

FAILED	DURATION - 0.865 s
/ 5:13:03.896 PM // 5:13:04.761 PM /	
Register page Validation	
@tag6 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.117 s
2	When The user enters a valid "username" and "password" with characters less than 8	PASSED	0.361 s
	username: Numpy@sdet84_1; password: a1b2c3d; password confirmation: a1b2c3d		
3	Then It should display an error message "Password should contain at least 8 characters"	FAILED	0.046 s

#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: expected [Password should contain at least 8 characters] but found [password_mismatch:The two password fields didn't match.] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.C_Register_SD.it_should_display_an_error_message(C_Register_SD.java:79) at ?.It should display an error message "Password should contain at least 8 characters"(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:66) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.340 s

The user is presented with error message for password with only numbers

FAILED	DURATION - 0.837 s
/ 5:13:04.773 PM // 5:13:05.610 PM /	
Register page Validation	
@tag7 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.102 s
2	When The user enters a valid "username" and "password" with only numbers username | password | password confirmation Numpy@sdet84_1 | 12345678 | 12345678	PASSED	0.293 s
3	Then It should display an error message "Password can't be entirely numeric."	FAILED	0.082 s

#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: expected [Password can't be entirely numeric.] but found [password_mismatch:The two password fields didn't match.] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.C_Register_SD.it_should_display_an_error_message(C_Register_SD.java:79) at ?.It should display an error message "Password can't be entirely numeric."(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:74) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.355 s

The user is presented with error message for password too similar to your other personal information

FAILED	DURATION - 0.818 s
/ 5:13:05.619 PM // 5:13:06.437 PM /	
Register page Validation	
@tag8 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.112 s
2	When The user enters a valid "username" and "password" similar to username username | password | password confirmation Numpy@sdet84_1 | testsdet84 | testsdet84	PASSED	0.348 s
3	Then It should display an error message "password can't be too similar to your other personal information." java.lang.AssertionError: expected [password can't be too similar to your other personal information.] but found [password_mismatch:The two	FAILED	0.041 s

#	Step / Hook Details	Status	Duration
	password fields didn't match.] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.C_Register_SD.it_should_display_an_error_message(C_Register_SD.java:79) at ?.It should display an error message "password can't be too similar to your other personal information."(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:82) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.314 s

The user is presented with error message for commonly used password

FAILED	DURATION - 0.807 s
/ 5:13:06.445 PM // 5:13:07.252 PM /	
Register page Validation	
@tag9 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.097 s
2	When The user enters a valid "username" and commonly used password "password" username | password | password confirmation Numpy@sdet84_1 | Welcome1 | Welcome1	PASSED	0.336 s
3	Then It should display an error message "Password can't be commonly used password" java.lang.AssertionError: expected [Password can't be commonly used password] but found [password_mismatch:The two password fields	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	didn't match.] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.C_Register_SD.it_should_display_an_error_message(C_Register_SD.java:79) at ?.It should display an error message "Password can't be commonly used password"(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:90) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.320 s

The user is presented with error message for existing username

FAILED	DURATION - 0.853 s
/ 5:13:07.261 PM // 5:13:08.114 PM /	
Register page Validation	
@tag10 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.117 s
2	When The user enters a valid existing "username" with "password" and "password confirmation" username | password | password confirmation Numpy@sdet84_1 | RT56YUabc | RT56YUabc	PASSED	0.337 s
3	Then It should display an error message "Username already exists" java.lang.AssertionError: expected [Username already exists] but found [password_mismatch:The two password fields didn't match.]	FAILED	0.048 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.C_Register_SD.it_should_display_an_error_message(C_Register_SD.java:79) at ?.It should display an error message "Username already exists"(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:98) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.347 s

The user redirected to Homepage with valid details

FAILED	DURATION - 1.056 s
/ 5:13:08.121 PM // 5:13:09.177 PM /	
Register page Validation	
@tag11 @3	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.106 s
2	When The user enters a valid "username" and "password" and "password confirmation" username | password | password confirmation Nump@sdet1031 | siseli11 | siseli11	PASSED	0.600 s
3	Then The user should be redirected to Homepage with the message "New Account Created. You are logged in as <username>" java.lang.AssertionError: Title mismatch expected [NumpyNinja] but found [ProgrammingError at /register] at org.testng.Assert.fail(Assert.java:110)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at StepDefinition.C_Register_SD.the_user_should_be_redirected_to_homepage_with_the_message(C_Register_SD.java:134) at ?.The user should be redirected to Homepage with the message "New Account Created. You are logged in as <username>"(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:105) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.332 s

The user is able to signout from the registered page

FAILED	DURATION - 0.328 s
/ 5:13:09.192 PM // 5:13:09.520 PM /	
Register page Validation	
@tag13 @3	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is in the Sign in page	PASSED	0.001 s
2	When The user clicks the "Sign Out" link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/logout']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='/logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo...,	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.RegisterPage.clickSignout(RegisterPage.java:133) at StepDefinition.C_Register_SD.the_user_clicks_the_link(C_Register_SD.java:173) at ?.The user clicks the "Sign Out" link(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/3_Register.feature:120) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.297 s
3	Then The user should be redirected to the homepage with the message "Logged out successfully"	SKIPPED	0.001 s

Validating Sign in page

FAILED	DURATION - 6.959 s	Scenarios		Steps	
/ 5:13:09.529 PM // 5:13:16.488 PM /		Total - 10 Pass - 6 Fail - 4 Skip - 0		Total - 30 Pass - 25 Fail - 4 Skip - 1	

Verifying Register link

PASSED	DURATION - 0.444 s		
/ 5:13:09.529 PM // 5:13:09.973 PM /			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
Validating Sign in page			
@tag1 @4			

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.089 s
2	When The user clicks on register link on signin page	PASSED	0.187 s
3	Then The user redirected to Registration page from signin page	PASSED	0.157 s

User on login page and login with the fields empty "" and ""

PASSED	DURATION - 0.366 s		
/ 5:13:09.983 PM // 5:13:10.349 PM /			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
Validating Sign in page			
@4 @tag2			

#	Step / Hook Details	Status	Duration
1	Given The user is on Sign in page	PASSED	0.144 s
2	When The user enter invalid "" and ""	PASSED	0.162 s

#	Step / Hook Details	Status	Duration
3	Then click login button to verify	PASSED	0.057 s

User on login page and login with the fields empty "user" and ""

PASSED *DURATION - 0.353 s*

/ 5:13:10.360 PM // 5:13:10.713 PM /

Validating Sign in page

@4 @tag2

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Sign in page	PASSED	0.133 s
2	When The user enter invalid "user" and ""	PASSED	0.168 s
3	Then click login button to verify	PASSED	0.046 s

User on login page and login with the fields empty "" and "passowrd"

PASSED *DURATION - 0.297 s*

/ 5:13:10.728 PM // 5:13:11.025 PM /

Validating Sign in page

@4 @tag2

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Sign in page	PASSED	0.088 s
2	When The user enter invalid "" and "passowrd"	PASSED	0.159 s
3	Then click login button to verify	PASSED	0.048 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and 0

FAILED	DURATION - 1.556 s
/ 5:13:11.036 PM // 5:13:12.592 PM /	
Validating Sign in page	
@tag3 @4	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.166 s
2	When The user enter sheet "Sheet1" and 0	PASSED	0.884 s
3	Then click login button	FAILED	0.223 s
	java.lang.AssertionError: expected [Please check your password] but found [Invalid Username and Password] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.D_SignIn_SD.click_login_button(D_SignIn_SD.java:119) at ?.click login button(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/4_SignIn.feature:44) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.279 s
	My screenshot		

User on login page and login with invalid and valid inputs from Excel "Sheet1" and 1

FAILED	DURATION - 0.970 s
/ 5:13:12.601 PM // 5:13:13.571 PM /	
Validating Sign in page	
@tag3 @4	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.112 s
2	When The user enter sheet "Sheet1" and 1	PASSED	0.245 s
3	Then click login button	FAILED	0.255 s
	java.lang.AssertionError: expected [Please check your user id] but found [Invalid Username and Password] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at StepDefinition.D_SignIn_SD.click_login_button(D_SignIn_SD.java:119) at ?.click login button(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/4_SignIn.feature:44) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.355 s
	My screenshot		

User on login page and login with invalid and valid inputs from Excel "Sheet1" and 2

PASSED	DURATION - 0.594 s
/ 5:13:13.578 PM // 5:13:14.172 PM /	
Validating Sign in page	
@tag3 @4	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.088 s
2	When The user enter sheet "Sheet1" and 2	PASSED	0.250 s
3	Then click login button	PASSED	0.252 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and 3

FAILED	DURATION - 1.220 s
/ 5:13:14.181 PM // 5:13:15.401 PM /	
Validating Sign in page	
@tag3 @4	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.125 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.248 s
3	Then click login button	FAILED	0.490 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role='alert']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//div[@role='alert']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.getText(Unknown Source) at pageObjects.SignInPage.messagewhenLogin(SignInPage.java:84) at StepDefinition.D_SignIn_SD.click_login_button(D_SignIn_SD.java:117) at ?.click login button(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/4_SignIn.feature:44) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.352 s

Verifying signout link

FAILED	DURATION - 0.340 s
/ 5:13:15.409 PM // 5:13:15.749 PM /	
Validating Sign in page	
@tag4 @4	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page with valid username "nump@SDET120" and password "sesili12"	PASSED	0.001 s
2	When The user click signout button	FAILED	0.034 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Sign out"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Sign out}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.SignInPage.signout(SignInPage.java:91) at StepDefinition.D_SignIn_SD.the_user_click_signout_button(D_SignIn_SD.java:134) at ?.The user click signout button(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/4_SignIn.feature:56) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.303 s
3	Then The user redirected to homepage	SKIPPED	0.000 s

Signin to Navigate through modules

PASSED	*DURATION - 0.730 s*
/ 5:13:15.758 PM // 5:13:16.488 PM /	
Validating Sign in page	
@tag5 @4	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user clicks sign in button	PASSED	0.093 s
2	And enter valid username "nump@SDET120" and password "sesili12"	PASSED	0.179 s
3	When The user clicks login button	PASSED	0.453 s

Evaluate Data stuructures Introduction

FAILED	DURATION - 2.482 s	Scenarios		Steps	
/ 5:13:16.502 PM // 5:13:18.984 PM /		Total - 3 Pass - 1 Fail - 2 Skip - 0		Total - 12 Pass - 4 Fail - 2 Skip - 6	

User is able to navigate Data Structures Introduction

FAILED	DURATION - 0.363 s		Steps	
/ 5:13:16.502 PM // 5:13:16.865 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	
Evaluate Data stuructures Introduction				
@5 @tag1				

#	Step / Hook Details	Status	Duration
1	Given User click on Get started button in data Structures module	FAILED	0.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='data-structures-introduction']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='data-structures-introduction']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.DataStructure.clickgetstartedBtn(DataStructure.java:40) at StepDefinition.E_Datastructure_SD.user_click_on_get_started_button_in_data_structures_module(E_Datastructure_SD.java:26) at ?.User click on Get started button in data Structures module(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/5_Datastructures.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.337 s
2	When User click on Time Complexity button	SKIPPED	0.000 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 1.552 s
/ 5:13:16.874 PM // 5:13:18.426 PM /	
Evaluate Data stuructures Introduction	
@5 @tag2	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.846 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.594 s
3	And User click on run button	PASSED	0.089 s
4	Then User should get alert message	PASSED	0.020 s

User is able to navigate to practice questions

FAILED	DURATION - 0.540 s
/ 5:13:18.444 PM // 5:13:18.984 PM /	
Evaluate Data stuructures Introduction	
@5 @tag3	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User click on practice questons	FAILED	0.146 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/a"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.DataStructure.practicequestions(DataStructure.java:97) at StepDefinition.E_Datastructure_SD.user_click_on_practice_questons(E_Datastructure_SD.java:88) at ?.User click on practice questons(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/5_Datastructures.feature:46) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.392 s
2	And Navigate back to data stuctures introduction page	SKIPPED	0.000 s

Evaluate arrays module

FAILED	DURATION - 9.633 s	Scenarios		Steps	
/ 5:13:18.997 PM // 5:13:28.630 PM /		Total - 19 Pass - 2 Fail - 17 Skip - 0		Total - 90 Pass - 13 Fail - 17 Skip - 60	

Evaluate Array Module

PASSED	DURATION - 0.536 s		
/ 5:13:18.997 PM // 5:13:19.533 PM /			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
Evaluate arrays module			
@6 @tag1			

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.124 s
2	When User clicks on array module	PASSED	0.233 s
3	Then User Navigated to Arrays Page	PASSED	0.174 s

Evaluate Arrays in Python link

FAILED	DURATION - 0.410 s		
/ 5:13:19.552 PM // 5:13:19.962 PM /			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1
Evaluate arrays module			
@6 @tag2			

#	Step / Hook Details	Status	Duration
1	Given User is on Arrays Page	PASSED	0.001 s
2	When User clicks on array in Python link	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='arrays-in-python']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='arrays-in-python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_ArraysInPython(ArrayPage.java:55) at StepDefinition.F_Array_SD.user_clicks_on_array_in_python_link(F_Array_SD.java:41) at ?.User clicks on array in Python link(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:32) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.378 s

#	Step / Hook Details	Status	Duration
3	Then User Navigated to Arrays in Python Page	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.306 s
/ 5:13:19.971 PM // 5:13:20.277 PM /	
Evaluate arrays module	
@6 @tag3	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try editor page	FAILED	0.017 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_tryhereBtn(ArrayPage.java:63) at StepDefinition.F_Array_SD.user_click_on_try_here_button_on_arrays_in_python_page_and_navigate_to_try_editor_page(F_Array_SD.java:53) at ?.User click on Try here button on Arrays in Python page and navigate to try editor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.285 s
2	When The user enter valid python code in tryEditor from sheet "Sheet2" and 2	SKIPPED	0.000 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 0.421 s
/ 5:13:20.285 PM // 5:13:20.706 PM /	
Evaluate arrays module	
@6 @tag4	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 3	FAILED	0.096 s

org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, actions {actions=[org.openqa.selenium.interactions.Sequence@62f73b0c, org.openqa.selenium.interactions.Sequence@7dd2a5f7]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415)
at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:178)
at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:200)
at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:200)
at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:218)
at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:213)
at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) at org.openqa.selenium.json.Json.toJson(Json.java:47) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at utilities.ElementsUtils.enterCode(ElementsUtils.java:36) at pageObjects.DataStructure.enterPythonCode(DataStructure.java:61) at StepDefinition.E_Datastructure_SD.the_user_enter_invalid_python_code_in_try_editor_from_sheet_and(E_Datastructure_SD.java:72) at ?.The user enter invalid python code in tryEditor from sheet "Sheet2" and 3(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:46) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at utilities.ElementsUtils.enterCode(ElementsUtils.java:36) at pageObjects.DataStructure.enterPythonCode(DataStructure.java:61) at StepDefinition.E_Datastructure_SD.the_user_enter_invalid_python_code_in_try_editor_from_sheet_and(E_Datastructure_SD.java:72) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.		

#	Step / Hook Details	Status	Duration
	runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor109.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang. reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper. java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker. invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker. invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker. java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList. forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner. java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng. SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org. testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng. TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG. run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng. remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411) at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:178) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:200) at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:200) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:218) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:213) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) at org.openqa.selenium.json.Json.toJson(Json.java:47) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at utilities.ElementsUtils.enterCode(ElementsUtils.java:36) at pageObjects.DataStructure.enterPythonCode(DataStructure.java:61) at StepDefinition.E_Datastructure_SD.the_user_enter_invalid_python_code_in_try_editor_from_sheet_and(E_Datastructure_SD.java:72) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor109.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//pre [@ class = ' CodeMirror-line ']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//pre [@ class = ' CodeMirror-line ']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:275) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:224) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.321 s
2	And User click on run button	SKIPPED	0.000 s
3	Then User should get alert message	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.511 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:13:20.716 PM // 5:13:21.227 PM /			
Evaluate arrays module			
@6 @tag5			

#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	FAILED	0.180 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_ArraysUsingList(ArrayPage.java:70) at StepDefinition.F_Array_SD.user_click_on_arrays_using_list_topic(F_Array_SD.java:61) at ?.User click on Arrays Using List topic(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:55) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.329 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 4	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	*DURATION - 0.456 s*		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:13:21.235 PM // 5:13:21.691 PM /			
Evaluate arrays module			
@6 @tag6			

#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	FAILED	0.109 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_ArraysUsingList(ArrayPage.java:70) at StepDefinition.F_Array_SD.user_click_on_arrays_using_list_topic(F_Array_SD.java:61) at ?.User click on Arrays Using List topic(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:66) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.345 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 5	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.510 s
/ 5:13:21.698 PM // 5:13:22.208 PM /	
Evaluate arrays module	
@6 @tag7	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists	FAILED	0.147 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Basic Operations in Lists"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
```

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_BasicOperations(ArrayPage.java:78) at StepDefinition.F_Array_SD.user_click_on_basic_operations_in_lists(F_Array_SD.java:68) at ?.User click on basic Operations in Lists(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.360 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 6	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	*DURATION - 0.412 s*		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:13:22.215 PM // 5:13:22.627 PM /			
Evaluate arrays module			
@6 @tag8			

#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Basic Operations in Lists"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir:	FAILED	0.091 s

#	Step / Hook Details	Status	Duration
	C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_BasicOperations(ArrayPage.java:78) at StepDefinition.F_Array_SD.user_click_on_basic_operations_in_lists(F_Array_SD.java:68) at ?.User click on basic Operations in Lists(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:88) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.319 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 7	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.401 s
/ 5:13:22.634 PM // 5:13:23.035 PM /	
Evaluate arrays module	
@6 @tag9	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array	FAILED	0.086 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Array"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_ApplicationofArray(ArrayPage.java:83) at StepDefinition.F_Array_SD.user_click_on_applications_of_array(F_Array_SD.java:75) at ?.User click on Applications of Array(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:99) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.312 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 8	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 0.361 s
/ 5:13:23.041 PM // 5:13:23.402 PM /	
Evaluate arrays module	
@6 @tag10	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of	FAILED	0.088 s

#	Step / Hook Details	Status	Duration
	Array"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_ApplicationofArray(ArrayPage.java:83) at StepDefinition.F_Array_SD.user_click_on_applications_of_array(F_Array_SD.java:75) at ?.User click on Applications of Array(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:110) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.270 s

#	Step / Hook Details	Status	Duration
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 9	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.410 s
/ 5:13:23.409 PM // 5:13:23.819 PM /	
Evaluate arrays module	
@6 @tag11	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User click on Practies Questions	FAILED	0.079 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Practice Questions"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_practiceQues(ArrayPage.java:88) at StepDefinition.F_Array_SD.user_click_on_practies_questions(F_Array_SD.java:82) at ?.User click on Practies Questions(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:121) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.329 s
2	When User click on Question1 its navigate to tryeditor page	SKIPPED	0.000 s
3	And User clear the tryeditor textbox	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 10	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 1.024 s*		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0
/ 5:13:23.826 PM // 5:13:24.850 PM /			
Evaluate arrays module			
@tag12 @6			

#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page	PASSED	0.205 s
2	And User clear the tryeditor textbox	PASSED	0.078 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 11	PASSED	0.665 s
4	And User click on run button	PASSED	0.060 s
5	Then User should get alert message	PASSED	0.011 s

User is able to navigate to tryeditor page and submit valid python code

FAILED	DURATION - 1.860 s
/ 5:13:24.876 PM // 5:13:26.736 PM /	
Evaluate arrays module	
@6 @tag13	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page	PASSED	0.191 s
2	And User clear the tryeditor textbox	PASSED	0.075 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 12	PASSED	0.681 s
4	And User click on submit button	PASSED	0.054 s
5	Then The user should be presented with successful submission message	FAILED	0.592 s
	java.lang.AssertionError: Result do not match expected [null] but found [Error occurred during submission] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at StepDefinition.F_Array_SD.the_user_should_be_presented_with_successful_submission_message(F_Array_SD.java:109) at ?.The user should be presented with successful submission message(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:149) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.266 s
	My screenshot		

#	Step / Hook Details	Status	Duration

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.157 s
/ 5:13:26.742 PM // 5:13:26.899 PM /	
Evaluate arrays module	
@6 @tag14	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	FAILED	0.053 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Max Consecutive Ones"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_Question2(ArrayPage.java:123) at StepDefinition.F_Array_SD.user_click_on_question2_its_navigate_to_tryeditor_page(F_Array_SD.java:117) at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:158) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)	FAILED	0.099 s

#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED *DURATION - 0.414 s*

/ 5:13:26.911 PM // 5:13:27.325 PM /

Evaluate arrays module

@6 @tag15

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	FAILED	0.075 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Max Consecutive Ones"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_Question2(ArrayPage.java:123) at StepDefinition.F_Array_SD.user_click_on_question2_its_navigate_to_tryeditor_page(F_Array_SD.java:117) at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:170) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.335 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run valid python code

FAILED	*DURATION - 0.202 s*		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:13:27.331 PM // 5:13:27.533 PM /			
Evaluate arrays module			
@6 @tag16			

#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	FAILED	0.100 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_Question3(ArrayPage.java:127) at StepDefinition.F_Array_SD.user_click_on_question3_its_navigate_to_tryeditor_page(F_Array_SD.java:124) at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:182) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.096 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration
	116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	*DURATION - 0.179 s*
/ 5:13:27.568 PM // 5:13:27.747 PM /	
Evaluate arrays module	
@6 @tag17	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	FAILED	0.078 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_Question3(ArrayPage.java:127) at StepDefinition.F_Array_SD.user_click_on_question3_its_navigate_to_tryeditor_page(F_Array_SD.java:124) at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:194) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.097 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration
	116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run valid python code

FAILED	*DURATION - 0.490 s*		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:13:27.753 PM // 5:13:28.243 PM /			
Evaluate arrays module			
@6 @tag18			

#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	FAILED	0.161 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Squares of a Sorted Array"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Squares of a Sorted Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_Question4(ArrayPage.java:132) at StepDefinition.F_Array_SD.user_click_on_question4_its_navigate_to_tryeditor_page(F_Array_SD.java:131) at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:206) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.326 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 0.380 s
/ 5:13:28.250 PM // 5:13:28.630 PM /	
Evaluate arrays module	
@6 @tag19	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	FAILED	0.082 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Squares of a Sorted Array"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Squares of a Sorted Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
    at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.ArrayPage.click_Question4(ArrayPage.java:132) at StepDefinition.F_Array_SD.user_click_on_question4_its_navigate_to_tryeditor_page(F_Array_SD.java:131) at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/6_Array.feature:218) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.297 s
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
6	Then Navigate back to Home page	SKIPPED	0.000 s

Evaluate Linkedlist Module

FAILED	DURATION - 7.849 s	Scenarios		Steps	
/ 5:13:28.639 PM // 5:13:36.488 PM /		Total - 15 Pass - 7 Fail - 8 Skip - 0		Total - 68 Pass - 28 Fail - 8 Skip - 32	

User is able to navigate Linked List

FAILED	DURATION - 0.302 s		Steps	
/ 5:13:28.639 PM // 5:13:28.941 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	
Evaluate Linkedlist Module				
@7 @tag1				

#	Step / Hook Details	Status	Duration
1	Given User click on Get started button on Linked List module	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.LinkedListPage.clickgetstartedBtn_LinkedList(LinkedListPage.java:32) at StepDefinition.G_LinkedList_SD.user_click_on_get_started_button_on_linked_list_module(G_LinkedList_SD.java:16) at ?.User click on Get started button on Linked List module(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.283 s
2	When User click on Intoduction linktext	SKIPPED	0.000 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.806 s
/ 5:13:28.948 PM // 5:13:29.754 PM /	
Evaluate Linkedlist Module	
@7 @tag2	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.182 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.542 s
3	And User click on run button	PASSED	0.057 s
4	Then User should get alert message	PASSED	0.018 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.157 s
/ 5:13:29.766 PM // 5:13:29.923 PM /	
Evaluate Linkedlist Module	
@7 @tag4	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Creating Linked List text	FAILED	0.046 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Creating Linked LIst"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Creating Linked LIst}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.LinkedListPage.click_CreatingLinked_List(LinkedListPage.java:42) at StepDefinition.G_LinkedList_SD.user_click_on_creating_linked_list_text(G_LinkedList_SD.java:27) at ?.User click on Creating Linked List text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.106 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.817 s*
/ 5:13:29.953 PM // 5:13:30.770 PM /	
Evaluate Linkedlist Module	
@7 @tag5	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.196 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.518 s
3	And User click on run button	PASSED	0.075 s
4	Then User should get alert message	PASSED	0.024 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.427 s
/ 5:13:30.786 PM // 5:13:31.213 PM /	
Evaluate Linedlist Module	
@7 @tag6	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Types of Linked List text	FAILED	0.053 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Types of Linked List"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Types of Linked List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.LinkedListPage.click_TypeOfLinkedList(LinkedListPage.java:47) at StepDefinition.G_LinkedList_SD.user_click_on_types_of_linked_list_text(G_LinkedList_SD.java:33) at ?.User click on Types of Linked List text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:68) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.371 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.828 s*
/ 5:13:31.219 PM // 5:13:32.047 PM /	
Evaluate Linkedlist Module	
@7 @tag7	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.178 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.549 s
3	And User click on run button	PASSED	0.069 s
4	Then User should get alert message	PASSED	0.023 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.199 s
/ 5:13:32.054 PM // 5:13:32.253 PM /	
Evaluate Linkedlist Module	
@7 @tag8	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implement LinkedList in python text	FAILED	0.070 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implement Linked List in Python"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implement Linked List in Python}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.LinkedListPage.click_ImplementLinkedList(LinkedListPage.java:53) at StepDefinition.G_LinkedList_SD.user_click_on_implement_linked_list_in_python_text(G_LinkedList_SD.java:40) at ?.User click on Implement LinkedList in python text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:89) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.117 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.740 s
/ 5:13:32.276 PM // 5:13:33.016 PM /	
Evaluate Linkedlist Module	
@7 @tag9	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.187 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.477 s
3	And User click on run button	PASSED	0.053 s
4	Then User should get alert message	PASSED	0.013 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.473 s
/ 5:13:33.027 PM // 5:13:33.500 PM /	
Evaluate Linkedlist Module	
@7 @tag10	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Travesal text	FAILED	0.052 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Traversal"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Traversal}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.LinkedListPage.click_travesal(LinkedListPage.java:58) at StepDefinition.G_LinkedList_SD.user_click_on_travesal_text(G_LinkedList_SD.java:46) at ?.User click on Travesal text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:110) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.416 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.779 s
/ 5:13:33.508 PM // 5:13:34.287 PM /	
Evaluate Linkedlist Module	
@7 @tag11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.179 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.518 s
3	And User click on run button	PASSED	0.050 s
4	Then User should get alert message	PASSED	0.030 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.163 s
/ 5:13:34.297 PM // 5:13:34.460 PM /	
Evaluate Linkedlist Module	
@tag12 @7	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Insertion text	FAILED	0.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Insertion"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Insertion}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.LinkedListPage.click_Insertion(LinkedListPage.java:63) at StepDefinition.G_LinkedList_SD.user_click_on_insertion_text(G_LinkedList_SD.java:52) at ?.User click on Insertion text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:131) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.105 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.701 s*
/ 5:13:34.477 PM // 5:13:35.178 PM /	
Evaluate Linkedlist Module	
@tag13 @7	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.188 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.432 s
3	And User click on run button	PASSED	0.057 s
4	Then User should get alert message	PASSED	0.016 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.380 s
/ 5:13:35.190 PM // 5:13:35.570 PM /	
Evaluate Linkedlist Module	
@7 @tag14	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Deletion text	FAILED	0.051 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Deletion"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Deletion}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.LinkedListPage.click_Deletion(LinkedListPage.java:68) at StepDefinition.G_LinkedList_SD.user_click_on_deletion_text(G_LinkedList_SD.java:58) at ?.User click on Deletion text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:152) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.328 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.742 s*
/ 5:13:35.579 PM // 5:13:36.321 PM /	
Evaluate Linkedlist Module	
@7 @tag15	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.195 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.448 s
3	And User click on run button	PASSED	0.064 s
4	Then User should get alert message	PASSED	0.031 s

User validating Practice Questions Page and navigate back to home page

FAILED	DURATION - 0.148 s
/ 5:13:36.340 PM // 5:13:36.488 PM /	
Evaluate Linkedlist Module	
@7 @tag16	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given The user is in Deletion page page	FAILED	0.050 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Deletion"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Deletion}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.LinkedListPage.click_Deletion(LinkedListPage.java:68) at StepDefinition.G_LinkedList_SD.the_user_is_in_deletion_page_page(G_LinkedList_SD.java:65) at ?.The user is in Deletion page page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/7_Linkedlist.feature:173) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.096 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	When User click on practice questons in Deletion page	SKIPPED	0.000 s
3	Then Navigate back to Practice Questions of Linked List Page	SKIPPED	0.000 s
4	Then Navigate back to Homepage	SKIPPED	0.000 s

Evaluate Stack Module

FAILED	DURATION - 3.322 s	Scenarios		Steps	
/ 5:13:36.502 PM // 5:13:39.824 PM /		Total - 7 Pass - 3 Fail - 4 Skip - 0		Total - 32 Pass - 12 Fail - 4 Skip - 16	

User is able to navigate Stack

FAILED	DURATION - 0.136 s		Steps	
/ 5:13:36.503 PM // 5:13:36.639 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	
Evaluate Stack Module				
@8 @tag1				

#	Step / Hook Details	Status	Duration
1	Given User click on Get started button in Stack module	FAILED	0.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.Stackpage.click_getStartedStack(Stackpage.java:25) at StepDefinition.H_Stack_SD.user_click_on_get_started_button_in_stack_module(H_Stack_SD.java:16) at ?.User click on Get started button in Stack module(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/8_Stack.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)	FAILED	0.099 s

#	Step / Hook Details	Status	Duration
	at Hooks.Hooks.afterstep(Hooks.java:49)		
2	When User click on Operations in Stack button	SKIPPED	0.000 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.752 s
/ 5:13:36.645 PM // 5:13:37.397 PM /	
Evaluate Stack Module	
@8 @tag2	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.179 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.507 s
3	And User click on run button	PASSED	0.052 s
4	Then User should get alert message	PASSED	0.009 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.414 s
/ 5:13:37.411 PM // 5:13:37.825 PM /	
Evaluate Stack Module	
@8 @tag3	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation text	FAILED	0.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.Stackpage.click_ImplementationStack(Stackpage.java:34) at StepDefinition.H_Stack_SD.user_click_on_implementation_text(H_Stack_SD.java:28) at ?.User click on Implementation text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/8_Stack.feature:46) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.361 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.707 s*		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 5:13:37.831 PM // 5:13:38.538 PM /			
Evaluate Stack Module			
@8 @tag4			

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.174 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.466 s
3	And User click on run button	PASSED	0.048 s
4	Then User should get alert message	PASSED	0.015 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.162 s
/ 5:13:38.552 PM // 5:13:38.714 PM /	
Evaluate Stack Module	
@8 @tag5	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Applications text	FAILED	0.058 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Applications}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.Stackpage.click_ApplicationStack(Stackpage.java:40) at StepDefinition.H_Stack_SD.user_click_on_applications_text(H_Stack_SD.java:35) at ?.User click on Applications text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/8_Stack.feature:67) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.099 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.669 s
/ 5:13:38.743 PM // 5:13:39.412 PM /	
Evaluate Stack Module	
@8 @tag6	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.189 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.415 s
3	And User click on run button	PASSED	0.045 s
4	Then User should get alert message	PASSED	0.015 s

User validating Practice Questions Page and navigate back to home page

FAILED	DURATION - 0.399 s
/ 5:13:39.425 PM // 5:13:39.824 PM /	
Evaluate Stack Module	
@8 @tag7	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given The user is in Application page page	FAILED	0.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Applications}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.Stackpage.click_ApplicationStack(Stackpage.java:40) at StepDefinition.H_Stack_SD.the_user_is_in_application_page_page(H_Stack_SD.java:42) at ?.The user is in Application page page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/8_Stack.feature:88) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.361 s
2	When User click on practice questons in Application page	SKIPPED	0.000 s
3	Then Navigate back to Application page	SKIPPED	0.000 s
4	Then Navigate back to Homepage	SKIPPED	0.000 s

Evaluate Queue module

FAILED	DURATION - 4.646 s	Scenarios		Steps	
/ 5:13:39.832 PM // 5:13:44.478 PM /		Total - 9 Pass - 4 Fail - 5 Skip - 0		Total - 41 Pass - 16 Fail - 5 Skip - 20	

User is able to navigate Queue

FAILED	DURATION - 0.307 s		Steps	
/ 5:13:39.833 PM // 5:13:40.140 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	
Evaluate Queue module				
@9 @tag1				

#	Step / Hook Details	Status	Duration
1	Given User click on Get started button in Queue module	FAILED	0.025 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='queue']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='queue']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.QueuePage.click_getstartedqueue(QueuePage.java:28) at StepDefinition.I_Queue_SD.user_click_on_get_started_button_in_queue_module(I_Queue_SD.java:13) at ?.User click on Get started button in Queue module(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/9_Queue.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.280 s
2	When User click on Implementation of Queue in Python	SKIPPED	0.001 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.805 s
/ 5:13:40.146 PM // 5:13:40.951 PM /	
Evaluate Queue module	
@9 @tag2	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.177 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.566 s
3	And User click on run button	PASSED	0.044 s
4	Then User should get alert message	PASSED	0.013 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.167 s
/ 5:13:40.965 PM // 5:13:41.132 PM /	
Evaluate Queue module	
@9 @tag3	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation using collections text	FAILED	0.060 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation using collections.deque"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation using collections.deque}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.QueuePage.click_ImpleUSingCollections(QueuePage.java:40) at StepDefinition.I_Queue_SD.user_click_on_implementation_using_collections_text(I_Queue_SD.java:26) at ?.User click on Implementation using collections text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/9_Queue.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.103 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.780 s*
/ 5:13:41.155 PM // 5:13:41.935 PM /	
Evaluate Queue module	
@9 @tag4	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.178 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.532 s
3	And User click on run button	PASSED	0.050 s
4	Then User should get alert message	PASSED	0.016 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.432 s
/ 5:13:41.946 PM // 5:13:42.378 PM /	
Evaluate Queue module	
@9 @tag5	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation using array text	FAILED	0.045 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation using array"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation using array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.QueuePage.click_ImplementationUsingArray(QueuePage.java:45) at StepDefinition.I_Queue_SD.user_click_on_implementation_using_array_text(I_Queue_SD.java:32) at ?.User click on Implementation using array text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/9_Queue.feature:68) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.385 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.784 s*
/ 5:13:42.386 PM // 5:13:43.170 PM /	
Evaluate Queue module	
@9 @tag6	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.173 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.534 s
3	And User click on run button	PASSED	0.057 s
4	Then User should get alert message	PASSED	0.010 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.171 s
/ 5:13:43.180 PM // 5:13:43.351 PM /	
Evaluate Queue module	
@9 @tag7	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Queue Operations text	FAILED	0.055 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Queue Operations"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Queue Operations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.QueuePage.click_QueueOpeations(QueuePage.java:50) at StepDefinition.I_Queue_SD.user_click_on_queue_operations_text(I_Queue_SD.java:39) at ?.User click on Queue Operations text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/9_Queue.feature:89) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.112 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.697 s
/ 5:13:43.377 PM // 5:13:44.074 PM /	
Evaluate Queue module	
@9 @tag8	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.201 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.431 s
3	And User click on run button	PASSED	0.048 s
4	Then User should get alert message	PASSED	0.012 s

User validating Practice Questions Page and navigate back to home page

FAILED	DURATION - 0.395 s
/ 5:13:44.083 PM // 5:13:44.478 PM /	
Evaluate Queue module	
@9 @tag9	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given The user is in Queue operations page	FAILED	0.036 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Queue Operations"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Queue Operations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.QueuePage.click_QueueOpeations(QueuePage.java:50) at StepDefinition.I_Queue_SD.the_user_is_in_queue_operations_page(I_Queue_SD.java:45) at ?.The user is in Queue operations page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/9_Queue.feature:110) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.356 s
2	When User click on practice questons in Queue operations page	SKIPPED	0.000 s
3	Then Navigate back to Queue operations page	SKIPPED	0.000 s
4	Then Navigate back to Homepage	SKIPPED	0.000 s

Evaluate Tree module

FAILED	DURATION - 14.066 s	Scenarios		Steps	
/ 5:13:44.496 PM // 5:13:58.562 PM /		Total - 27 Pass - 13 Fail - 14 Skip - 0		Total - 122 Pass - 52 Fail - 14 Skip - 56	

User is able to navigate Tree

FAILED	DURATION - 0.311 s		Steps	
/ 5:13:44.496 PM // 5:13:44.807 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	
Evaluate Tree module				
@11 @tag1				

#	Step / Hook Details	Status	Duration
1	Given User click on Get started button on Tree module org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_getstartedTree(TreePage.java:33) at StepDefinition.J_Tree_SD.user_click_on_get_started_button_on_tree_module(J_Tree_SD.java:14) at ?.User click on Get started button on Tree module(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.291 s
2	When User click on Overview of Trees button	SKIPPED	0.000 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.735 s
/ 5:13:44.813 PM // 5:13:45.548 PM /	
Evaluate Tree module	
@11 @tag2	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.172 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.487 s
3	And User click on run button	PASSED	0.048 s
4	Then User should get alert message	PASSED	0.026 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.163 s
/ 5:13:45.553 PM // 5:13:45.716 PM /	
Evaluate Tree module	
@tag3 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Terminologies text	FAILED	0.066 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Terminologies"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Terminologies}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_Terminologies(TreePage.java:41) at StepDefinition.J_Tree_SD.user_click_on_terminologies_text(J_Tree_SD.java:27) at ?.User click on Terminologies text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.095 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.815 s*		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 5:13:45.721 PM // 5:13:46.536 PM /			
Evaluate Tree module			
@tag4 @11			

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.167 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.579 s
3	And User click on run button	PASSED	0.050 s
4	Then User should get alert message	PASSED	0.018 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.423 s
/ 5:13:46.545 PM // 5:13:46.968 PM /	
Evaluate Tree module	
@tag5 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Type of Trees text	FAILED	0.053 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Types of Trees"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Types of Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.click_TypeOfTrees(TreePage.java:45) at StepDefinition.J_Tree_SD.user_click_on_type_of_trees_text(J_Tree_SD.java:33) at ?.User click on Type of Trees text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:67) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.366 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.744 s*
/ 5:13:46.977 PM // 5:13:47.721 PM /	
Evaluate Tree module	
@11 @tag6	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.178 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.495 s
3	And User click on run button	PASSED	0.049 s
4	Then User should get alert message	PASSED	0.015 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.156 s
/ 5:13:47.731 PM // 5:13:47.887 PM /	
Evaluate Tree module	
@tag7 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Tree Traversals text	FAILED	0.046 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Tree Traversals"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.click_TreeTraversals(TreePage.java:49) at StepDefinition.J_Tree_SD.user_click_on_tree_traversals_text(J_Tree_SD.java:39) at ?.User click on Tree Traversals text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:88) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.106 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.787 s
/ 5:13:47.901 PM // 5:13:48.688 PM /	
Evaluate Tree module	
@tag8 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.187 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.529 s
3	And User click on run button	PASSED	0.050 s
4	Then User should get alert message	PASSED	0.017 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.427 s
/ 5:13:48.694 PM // 5:13:49.121 PM /	
Evaluate Tree module	
@tag9 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Traversal Illustration text	FAILED	0.046 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Traversals-Illustration"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Traversals-Illustration}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_TravelIllustrations(TreePage.java:53) at StepDefinition.J_Tree_SD.user_click_on_traversal_illustration_text(J_Tree_SD.java:46) at ?.User click on Traversal Illustration text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:109) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.378 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.694 s
/ 5:13:49.126 PM // 5:13:49.820 PM /	
Evaluate Tree module	
@tag10 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.164 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.448 s
3	And User click on run button	PASSED	0.051 s
4	Then User should get alert message	PASSED	0.026 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.164 s
/ 5:13:49.830 PM // 5:13:49.994 PM /	
Evaluate Tree module	
@tag11 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Binary Trees text	FAILED	0.052 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Trees"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_BinaryTree(TreePage.java:57) at StepDefinition.J_Tree_SD.user_click_on_binary_trees_text(J_Tree_SD.java:53) at ?.User click on Binary Trees text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:130) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.105 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.752 s*
/ 5:13:50.020 PM // 5:13:50.772 PM /	
Evaluate Tree module	
@tag12 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.198 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.484 s
3	And User click on run button	PASSED	0.047 s
4	Then User should get alert message	PASSED	0.013 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.409 s
/ 5:13:50.778 PM // 5:13:51.187 PM /	
Evaluate Tree module	
@tag13 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Type of Binary Trees text	FAILED	0.047 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Types of Binary Trees"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Types of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.click_TypeOfBinaryTrees(TreePage.java:61) at StepDefinition.J_Tree_SD.user_click_on_type_of_binary_trees_text(J_Tree_SD.java:59) at ?.User click on Type of Binary Trees text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:151) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.359 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.767 s*
/ 5:13:51.193 PM // 5:13:51.960 PM /	
Evaluate Tree module	
@11 @tag14	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.184 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.519 s
3	And User click on run button	PASSED	0.050 s
4	Then User should get alert message	PASSED	0.011 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.159 s
/ 5:13:51.969 PM // 5:13:52.128 PM /	
Evaluate Tree module	
@11 @tag15	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation in Python text	FAILED	0.044 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation in Python"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation in Python}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.click_ImplementationInPython(TreePage.java:65) at StepDefinition.J_Tree_SD.user_click_on_implementation_in_python_text(J_Tree_SD.java:66) at ?.User click on Implementation in Python text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:172) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.109 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.822 s
/ 5:13:52.156 PM // 5:13:52.978 PM /	
Evaluate Tree module	
@11 @tag16	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.242 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.509 s
3	And User click on run button	PASSED	0.053 s
4	Then User should get alert message	PASSED	0.012 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.432 s
/ 5:13:52.990 PM // 5:13:53.422 PM /	
Evaluate Tree module	
@11 @tag17	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Binary Tree Traversals text	FAILED	0.070 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Tree Traversals"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Binary Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_BinaryTreeTraversal(TreePage.java:69) at StepDefinition.J_Tree_SD.user_click_on_binary_tree_traversals_text(J_Tree_SD.java:72) at ?.User click on Binary Tree Traversals text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:193) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.359 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.750 s
/ 5:13:53.427 PM // 5:13:54.177 PM /	
Evaluate Tree module	
@tag18 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.235 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.448 s
3	And User click on run button	PASSED	0.046 s
4	Then User should get alert message	PASSED	0.019 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.161 s
/ 5:13:54.188 PM // 5:13:54.349 PM /	
Evaluate Tree module	
@11 @tag19	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation of Binary Trees text	FAILED	0.045 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Binary Trees"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_ImplementationOfBinaryTrees(TreePage.java:74) at StepDefinition.J_Tree_SD.user_click_on_implementation_of_binary_trees_text(J_Tree_SD.java:79) at ?.User click on Implementation of Binary Trees text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:214) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.109 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.774 s*
/ 5:13:54.373 PM // 5:13:55.147 PM /	
Evaluate Tree module	
@tag20 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.230 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.473 s
3	And User click on run button	PASSED	0.051 s
4	Then User should get alert message	PASSED	0.015 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.419 s
/ 5:13:55.158 PM // 5:13:55.577 PM /	
Evaluate Tree module	
@tag21 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Binary trees text	FAILED	0.053 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Binary trees"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Applications of Binary trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.click_ApplicationsOfBinaryTrees(TreePage.java:78) at StepDefinition.J_Tree_SD.user_click_on_applications_of_binary_trees_text(J_Tree_SD.java:85) at ?.User click on Applications of Binary trees text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:235) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.362 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.779 s*
/ 5:13:55.583 PM // 5:13:56.362 PM /	
Evaluate Tree module	
@tag22 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.206 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.509 s
3	And User click on run button	PASSED	0.046 s
4	Then User should get alert message	PASSED	0.011 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.156 s
/ 5:13:56.371 PM // 5:13:56.527 PM /	
Evaluate Tree module	
@tag23 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Binary Search trees text	FAILED	0.054 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Search Trees"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Binary Search Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source)
```

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.click_BinarySearchTrees(TreePage.java:82) at StepDefinition.J_Tree_SD.user_click_on_binary_search_trees_text(J_Tree_SD.java:91) at ?.User click on Binary Search trees text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:256) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor73.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)	FAILED	0.100 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.761 s
/ 5:13:56.534 PM // 5:13:57.295 PM /	
Evaluate Tree module	
@tag24 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.230 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.465 s
3	And User click on run button	PASSED	0.047 s
4	Then User should get alert message	PASSED	0.015 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.423 s
/ 5:13:57.308 PM // 5:13:57.731 PM /	
Evaluate Tree module	
@11 @tag25	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Implementation Of BST text	FAILED	0.041 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_ImplementationOfBst(TreePage.java:86) at StepDefinition.J_Tree_SD.user_click_on_implementation_of_bst_text(J_Tree_SD.java:97) at ?.User click on Implementation Of BST text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:277) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.380 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	DURATION - 0.674 s
/ 5:13:57.740 PM // 5:13:58.414 PM /	
Evaluate Tree module	
@11 @tag26	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.173 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.436 s
3	And User click on run button	PASSED	0.048 s
4	Then User should get alert message	PASSED	0.014 s

User validating Practice Questions Page and navigate back to home page

FAILED	DURATION - 0.140 s
/ 5:13:58.422 PM // 5:13:58.562 PM /	
Evaluate Tree module	
@11 @tag27	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given The user is in Implementation of BST page	FAILED	0.038 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.TreePage.click_ImplementationOfBst(TreePage.java:86) at StepDefinition.J_Tree_SD.the_user_is_in_implementation_of_bst_page(J_Tree_SD.java:103) at ?.The user is in Implementation of BST page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/A_Tree.feature:298) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor73.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.098 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	When User click on practice questons in Implementation of BST	SKIPPED	0.000 s
3	Then Navigate back to Implementation of BST page	SKIPPED	0.000 s
4	Then Navigate back to Homepage	SKIPPED	0.000 s

Evaluate Graph module

FAILED	DURATION - 2.575 s	Scenarios		Steps	
/ 5:13:58.575 PM // 5:14:01.150 PM /		Total - 6 Pass - 2 Fail - 4 Skip - 0		Total - 26 Pass - 9 Fail - 4 Skip - 13	

User is able to navigate Graph

FAILED	DURATION - 0.119 s		Steps	
/ 5:13:58.576 PM // 5:13:58.695 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	
Evaluate Graph module				
@11 @tag1				

#	Step / Hook Details	Status	Duration
1	Given User click on Get started button on Graph module	FAILED	0.018 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='graph']"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/		

#	Step / Hook Details	Status	Duration
	troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=xpath, value=//a[@href='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.GraphPage.click_getStarted_graph(GraphPage.java:26) at StepDefinition.K_Graph_SD.user_click_on_get_started_button_on_graph_module(K_Graph_SD.java:16) at ?.User click on Get started button on Graph module(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/B_Graph_SD.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED	0.098 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor73.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)		
2	When User click on Graph button	SKIPPED	0.000 s
3	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.733 s*
/ 5:13:58.701 PM // 5:13:59.434 PM /	
Evaluate Graph module	
@11 @tag2	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.181 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.492 s
3	And User click on run button	PASSED	0.045 s

#	Step / Hook Details	Status	Duration
4	Then User should get alert message	PASSED	0.011 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.392 s
/ 5:13:59.448 PM // 5:13:59.840 PM /	
Evaluate Graph module	
@tag3 @11	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Graph Representations text	FAILED	0.046 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Graph Representations"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.GraphPage.click_GraphReprsenation(GraphPage.java:35) at StepDefinition.K_Graph_SD.user_click_on_graph_representations_text(K_Graph_SD.java:29) at ?.User click on Graph Representations text(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/B_Graph_SD.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.342 s
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet2" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s

User is able to navigate to tryeditor page and run invalid python code

PASSED	*DURATION - 0.707 s*
/ 5:13:59.850 PM // 5:14:00.557 PM /	
Evaluate Graph module	
@tag4 @11	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on try edidor page	PASSED	0.166 s
2	When The user enter invalid python code in tryEditor from sheet "Sheet2" and 1	PASSED	0.476 s
3	And User click on run button	PASSED	0.046 s

#	Step / Hook Details	Status	Duration
4	Then User should get alert message	PASSED	0.014 s

User validating Practice Questions Page and navigate back to home page

FAILED	DURATION - 0.153 s
/ 5:14:00.567 PM // 5:14:00.720 PM /	
Evaluate Graph module	
@tag5 @11	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given The user is in Graph Representations page	FAILED	0.050 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Graph Representations"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Graph Representations}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.GraphPage.click_GraphReprsenation(GraphPage.java:35) at StepDefinition.K_Graph_SD.the_user_is_in_graph_representations_page(K_Graph_SD.java:35) at ?.The user is in Graph Representations page(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/B_Graph_SD.feature:68) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Unable to capture screenshot"} (Session info: chrome=116.0.5845.97) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd at jdk.internal.reflect.GeneratedConstructorAccessor73.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at Hooks.Hooks.afterstep(Hooks.java:49)	FAILED	0.100 s
2	When User click on practice questons in Graph Representations page	SKIPPED	0.000 s
3	Then Navigate back to Graph Representations page	SKIPPED	0.000 s
4	Then Navigate back to Homepage	SKIPPED	0.000 s

User is able to sign out

FAILED	DURATION - 0.403 s
/ 5:14:00.747 PM // 5:14:01.150 PM /	
Evaluate Graph module	
@11 @tag6	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Homepage	PASSED	0.055 s
2	When The user clicks on sign out button	FAILED	0.032 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Sign out"} (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85173caff05849842a31d2e48a0126cd, findElement {using=link text, value=Sign out}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\limna\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63382/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85173caff05849842a31d2e48a0126cd

```
at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy44.click(Unknown Source) at pageObjects.GraphPage.click_signoutOnHome(GraphPage.java:51) at StepDefinition.K_Graph_SD.the_user_clicks_on_sign_out_button(K_Graph_SD.java:58) at ?.The user clicks on sign out button(file:///C:/Users/limna/eclipse-workspace/SDET_Algo/src/test/resources/features/B_Graph_SD.feature:76) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.314 s
3	Then user able to sigout and navigate to home page	SKIPPED	0.000 s