

| Questions | Answers |
|--|--|
| <p>1. What are the featuring parameters of a desktop computer today?</p> | <p>A : Processors and disks are smaller in size but greater in efficiency.</p> <p>„Cloud” services, reach information universal!</p> <p>Smart devices, IoT (Internet of Things)</p> <p>1 processor, multi (4,6,8,10,12) cores</p> <p>Microprocessors – Microcontrollers</p> <ul style="list-style-type: none"> • CISC-RISC • Nowadays microprocessors are usually 64-bit types. • Microcontrollers are typically 8-bit types! |
| <p>2. What is the role of the cache in the microprocessor?</p> | <p>A : Cache memory is a high speed memory in the CPU that is used for faster access to data. It provides the processor with the most frequently requested data. Cache memory increases performance and allows faster retrieval of data.</p> |
| <p>3. How can you implement a number using two's complement?</p> | <p>A : Two's-complement representation</p> <ul style="list-style-type: none"> • $-x = \text{inverse } x + 1$ • One zero, on 1 byte numbers between -128 +127. <p>Conversion to Two's Complement</p> <p>If you have -30, and want to represent it in 2's complement, you take the binary representation of 30:</p> <p>0000 0000 0000 0000 0000 0000 0001 1110</p> <p>Invert the digits.</p> <p>1111 1111 1111 1111 1111 1111 1110 0001</p> <p>And add one.</p> |
| <p>4. What do you know about UTF8 coding? What is it good for?</p> | <p>A : UTF-8 (8-bit Unicode Transformation Format) is a variable width character encoding capable of encoding all 1,112,064 ($17 \times 2^{16} = 1,114,112$ code points minus 2,048 technically-invalid surrogate code points) valid code points in Unicode using one to four 8-bit bytes. UTF-8 can support many languages and can</p> |

| | |
|---|--|
| | <p>accommodate pages and forms in any mixture of those languages. Its use also eliminates the need for server-side logic to individually determine the character encoding for each page served or each incoming form submission.</p> |
| <p>5. List at least 3 memory types!</p> | <p>A :</p> <ul style="list-style-type: none"> • RAM:SRAM, DRAM, DDR, DDR2,DDR3,DDR4 • ROM: PROM, EPROM, EEPROM, FLASH • FLASH – nowadays it is used alone, cheap(er), solid-state based |
| <p>6. List some devices from daily life in which there are “computers”!</p> | <p>A: Mobiles, smartwatches, calculators, air conditioner, washing machine, HDTVs, Thermostat, barcode readers</p> |
| <p>7. What is the difference between a server and a client computer?</p> | <p>A: 1. A client machine is a small computer with a basic hardware configuration whereas a server machine is a high-end computer with an advanced hardware configuration. 2. A client is a simple and less powerful machine whereas a server is a powerful expensive machine. 3. A client is used for simple tasks whereas a server is used for storing huge data files and applications.</p> |
| <p>8. List at least 3 operating systems!</p> | <p>A : Windows, LINUX-UNIX, macOS, Mobile operating systems (iOS,Android)</p> |
| <p>9. What is the difference between the ssh and the telnet connection?</p> | <p>A : 1.Telnet uses unencrypted connection but SSH uses encrypted connection. 2.Telnet is rarely used while SSH is widely used. 3.Telnet is a network protocol that allows a user to communicate with a remote device while SSH is a network protocol used to remotely access and manage a device.</p> |

| | |
|---|--|
| 10 . What kind of services has an operating system got today? | <p>A :</p> <ul style="list-style-type: none"> • Clients – server differences • The usage of common, distributed data storage devices • The usage of the common printing service • Handling of services • Mailing, web, terminal connections etc. • Network services (DNS, DHCP, etc.) • Handling of users • Informational database |
| 11. what do you mean by shell? Name at least two. | <p>Shell : classical user interface program, derived from Unix system</p> <p>In Windows it is: CMD</p> <p>In Unix there are several : sh, Ksh, Csh , Csh, Bash</p> |
| 12. What is alias and where did you meet with it? | <p>A shell alias is a shortcut to reference a command.</p> <p>For example : [] for test</p> |
| 13. What unix file system features can you mention? | <ol style="list-style-type: none"> 1. It's structure is hierarchical 2. Mainly there are 2 different types of entry <ul style="list-style-type: none"> a> Directory b> File 3. Devices also get "filenames" 4. Link, special file-entry 5. Today's version are logged, greater safety, consistency |
| 14. What type of file systems do you know? | <p>Tree structure, several entry points in windows</p> <p>Typical Unix directory elements</p> |
| 15. What filename conventions do you know in Unix | <ol style="list-style-type: none"> 1. Length of name is not limited. 2. Any type of character can be used.(but it is not advised) 3. Suggestion : do not use in names spaces, accentuated characters, special characters(*%\$ etc) 4. There is no file extension in the meaning of Windows 5. If the starting character is .(dot), then it is a sealed entry! 6. All filename are case sensitive. So filename FILENAME.txt and filename.txt are different 7. Recommended characters in filenames are : letter, numbers, dot, underscore and dash. 8. We can not have the files with the same |


| | |
|---|--|
| | names under the same directory(a filename must be unique in its directory) |
| 16. What file features do you know in Unix? | Name, size, date of creation, owner, the group of owner, hard link number, permission |
| 17. Explain the base Unix permission system | <ol style="list-style-type: none"> 1. Basically a 3*3 system exists (octal system) 2. To set permission : chmod 3. Handle of r,w,x permissions as 3 bit numbers 4. Default permission : 644 5. Unmask, giving bits, to which we do not give permissions 6. Additional permissions : eg: Chmod 664 apple <p>The answer from Wikipidia: Most file systems have methods to assign permissions or access rights to specific users and groups of users. These permissions control the ability of the users to view, change, navigate and execte the contents of the file system</p> |
| 18. What extended permission do you know in Unix | <p>Display Extended Permissions</p> <p>Up to now, we know the program 'ls' for displaying file information. With the long listing, using the option '-l', it shows permissions as well:</p> <pre>chris@linux ~ \$ ls -l Datei.txt</pre> <pre>-rw-r--r-- 1 chris chris 12 Apr 23 19:51 Datei.txt</pre> <p>If a file has extended permissions , this will be seen with 'ls' only through a single character: directly after the Unix permissions follows a plus character ('+').</p> <pre>chris@linux ~ \$ ls -l Datei.txt</pre> <pre>-rw-r--r--+ 1 chris chris 12 Apr 23 19:51 Datei.txt</pre> |
| 19.what is the goal in Unix to use process priority | Linux, like most modern operating systems, can run multiple processes. It does this by sharing the CPU and other resources among the processes. If one process can use 100 percent of the CPU, then other processes may become |

| | |
|---|---|
| | unresponsive. (answer from Google but I am not sure what the question means) |
| 20 . what do you know about quotation marks in Unix | Quotation marks negotiate the meaning of space characters |
| 21.What is the meaning of stdin, stdout? | stdin - keyboard, standard input channel (default input) stdout - monitor, standard output channel (default output) |
| 22.How many filter you need for a pipeline? | three |
| 23.Tell an example where we can use a regular expression? | Cat file grep "^\$" empty line |
| 24.What is the ASCII code table? | is a character encoding standard for electronic communication. ASCII codes represent text in computers, telecommunications equipment, and other devices. |
| 25.What are the environment variables? | The environment variables are visible in the environment and in each command started from the environment. |
| 26.Give the possible type(s) of a variable content in UNIX! | string (The content of a variable is always a string!) |
| 27.What is command substitution? | the command will be executed and it will be replaced with it's output. |
| 28.List the existing operators in UNIX shell! | Arithmetic Operators Relational Operators Boolean Operators String Operators File Test Operators. |
| 29.Which shell instruction has got a result value? | Each instructions have got a result value! |
| 30.How is the logical type implemented in UNIX shell? | test operand1 operator operand2 # the space |
| 31. Is it possible to define a function using parameters in unix ? | YES |
| 32. Are you able to execute (describe how if you say yes) a shell script without execution permission | No |
| 33. What is IFS | IFS Applications is a cloud-based enterprise resource planning (ERP) solution that helps businesses to integrate data and processes across multiple departments and locations |

| | |
|---|--|
| 34. What kind of tasks can you solve with the help of sed | Replacing or substituting string , Replacing the nth occurrence of a pattern in a line , Replacing all the occurrence of the pattern in a line, Replacing string on a specific line number etc. |
| 35. Describe generally the syntax of a sed command | sed OPTIONS... [SCRIPT] [INPUTFILE...] |
| 36. What is the difference between “ and ‘ in sed? | There is a difference! Eg: John; echo George is skillful! sed “s/George/\$x/” Result: John is skillful Eg :John; echo George is skillful! sed “s/George/\$x/” Result: \$x is skillful |
| 37. Typify the possibilities of awk | <ol style="list-style-type: none"> 1. Deficiency of shell in text processing 2. Practically it has similar possibilities as in C program language 3. Typical filter 4. Often it is used as a shell script element 5. Text processing line by line, executable program |
| 38.Name the possible command blocks in awk | Command blocks are instructions between {} symbols Before the command blocks a patterb may be defined: eg: /f.* / |
| 39.Can awk be used for solving arithmetical tasks? | yes |
| 40. What is MBR and what is its task? | The master boot record is a category of boot sector, The normal job of the MBR program is to search the partition table for the active partition, copy the boot sector from the active partition into memory, and transfer control over to that program. |
| 41. Describe the LINUX_UNIX boot process | Linux boot process is the multi-stage initialization process performed during booting a Linux installation. |
| 42. Write down at least one Unix linux management possibility | |
| 43. What kind of network connections do you know | Mobile Internet / Broadband / Virtual Private Network / Local Area Network (LAN) |
| 44. What do you mean by packet-switched network? | Packet switching is a method of grouping data that is transmitted over a digital network into packets. Packets are made of a header and a payload. |

| | |
|---|--|
| 45. What is described by OSI model | The Open Systems Interconnection model (OSI model) is a conceptual model that characterizes and standardizes the communication functions of a telecommunication or computing system without regard to its underlying internal structure and technology |
| 46. List network topologies(topology) | Line topology, Star topology, Bus topology, Ring topology and Mesh topology |
| 47. What is the task of a switch? | Task switching is an executive function that involves the ability to unconsciously shift attention between one task and another. |
| 48. What is the task of a router | A router is a networking device that forwards data packets between computer networks. Routers perform the traffic directing functions on the Internet |
| 49. How can you characterize the IPV4 addresses | An IP address consists of four numbers ; each can contain one to three digits. These numbers are separated with a single dot (.) . These four numbers can range from 0 to 255. |
| 50. Where do you meet DNS in informatics? | to map between host names and IP addresses |
| 51. What is DHCP? | -) The Dynamic Host Configuration Protocol |
| 52. What kind of server access modes do you know? | |
| 53. What is HTTP protocol good for? | You can upload or download files with the help of HTTP as well! We can upload and download using a web-browser! |
| 54. What happens if there is no index.html file in public_html directory? | • If there is no index.html file, then it works as an ftp catalog! |
| 55. How can you save a web-directory with password? | htpasswd [-c] filename username • -c filename will be a new file • It asks the password and writes the username and the coded password into the file • -c must use only first case! |
| 56. What do you mean by virtual host? | Meaning: we can reference an address with another name |
| 57. What are the meaning of SSI or CGI permissions in case of webserver? | SSI, CGI permissions For a directory, .shtml extension Mod_userdir.conf |

| | |
|--|---|
| | |
| 58. What kind of Windows script writing possibilities do you know? Is there any? | <p>There are several script types in MS Windows!</p> <ul style="list-style-type: none"> • Batch program (bases) • Windows Script(ing) Host (VB Script or JScript based) • PowerShell |
| 59. How can you “implement” the role of autoexec.bat in PowerShell? | It's function: it is the collection of commands (batch) to be executed automatically at login |
| 60. How safe script execution is ensured in PowerShell? | <ul style="list-style-type: none"> • Default: Restricted – execution is not permitted! • Possible policy values: Allsigned, Remotesigned, Bypass • At Unrestricted it will ask at downloaded scripts, at Bypass it will not ask! • Scope process or currentuser or localmachine • Remotesigned: at scripts downloaded from the net it will execute them only |
| 61. What are the structures of the Powershell command? | <p>Powershell command structure : Verb noun</p> <p>Eg: Get command</p> |
| 62. List at least two different variable scopes in Powershell! | A scope may be : global, Local, private |
| 63. How do we redirect the output in Powershell? Is it possible anyway? | <p>Microsoft answer: You can use the following methods to redirect output:</p> <ol style="list-style-type: none"> 1. Use the out-file cmdlet, which sends command output to a text file. 2. Use the Tee-object cmdlet, which sends command output to a text file and then sends it to the pipeline. 3. Use the Powershell redirection operators. > or >> <p>Sildes answer: Output</p> <p>Redirection (file creation) by > “overwrite” or >> “append”</p> |
| 64. Where and for what can dot sourcing be used? | <ol style="list-style-type: none"> 1. You may declare a function within a function. An inner function may not be called directly -> Execute it with a dot: .Funct. The result of it that the inner functions also may be seen directly 2. Function local variable may not be seen from outside-> Execute it with a dot :.Fv. The result of it that the local function variables also may be seen directly. |

| | |
|---|--|
| <p>65. What does the possibility of named parameters mean in Powershell?</p> | <div data-bbox="858 197 1321 725"> <h3>Named script parameters</h3> <pre># named parameters param(\$x, \$y) "The '\$x={0}'" -f \$x "The '\$y={0}'" -f \$y</pre> <p>PS> \$a = 10 PS C:\> .\paramtest.ps1 \$a 2</p>  <h3>Common usage of named and normal parameters</h3> <ul style="list-style-type: none"> You may mix the named and normal parameters. <pre># param(\$x,\$y) write-output \$args.length # write-output \$args.count # the same as the previous write-output \$x write-output \$y write-output .Starting with the 2. parameter: foreach(\$i in \$args) { "The script parameters one after the other (0..0):" -f \$i }</pre> </div> |
| <p>66. What is the difference between a microprocessor and a microcontroller?</p> | <ol style="list-style-type: none"> 1. Microprocessors are usually 64 bit types. Microcontrollers are typically 8 bit types 2. Microcontrollers operate from a few MHz to 30 to 50 MHz, microprocessor operate above 1GHz 3. CISC RISC: The role of cache in microprocessors? The role of TLB in microprocessor? Neumann architecture & Harvard architecture? |
| <p>67. What is the most important feature of a Harvard architecture?</p> | <p>The most obvious characteristics of the Harvard Architecture is that it has physically separate signals and storage for code and data memory. It is possible to access program memory and data memory simultaneously.</p> |
| <p>68. What is the floating-point arithmetic used for?</p> | <p>A floating-point system can be used to represent, with a fixed number of digits, numbers of different orders of magnitude.</p> |
| <p>69. What is asymmetric coding?</p> | <p>Asymmeytic Encryption is a form of encryption where keys come in pairs. What one key encrypts, only the other can decrypt.</p> |
| <p>70. What is the meaning of the binary ftp mode?</p> | <p>The FTP protocol defines two ways of transferring files: ASCLL(text) and Binary. A binary transfer creates a byte-for-byte identical copy of the transferred file.</p> |
| <p>71. What is the meaning of ASCLL ftp mode?</p> | <p>It is a mode for transferring files via FTP. ASCII mode transfers files as 'text'</p> |
| <p>72. How can you redirect the standard input in Powershell?</p> | <p>You cannot redirect input in powershell</p> |
| <p>73. How can the "here input" functionality be replaced in Powershell?</p> | |
| <p>74. What is the profile.ps1 file good for? Is</p> | <p>1.A powershell profile is a script that runs when</p> |

| | |
|---|---|
| there anything equivalent to it in Unix shell? | <p>Powershell starts. You can use the profile as a logon script to customize the environment.</p> <p>2.You can add commands, aliases, functions, variables, snap-ins, modules, and Powershell drives.</p> <p>3. You can also add other session-specific elements to your profile so they are available in every session without having to import or re-create them</p> |
| 75. What do we mean by Powershell module? | A script modules is any valid Powershell script saved in a .psm1 extension . This extension allows the Powershell engine to use rules and modules cmdlets on your file |
| 76. Is the core Powershell module enough to modify the registry? Why? | <p>Yes.</p> <p>Powershell provides a large set of tools for interacting with the Microsoft Windows registry, either on the local machine or remotely.</p> |
| 77. How do you use command substitution in Powershell? | <p>There is no special form for command substitution!</p> <p>\$dirlist=dir #There is no need for using the 'dir' form!</p> |
| 78. How do you create a loop in sed script? | <pre>For i in `grep -l \$oldstring \$searchfiles`; do sed -i "s/\${oldString}/\${newstring}/g" \$i; done</pre> |
| 79. What type of files are usually in the /etc directory? | <p>1. Many networking configuration files</p> <p>2. Scripts or directories of scripts to run at startup(/etc/rc or etc/rc.d or /etc/rc.d)</p> |
| 80. Tell an example where the "setuid" bit is useful! | <p>The setuid bit simply indicates that when running the executable, it will set its permissions to that of the user who created it(owner), instead of setting it to the user who launched it.</p> <p>An example of an executable with the setuid permission set is passwd, the utility we cab use to change our login password. We can verify that by using the ls command: <code>ls -l /bin/passwd</code></p> <pre>-rwsr-xr-x. 1 root root 27768 Feb 11 2017 /bin/passwd</pre> |
| 81.What is the aim of using ACL in UNIX_LINUX system? | <p>A: Access control list (ACL) provides an additional, more flexible permission mechanism for file systems. ACL allows you to give permissions for any user or group to any disc resource.</p> <p>Basically, ACLs are used to make a flexible</p> |

| | |
|--|---|
| | permission mechanism in Linux. |
| 82.Is there anything in Windows that is adequate to ACL possibility? | <p>A: Yes there are two types of ACLs in windows as well.</p> <p>1: Discretionary ACL – is a list of zero or more ACEs that describe access rights for a protected object.</p> <p>2: System ACL- is a list of zero or more ACEs that describe auditing and alarm policy for a protected object.</p> |
| 83.What is the main difference between analog and digital signals? | <p>A: Analog and digital signals are different types which are mainly used to carry the data from one apparatus to another.</p> <p>The main difference between analog and digital signals is, analog signals are represented with the sine waves whereas digital signals are represented with square waves.</p> |
| 84.What is the task of the data, the address and the controller bus? | <p>Address Bus - It is used to carry location of data</p> <p>Data Bus - It is also called memory bus which is used to carry the data</p> <p>control bus It is part of t system bus, used by CPUs for communicating with other devices within the computer.</p> |
| 85.How can you create a filter in UNIX and in PowerShell? Is it possible anyway? | <p>A: Yes it is possible.</p> <p>In unix</p> <p>wc [OPTION]... [FILE]...</p> <p>grep [options] pattern [files]</p> <p>cut OPTION... [FILE]...</p> <p>these are the filters used in unix where option is command for performing specific action and File is a parameter.</p> <p>In Powershell</p> <p>Get-Content -Path C:\File etc</p> |

| | |
|---|--|
| 86. What is the main difference between the result of the UNIX ls and the PowerShell Get-ChildItem? | A: The main difference between ls and Get-ChildItem is that ls is an alias to the Get-ChildItem. |
| 87. On which platform can you use regular expressions? (In Unix, in PowerShell or in both?) | A: The regular expressions can be used on both of the platforms either unix or Powershell. |
| 88. What is the special meaning if a filename starts with . in UNIX? | A: If a filename in unix starts with . is usually called as dotfile which refers to the hidden files. ls command doesn't show these files unless you use -a with ls. |
| 89. When and why are the regular expression groups useful? | |
| 90. What is the main difference between the data going through the pipe in UNIX shell and in PowerShell? | A: The main difference between unix shell and powershell in terms of data going through pipe is Unix commands spit out text. PowerShell commands spit out objects |
| 91. What tool set do we have to write a script in UNIX and in PowerShell? | |
| 92. Give the file extension of a script in UNIX and in PowerShell! Is there any restrictions or you can choose it freely? | .sh / .ps1 freely on UNIX, not sure on ps. |
| 93. Is it possible to have a parameter of a filter command? If it is possible then give an example, if not, explain why it is not possible! | |
| 94. What is the difference between stdout and stderr? Do they exist in PowerShell too? | Standard output - writes normal information to output device. Standard error - writes error information to output device. Typically stdout is line buffered or has full buffering while stderr is unbuffered |
| 95. What is the "problem" with ones' | Ones' complement has a "positive" zero and a |

| | |
|---|--|
| complement? | "negative" zero. |
| 96. How do you redirect the stdin in PowerShell? | Ppt answer: in Powershell there is no input redirection |
| 97. What is SED good for? What is the most frequent command of it? | Filter – it modifies the input lines with the given operations. – Most frequent command not yet known |
| 98. Can we call a shell script in a SED script? Why? | |
| 99. How is it decided what type of script is a script on the UNIX platform? | |
| 100. What does it mean when a processor has 10-nanometer technology? | lithography figures tell you how tightly packed transistors are inside your processor, i.e how close they are. The lower the distance between two individual transistors, the faster electrons can travel between them, and the lesser energy that's wasted in transit. This means a lower thermal output across the board and more efficiency which translates to more speed with lesser power consumption. |
| 100.What does it mean when a processor has 10-nanometer technology? | 10-nanometer is measurement of the size of tiny transistors, electrical gates that switch on and off to perform calculations. |
| 101.What is the difference between a processor being 32 or 64 bit? | One of the difference between 32-bit processors and 64-bit processors is the number of calculations per second they can perform, which affects the speed at which they can complete tasks. Another difference between 32-bit processors and 64-bit processors is the maximum amount of memory (RAM) that is supported. |
| 102.How do you write an AWK script? Can you at all? | We can write AWK script . #!/usr/bin/awk This is the first line E.g.: \$ awk_program1 datafile # typical structure of the command |
| 103. What are IoT devices, possibilities? Can | IoT devices, or the internet of things, are |

| | |
|--|--|
| we write programs for them? | nonstandard computing devices that connect wirelessly to a network and have the ability to transmit data. We can write programs for IoT devices. |
| 104.What is the role of the BEGIN and END blocks of AWK? | BEGIN block, it is executed before the line by line block execution END block, it is executed after the line by line execution block |