The Python Tutorial

Lina Liu

Why Python

- 1. Powerful
- 2. Efficient high-level data structures
- 3. Simple but effective OOP
- 4. Ideal scripting language
- 5. Free third party python modules, tools, programs
- 6. Easily extended in other languages

What in python Tutorial

- 1. Basic concepts and noteworthy features
- 2. Lots of examples
- 3. Extensions:
 - 1. Standard objects and modules: python standard library
 - 2. Language definition: python language reference
 - Write extensions in C/C++: Extending and Embedding the python interpreter/ Python API reference manual

Other References

- 1. Description of standard objects and modules
 - 1. The Python Standard Library
- 2. Formal definition of the language
 - 1. The Python Language Reference
- 3. Extensions in C and C++
 - 1. Extending and Embedding the Python Interpreter
- 4. The Glossary is also worth going through
 - 1. >>> the default python prompt of the interactive shell
 - 2. Code examples can be executed interactively in the interpreter
- 5. Books covering python in depth
 - 1. Effiective python
 - 2. Python cookbook
 - 3. Fluent Python

What you will get?

- Give you a good idea of the languages's flavor and style
- 2. You will be able to read and write python modules and programs
- 3. Be ready to the next step
 - Learn more about the various python library modules described in The python standard library

Contents

- 1. Shining Python
- 2. Python interpreter
- 3. Python introduction
- 4. Control Flow Tools
- 5. Data Structure
- 6. Modules
- 7. Input and Output
- 8. Errors and Exceptions
- 9. Classes
- 10. Standard Library Tour
- 11. Virtual Environments and Packages
- 12.Interactive Input Editing history substitution
- 13.Floating
- 14.Appendix

Shining Python

- 1. Automate you task.
 - 1. Perform a search-and-replace over a large number of text files
 - 2. Rename and rearrange a bunch of photo files
 - 3. Write a small custom database
 - 4. A specialized GUI application
 - 5. Simple game
- 2. Compare with C/C++/java, the burdens of C/C++/Java
 - 1. You may find the usual write/compile/test/re-compile cycle of above languages is too slow
 - 2. Writing the test code a tedious task
 - 3. When you use an extension language, we may design/implement a whole new language
- 3. Compare with Unix Shell, the burdens of Unix Shell
 - 1. Shell scripts are best at moving around files and changing text data, but
 - 2. Not well-suited for GUI applications or games.
- 4. Compare with Awk or Perl
 - 1. Python offer much more structure and support for large programs.
 - 2. Python offers much more error checking than C
 - 3. Python has high-level data types built in.
- 5. Easily integrated modules
 - 1. Sprit your programs into modules that can be reused in other python programs
- 6. Interpreted language
 - 1. No compilation and linking is necessary.
 - 2. Interpreter can be used interactively.
- 7. Tidy and readably language
 - 1. Express complex operations in a single statement
 - 2. No beginning and ending brackets
 - 3. No variable or argument declaration are necessary
- 8. Python is extensible
 - 1. Once you are hooked, you can link the python interpreter into an application written in C
- 9. How the python name come from
 - 1. Named after the BBC show. "Monty Python's Flying Circus"

Python Interpreter

- 1. Where python interpreter located
 - 1. Usually installed as /usr/local/bin/python3.10
 - 2. Alternative location: /usr/local/python
- 2. How to start python interpreter
 - 1. Putting /usr/local/bin in you Unix Shell's search path
- 3. How to exit the python interpreter
 - 1. Ctrl-D on Unix
 - 2. Typing cmd: quit()
- 4. What python interpreter do
 - 1. Interactive editing
 - 2. History substitution
 - 3. Code completion
 - 4. Read and execute cads interactively
 - 5. When called with a file name argument or with a file as standard input, it reads and executes a script from that file
- 5. How to start python interpreter
 - 1. \$ Python3.10
 - 2. >>>
- 6. The Interpreter and its Environment
 - 1. Python source files are treated as encoded in UTF-8

Python Introduction

1. Numbers

Int / float/ Decimal/ Fraction

2. Strings

- 1. Enclosed in single quotes or double quotes
- 2. Special characters are escaped with backslashes
- 3. print() function produces a more readable output
- 4. If you don't want characters prefaced by \ to be interpreted as special characters, you can use raw string by adding an r before the first quote.
- 5. String can be concatenated with + and repeated with *
 - 1. 3 * "un" + ium
 - 1. Unununium
 - 2. Two or more string literals next to each other are automatically contented
 - 3. Strings can be indexed, with the first character having index 0
 - 1. Indices may also be negative numbers, to start counting from the right
 - 2. Slicing is supported, slicing allows you to obtain substring
 - 4. Strings cannot be changed they are immutable
 - 5. Built in function len() returns the length of a string
 - 6. Strings are examples of sequence types
 - 7. Strings support a large number of method for basic transformation and searching

3. Lists

- 1. Compound different data types, used to group together other values.
- 2. List can be written as a list of comma-separated values(items) between square brackets
- 3. List can be indexed and sliced
- 4. List value can be changes, lists are a mutable type
- 5. You can add new items at the end of the list, by using append() method
- 6. Assign to slices is also possible, and this can even change the size of the list, or clear it entirely
- 7. It's possible to nest lists(create lists containing other lists)s

Control Flow Tools

- 1. If statements
 - 1. If / elif /else
- 2. For statements
 - 1. Iterates over the items of any sequence, in the order that they appear in the sequence
 - 2. Tricky:
 - Modifies a collection which iterating over the same collection can be tricky to get right
 - 1. Loop over a copy of the collection or to create a new collection
- 3. The range() function
 - 1. range() function for you if you need to iterate over a sequence of numbers
 - 2. To iterate over the indices of a sequence, you can combine range() and len()

4.