

◆ GAMMA NET FREE STAND RACK CABINETS (27U 800 X 800)

◆ Standard Dimensions :

Height : 27U
Width : 800 mm
Depth : 800 mm

◆ Standard Colour :

RAL 9005
BLACK



RAL 7035
Light Gray



Other colours available
on request



◆ Complying with International Standards:


- ISO 9001-2015
- ISO 14001:2015
- EIA/ECA- 310 E & EIA-310 D
- IEC 297-1 19" MOUNTING
- IEC 297-2 Overall cabinet dimensions
- IP20 Protected
- MADE IN KSA




GAMMA NET FREE STAND RACK CABINETS SIZE (27) (800X800)

Part Number	Description - Standard Configuration - Colour Black RAL 9005 (WELDED STRUCTURE)	Width (W) mm	Depth (D) mm	Height (H) mm	Depth Rail to Rail (mm)	Static Load (KG)
GMC-FR-27U-88-2F	Gamma Net Free Stand Cabinet 27U 800×800 with Removable Side Door , Front Glass , Metal Back door , 2 pair of 19" Adjustable Pillars , 2 pair of caster Wheels , 2 Fan Galvanized Steel , Saudi Made	800	800	1200	600	500

OTHER SIZES AVAILABLE ON REQUEST



GAMMA NET FREE STAND RACK CABINETS DRAWING – 600 W
PERFORATED DOORS



GAMMA NET FREE STAND RACK CABINETS DRAWING – 600 W
GLASS DOORS

GAMMA CABINETS MANUFACTURED ACCORDING EIA-310 E , ETSI SPECIFICATIONS

Gamma Data Cabinets Fit all 19" Equipments

GAMMA NET AXIAL FAN DATA SHEET

GAMMA Ventilation Fan Calculation:

GAMMA Ventilation Calculation as below clarifications:

- a. 1 KW = 3,413.0 BTU/HR
- b. 3.5 KW = 11,945.5 BTU
- c. 12,000 BTU = 1 TON of air conditioning
- d. 11,942 BTU = 0.9952 TON of air-conditioning
- e. 1 Ton of Air Conditional = 400 CFM
- f. 3.5 KW = ~398.1 CFM
- g. 1 FAN = 105 CFM, 4 FANS = 420 CFM ~ 3.69 KW heat Dissipation

2 Fans will be enough for 1.3 KW heat.

