

Instructions

STEP 1: Open the following URL <https://www.programiz.com/sql/online-compiler/>

STEP 2: Solve the problems given under the Task sections

STEP 3: Take a screenshot and query you used and put them together in a doc/slides file to be presented.


Nama : Linda

Jawaban :

1. Shows all Customers who are older than 25 years old.

❖ **Query**

SELECT customer_id, first_name, last_name, age, country FROM customers WHERE age > 25;



```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

SELECT customer_id, first_name, last_name, age, country FROM customers WHERE age > 25;
```

❖ **Output**

Output				
customer_id	first_name	last_name	age	country
1	John	Doe	31	USA
5	Betty	Doe	28	UAE

Online SQL Editor

Manual QA #36 - Growla

programiz.com/sql/online-compiler

Programiz Online SQL Editor

Interactive SQL Course

Customers [-]

- customer_id [int]
- first_name [varchar(100)]
- last_name [varchar(100)]
- age [int]
- country [varchar(100)]

Orders [-]

- order_id [integer]
- item [varchar(100)]
- amount [integer]
- customer_id [integer]

Shippings [-]

- shipping_id [integer]
- status [integer]
- customer [integer]

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

SELECT customer_id, first_name, last_name, age, country FROM customers WHERE age > 25;
```

Run SQL

Available Tables

Customers

customer_id	first_name	last_name	age	country
1	John	Doe	31	USA
2	Robert	Luna	22	USA
3	David	Robinson	22	UK
4	John	Reinhardt	25	UK
5	Betty	Doe	28	UAE

Orders

order_id	item	amount	customer_id
1	Keyboard	400	4
2	Mouse	300	4
3	Monitor	12000	3
4	Keyboard	400	1
5	Mousepad	250	2

Shippings

shipping_id	status	customer
1	Delivered	3
2	Delivered	1
3	Delivered	3
4	Delivered	1
5	Delivered	1

Output

customer_id	first_name	last_name	age	country
1	John	Doe	31	USA
5	Betty	Doe	28	UAE

- Shows the data for all Delivered shipments. Output should be as follows:

❖ Query

SELECT shipping_id, status, customer FROM shippings WHERE status = 'Delivered';

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

SELECT shipping_id, status, customer FROM shippings WHERE status = 'Delivered';
```

Run SQL

❖ Output

Output

shipping_id	status	customer
3	Delivered	3
5	Delivered	1

Online SQL Editor

programiz.com/sql/online-compiler

Interactive SQL Course

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

SELECT shipping_id, status, customer FROM shippings WHERE status = 'Delivered';
```

Run SQL

Available Tables

id	first_name	last_name	age	country
3	David	Robinson	22	UK
4	John	Reinhardt	25	UK
5	Betty	Doe	28	UAE

Orders

order_id	item	amount	customer_id
1	Keyboard	400	4
2	Mouse	300	4
3	Monitor	12000	3
4	Keyboard	400	1
5	Mousepad	250	2

Shippings

shipping_id	status	customer
1	Pending	2
2	Pending	4
3	Delivered	3
4	Pending	5
5	Delivered	1

Output

shipping_id	status	customer
3	Delivered	3
5	Delivered	1

- Shows the records from the Orders table that were made by John Doe. Output should be as follows

❖ Query

```
SELECT customers.first_name, customers.last_name, orders.order_id,
orders.item, orders.amount FROM orders JOIN customers ON
orders.customer_id = customers.customer_id WHERE customers.first_name =
'John' AND customers.last_name = 'Doe';
```

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

-- SELECT first_name, last_name, order_id, item, amount FROM Customers c, Orders o WHERE
c.customer_id = o.customer_id group by item having first_name = 'John' AND last_name = 'Doe';

SELECT customers.first_name, customers.last_name, orders.order_id, orders.item, orders.amount
FROM orders JOIN customers ON orders.customer_id = customers.customer_id WHERE
customers.first_name = 'John' AND customers.last_name = 'Doe';
```

Run SQL

❖ Output

Output				
first_name	last_name	order_id	item	amount
John	Doe	4	Keyboard	400

Online SQL Editor

gramiz.com/sql/online-compiler

Interactive SQL Course

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

-- SELECT first_name, last_name, order_id, item, amount FROM Customers c, Orders o WHERE
c.customer_id = o.customer_id group by item having first_name = 'John' AND last_name = 'Doe';

SELECT customers.first_name, customers.last_name, orders.order_id, orders.item, orders.amount
FROM orders JOIN customers ON orders.customer_id = customers.customer_id WHERE
customers.first_name = 'John' AND customers.last_name = 'Doe';
```

Run SQL

Available Tables

Customers

customer_id	first_name	last_name	age	country
1	John	Doe	31	USA
2	Robert	Luna	22	USA
3	David	Robinson	22	UK
4	John	Reinhardt	25	UK
5	Betty	Doe	28	UAE

Orders

order_id	item	amount	customer_id
1	Keyboard	400	4
2	Mouse	300	4
3	Monitor	12000	3
4	Keyboard	400	1
5	Mousepad	250	2

Shippings

shipping_id	status	customer
-------------	--------	----------

Output

first_name	last_name	order_id	item	amount
John	Doe	4	Keyboard	400

4. Shows the Customers first name and last name who made an order more than or equal to 400. Output should be as follows:

❖ Query

SELECT customers.first_name, customers.last_name FROM customers JOIN orders ON customers.customer_id = orders.customer_id WHERE orders.amount >= 400;

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

SELECT customers.first_name, customers.last_name FROM customers JOIN orders ON
customers.customer_id = orders.customer_id WHERE orders.amount >= 400;
```

Run SQL

❖ Output

Output

first_name	last_name
John	Reinhardt
David	Robinson
John	Doe

[Interactive SQL Course](#)

Input

```
-- Online SQL Editor to Run SQL Online.
-- Use the editor to create new tables, insert data and all other SQL operations.

SELECT customers.first_name, customers.last_name FROM customers JOIN orders ON
customers.customer_id = orders.customer_id WHERE orders.amount >= 400;
```

Run SQL

Available Tables

Customers

customer_id	first_name	last_name	age	country
1	John	Doe	31	USA
2	Robert	Luna	22	USA
3	David	Robinson	22	UK
4	John	Reinhardt	25	UK
5	Betty	Doe	28	UAE

Orders

order_id	item	amount	customer_id
1	Keyboard	400	4
2	Mouse	300	4
3	Monitor	12000	3
4	Keyboard	400	1
5	Mousepad	250	2

Shipings

shipping_id	status	customer
-------------	--------	----------

Output

first_name	last_name
John	Reinhardt
David	Robinson
John	Doe