Total Revenue

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT SUM(amount) AS total_revenue
FROM Payments;
```

Results

Query #1 Execution time: 0.18ms

total_revenue
1700.0

Most Active Patients

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql

SELECT Patient_ID, COUNT(*) AS total_appointments
FROM Appointments
GROUP BY Patient_ID
ORDER BY total_appointments DESC;
```

Results

Query #1 Execution time: 0.41ms

Patient_ID	total_appointments
1	2
2	1
3	1

Most Popular Service

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Service, COUNT(*) AS Total
FROM Appointments
GROUP BY Service
ORDER BY Total DESC
```

Results

Query #1 Execution time: 0.33ms

Service	Total
GENERAL CHECKUP	2
DENTAL	1
EYE TEST	1

Join All 3 Tables

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Patients.Name, Appointments.Service, Payments.Amount
FROM Patients
INNER JOIN Appointments
ON Patients.Patient_ID = Appointments.Patient_ID
INNER JOIN Payments
ON Appointments.Appointment_ID = Payments.Appointment_ID
```

Results

Query #1 Execution time: 0.25ms

Name	Service	Amount
JOHN	GENERAL CHECKUP	500.0
SARAH	DENTAL	300.0
JOHN	EYE TEST	400.0
MIKE	GENERAL CHECKUP	500.0

Revenue Per Service

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Appointments.Service, SUM(Payments.Amount) AS Revenue
FROM Appointments
INNER JOIN Payments
ON Appointments.Appointment_ID = Payments.Appointment_ID
GROUP BY Appointments.Service;
```

Results

Query #1 Execution time: 0.34ms

Service	Revenue
DENTAL	300.0
EYE TEST	400.0
GENERAL CHECKUP	1000.0

Patient With More Than 1 Appointment

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Patient_ID
FROM Appointments
GROUP BY Patient_ID
HAVING COUNT(*) > 1
```

Results

Query #1 Execution time: 0.25ms

Patient_ID
1

Frequent Patients

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Name
FROM Patients
WHERE Patient_ID IN (
    SELECT Patient_ID
    FROM Appointments
    GROUP BY Patient_ID
    HAVING COUNT(*) > 1
  );
```

Results

Query #1 Execution time: 0.31ms

Name
JOHN

Categorize Payments

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Amount,
CASE
    WHEN Amount >= 500 THEN 'High'
    WHEN Amount >= 300 THEN 'Medium'
    ELSE 'Low'
END AS Payment_Category
FROM Payments;
```

Results

Query #1 Execution time: 0.22ms

Amount	Payment_Category
500.0	High
300.0	Medium
400.0	Medium
500.0	High

Daily Booking Analysis

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Date, COUNT(*) AS Total_Appointments
FROM Appointments
GROUP BY Date
ORDER BY Total_Appointments DESC;
```

Results

Query #1 Execution time: 0.24ms

Date	Total_Appointments
2026-03-03	2
2026-03-01	1
2026-03-02	1

Top Performing Service

Schema SQL

```sql
CREATE TABLE Patients (
  Patient_ID INT,
  Name VARCHAR(50),
  City VARCHAR(50)
);

CREATE TABLE Appointments (
  Appointment_ID INT,
  Patient_ID INT,
  Date DATE,
  Service VARCHAR(50)
);

CREATE TABLE Payments (
  Payment_ID INT,
  Appointment_ID INT,
  Amount DECIMAL(10,2)
);

INSERT INTO Patients VALUES
```

Text to DDL

Query SQL

```sql
SELECT Service, COUNT(*) AS Total
FROM Appointments
GROUP BY Service
ORDER BY Total DESC
LIMIT 1;
```

Results

Query #1 Execution time: 0.56ms

Service	Total
GENERAL CHECKUP	2