SkillGauge AI – Interview Assessment Report

Email: lingeeshd@gmail.com
Report Date: 2026-02-08 21:18:37

1. What is the primary drawback of using Accuracy as the sole metric for evaluating a highly imbalanced classification model?
A) It requires too much computation.
B) It can be misleading if the minority class (class of interest) is overlooked. ✓
C) It is only useful for regression tasks.
D) It violates the bias-variance trade-off.

2. Which SQL clause is specifically used to filter groups based on the result of an aggregate function (e.g., COUNT, SUM)?
A) WHERE
B) ORDER BY ✗
C) GROUP BY
D) HAVING

3. Which Python library is most commonly used in Data Science for efficient data cleaning, manipulation, and time-series handling?
A) Numpy
B) Scikit-learn
C) Pandas ✓
D) TensorFlow

4. In the C programming language, what is the key feature of `calloc()` that distinguishes it from `malloc()`?
A) `calloc()` is used for static memory allocation.
B) `calloc()` initializes the allocated memory block to zero. ✓
C) `calloc()` is much faster than `malloc()` for small blocks.
D) `calloc()` does not require the memory size as an argument.

5. Which HTML5 semantic element should be used to wrap the main navigational links for the entire website?
A)
B) ✗
C)
D)

6. Which CSS property is used by Front End Development teams to define the vertical spacing between lines of text within an element?
A) text-indent
B) word-spacing
C) line-height ✓
D) margin-top

7. In the context of an ML Pipeline, what phase immediately follows Model Training and precedes Deployment?
A) Data Collection
B) Feature Engineering ✗
C) Model Evaluation
D) Dataiku Governance

8. When utilizing Github, what command is typically used to download changes from a remote repository into the local working branch and automatically merge them?
A) git clone
B) git pull ✓
C) git commit
D) git fetch

9. Spotfire is primarily known and used within the Data Science ecosystem for what purpose?
A) Relational Database Management
B) Interactive Data Visualization and Business Intelligence
C) Low-level OS virtualization ✗
D) Managing Docker containers

10. BigQuery, a core service of Google Cloud, is best described as a:
A) Managed NoSQL document database.
B) Highly scalable, serverless data warehouse.
C) Container orchestration service. ✗
D) Standard virtual machine service.

11. Which specific category of Machine Learning algorithms does K-Means fall under?
A) Supervised Learning
B) Reinforcement Learning ✗
C) Unsupervised Learning
D) Semi-Supervised Learning

12. Which Google Cloud service provides highly scalable, durable, and serverless object storage, commonly used for storing raw data for Data Science projects?
A) Cloud Functions
B) Compute Engine ✗
C) Cloud Storage
D) Cloud SQL

13. Which type of database architecture is MongoDB known for, utilizing JSON-like BSON format to store data?
A) Key-value store
B) Relational (RDBMS)
C) Document-oriented (NoSQL) ✓
D) Graph database

14. In the Flask Web Application Framework, what function is performed by the `@app.route()` decorator?
A) It connects Flask to the MongoDB instance.
B) It defines the HTML templating engine.
C) It maps a URL path to the Python function that handles the request.
D) It handles static file serving. ✗

15. In the context of pattern detection in Excel, which feature can automatically recognize a pattern (e.g., extracting names or dates) from adjacent data without requiring a formula?
A) VLOOKUP
B) Flash Fill
C) Conditional Formatting
D) Data Validation ✗

16. When training predictive models, what technique is used to prevent overfitting by adding a penalty term proportional to the magnitude of the coefficients?
A) Normalization
B) Cross-validation ✗
C) Dimensionality Reduction
D) Regularization (Lasso or Ridge)

17. The Xception model architecture is a Deep Learning model primarily recognized for its performance in which domain?
A) Natural Language Processing (NLP)
B) Computer Vision (Image Classification) ✓
C) Time Series Forecasting
D) Reinforcement Learning

18. What risk is primarily introduced into an ML modeling process if missing data (Null values) are ignored rather than imputed or removed during data cleaning?
A) Model evaluation becomes too fast.
B) The model will be biased or misrepresent the population distribution.
C) It significantly increases the required visualization capabilities. ✗
D) The pattern detection ability of the algorithm is enhanced.

19. In the realm of AR VR MR, which technology describes the blending of real and virtual worlds where virtual objects can interact with the physical environment in real-time?
A) Virtual Reality (VR)
B) Augmented Reality (AR) ✗
C) Mixed Reality (MR)
D) Extended Reality (XR)

20. In Model Training, what is the term for a configuration setting (like learning rate or number of layers) that is set manually by the user before training begins?
A) Model Parameter
B) Input Feature
C) Hyperparameter ✓
D) Cost Function

21. Which characteristic best describes an Artificial General Intelligence (AGI) system?
A) It can only perform one specific task (e.g., Chess).
B) It operates slower than the average human mind. ✗
C) It possesses the ability to understand, learn, and apply intelligence across a wide range of tasks, like a human.
D) It is restricted to running on specialized hardware.

22. VS Code is highly customizable through 'Extensions'. What is the primary purpose of these extensions?
A) To upgrade the host operating system.
B) To add language support, debugging tools, linters, or themes. ✓
C) To modify the core application source code.
D) To manage database connections only.

23. What core functionality does Dataiku provide that supports the operationalization and scaling of Machine Learning solutions?
A) Providing low-level kernel access for C programming.
B) Offering a collaborative platform for end-to-end data science and ML governance.

C) Serving as a replacement for HTML/CSS in web design.
D) Acting exclusively as an Excel spreadsheet parser. ✗

24. Which common ML Algorithm relies on calculating the distances between data points to classify or cluster new points, without explicitly defining a decision boundary?
A) Linear Regression
B) Support Vector Machine (SVM)
C) K-Nearest Neighbors (KNN) ✓
D) Naïve Bayes

25. Why do full-stack Web Application Frameworks (like Django or Ruby on Rails) tend to be preferred over micro-frameworks (like Flask) for large, complex projects?
A) They offer simpler routing capabilities.
B) They inherently include built-in features like ORM, templating, and security modules.
C) They are exclusively faster in production environments. ✗
D) They require less memory and CPU resources.

FINAL SCORE: 10/25
Percentage: 40.0%