## CMPUT 466/551 — Programming Exercise #6

Instructor: R Greiner

Due Date: 11:55pm, Friday 30/Oct/2015

This exercise is intended to further your understanding of Decision Trees.

Relevant reading: [HTF: parts of Ch 10]

Everyone should answer Questions#1-3; Q#4 is optional, for extra credit.

**Total points**: 22 (+ 4 for extra credit)

Percentage of total course mark: Ugrad: 8% Grad: 6%

For the following questions, you have been provided with two datasets, some helper functions, and the skeletons of some other functions (that you will need to flesh out).

- breast\_cancer\_dataset.mat: The breast cancer dataset contains a train\_set, test\_set, and a vector of attribute descriptions. There are 21 attributes, each of which can take one of 10 values. The last column of the training and test sets is the class label, which can take the value 0 for benign or 1 for malignant.
- planets.mat: The *planets* dataset contains a train\_set, test\_set, and a vector of attribute descriptions. There are two attributes, each of which can take one of two values, {0, 1}. The last column of the training and test sets is the class label, which can take the value 0 meaning the planet is not habitable or 1 meaning the planet is habitable.
- print\_tree.m: Helper code that prints a decision tree. There is no need to modify this code.
- small\_test.m: Helper code that you can use to verify your code for learnDecisionTree.m and classify.m. It will print the decision tree trained on train\_set in planets.mat and classify the first training instance. Feel free to modify this code however you like. It will not be marked.
- learnDecisionTree.m: Skeleton of the code that implements the algorithm for learning a decision tree.
- classify.m: Skeleton of the code that implements a function that takes a decision tree and an instance, and returns the class label predicted for that instance.
- overfitting.m: Helper code for the extra-credit portion of the assignment. Computes the training and test accuracies for decision trees trained to a specified depth. There is no need to modify this code.
- learnDecisionTree\_2.m: Skeleton of the code that implements the algorithm for learning a depth-limited decision tree, for the extra credit portion of the assignment.

Question 1 [14 points] 2pts each for steps 1–4; 6pts for step 5.

In learnDecisionTree.m, implement the algorithm from the slide numbered 27 (which is 22/79) of the decision-tree lecture notes (link can be found at the top of learnDecisionTree.m file).

The algorithm constructs a decision tree whose attributes are chosen based on minimizing the uncertainty. The algorithm continues until reaching "purity" (running out of all attributes, or all "discriminating" attributes). There is no pruning.

The equation for **Uncertainty** is:

Uncert
$$(S, A) \equiv \sum_{v \in \text{Values}(A)} \frac{|S_{A=v}|}{|S|} \text{Entropy}(S_{A=v})$$
 (1)

where S is a collection of labeled examples, A is a particular attribute, and

$$S_{A=v} = \{(x,y) \in S \mid x_A = v\}$$

is the subset of S whose attribute A has the value v.

This uses:

Entropy(S) 
$$\equiv -\sum_{i=1}^{c} p_i \log_2 p_i$$

where there are c different class labels, and  $p_i = \frac{|\{(x,y) \in S \mid y=i\}|}{|S|}$  is the proportion of S belonging to class label i.

Question 2 [6 points] 2 pts each for the leaf case and 4 pts for the non-leaf cases. In classify.m, implement the code that takes as inputs a decision tree (as outputted by learnDecisionTree.m) and a single instance (row) and returns the class label predicted by the decision tree for that instance.

Once you have implemented learnDecisionTree.m and classify.m, you may wish to do a quick sanity check: Execute the provided file small\_test.m, which

- 1. learns a decision tree for planets.mat,
- 2. prints it out using print\_tree.m, and
- 3. reports the class of the first instance of the training set, predicted by the decision tree you just learned.

You will not be marked on this, as the expected output is provided in small\_test.m.

## Question 3 /2 points/

Prepare a report, report.txt, which includes the following items:

• (1 pts) Please copy and paste the output of the following three lines of code, which prints the decision tree for the breast cancer dataset.

```
load breast_cancer_dataset
tree = learnDecisionTree(train_set, attribute, 0);
print_tree(tree)
```

- (1 pts) Please use classify.m to classify all the instances in train\_set and test\_set in breast\_cancer\_dataset.mat. Report the integer number of correctly classified instances for the training and test sets.
- If you think there may be errors in your code, please describe them in the report and write comments that help describe your code.

## Question 4 /4 points/ Extra Credit

One way to mitigate overfitting is to limit the depth of the decision tree. In learnDecisionTree\_2.m, create a modified version of learnDecisionTree.m that takes a fourth input argument 'depth' and returns a decision tree with max-depth 'depth'.

Then, execute overfitting.m which calls learnDecisionTree\_2.m with three different depth values and reports the training and test accuracies.

In **report.txt**, copy and paste the output of **overfitting.m**. Indicate which depth is the best and write one sentence to justify your answer.

## Delieverables and Submission

Your final submission should be a single zip-file, called  $\mathbf{PE}_{-}\mathbf{6.zip}$ , that includes all your files. You should only submit (upload into eClass) a zip-file – n.b., we will NOT accept a rar-file or a 7z-file.