



EST. 2009 · AMBATTUR INDUSTRIAL ESTATE, CHENNAI



ESTEEM MULTISYSTEMS

FACTORY AUTOMATION DIVISION



Industrial Washing, Drying, Testing, Oiling, Conveying & Automation Systems — Engineered for the Modern Production Floor

20+

MACHINE
MODELS

10

PRODUCT
CATEGORIES

2009

ESTABLISHED

6

SPECIALIST
ENGINEERS

WASHING & DRYING · QUALITY & TESTING · OILING · CONVEYORS · AUTOMATION · FIXTURES & FABRICATION

WHAT'S INSIDE

Contents

01	Industrial Part Washing Machine Rotary, slide-table, conveyor, tumbling, ultrasonic-flood, turntable, pick & place, screw-feed conveyor and overhanging washing & drying systems.	9 Variants
02	Industrial Part Drying Machine Centrifugal, conveyor and vacuum drying configurations for high-throughput and heat-sensitive components.	3 Variants
03	Industrial Bin Washing & Drying Machine Rotary and conveyor bin-cleaning systems built for crates, trays and reusable containers.	2 Variants
04	Leak Testing Machine Dry pressure-decay and wet submersion leak testing for sealed-component verification.	2 Variants
05	Oiling Machine Dip, inline-conveyor and tumbling thru-feed oiling configurations for rust prevention and lubrication.	3 Variants
06	Oil Dispenser Compact, precision metered lubricant dispensing for controlled point-of-assembly application.	1 Variant
07	Industrial Conveyors Cooling conveyors and material handling conveyors connecting thermal and process stages across the line.	2 Variants
08	Custom Fixtures & Tooling Precision-engineered fixtures built to match exact component geometry across every process stage.	Reference Set
09	Polymer Coating Machine Uniform protective polymer film application for durability and corrosion resistance.	1 Variant
10	Fabrication Services In-house design, sheet-metal, structural and precision assembly built to exact specification.	Support Service

Since 2009, a team formed collectively across design, fabrication, electrical and procurement — built to meet the growing automation demands of modern manufacturing.

ABOUT ESTEEM MULTI SYSTEMS

A Legacy of Precision & Trust

♦ Serving Indian manufacturing since 2009

Engrossed in manufacturing a supreme quality spectrum of industrial washing machines and allied process equipment — headquartered at Ambattur Industrial Estate, Chennai.

2009

2009

ESTABLISHED

20+

YEARS EXP.

20+

VARIANTS

10

DIVISIONS

OUR STORY

Established in 2009, Esteem Multi Systems operates as a partnership entity built around senior staff with 20+ years of automation experience, leading a team spanning design, fabrication, electrical engineering and procurement. As factory automation demand has grown sharply over the past decade, Esteem has grown alongside it — engineering equipment purpose-built for a competitive, fast-moving factory floor rather than adapted from a generic catalogue.

WHAT WE DO

- ♦ Industrial part washing & drying machine
- ♦ Quality & leak testing equipment
- ♦ Oiling & polymer coating machines
- ♦ Conveyors & material handling
- ♦ Custom fixtures & tooling
- ♦ In-house fabrication services

Every machine that leaves the Ambattur facility is fabricated, wired and tested in-house — backed by dedicated spares and after-sales support for the working life of the equipment.

CONTACTS & RESPONSIBILITIES

Direct lines for sales, technical, purchase and support enquiries.

DM D. Mohammed Kasim Management & Sales Enquiry	93818 55535 EMAIL info@esteemmultisystems.com · projects@esteemmultisystems.com
ES E. Siddharth Design & Technical Enquiry	90032 28253 EMAIL info@esteemmultisystems.com · projects@esteemmultisystems.com
GM G. Murugan Purchase & After Sales Support	80720 82601 EMAIL info@esteemmultisystems.com · purchase@esteemmultisystems.com
RB R. Bhuvaneshwaran Accounts & Spares Support	63804 23286 EMAIL info@esteemmultisystems.com · purchase@esteemmultisystems.com
VS V. Sivaprakesh Floor Supervisor — Machine Status Enquiry	79047 05936 EMAIL info@esteemmultisystems.com · purchase@esteemmultisystems.com
RG R. Gopikrishnan Automation & Electrical Engineer	63791 46737 EMAIL info@esteemmultisystems.com · purchase@esteemmultisystems.com

DP 112/9, South Phase, 2nd Main Road, Ambattur Industrial Estate, Chennai – 600058

01

CATALOGUE SECTION

Industrial Part Washing Machine

General rotary, front loading, sliding table, conveyor, ultrasonic, turntable, pick & place and overhanging washing & drying machines — nine engineered configurations covering every component-washing scenario on the modern factory floor.

IN THIS SECTION

- 01 General Rotary Washing & Drying Machine
- 02 Slide Table Focus Washing & Drying Machine
- 03 Conveyor Washing & Drying Machine
- 04 Conveyor Tumbling Washing & Drying Machine
- 05 Tumbling Ultrasonic Flood Washing & Vacuum Drying Machine
- 06 Turn Table Washing & Drying Machine
- 07 Pick & Place Multi Stage Washing & Drying Machine
- 08 Child Parts Screw Feed Conveyor Washing & Drying Machine
- 09 Multistage Overhanging Washing & Drying Machine

PRODUCT 01

General Rotary Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

The machine consist of a process chamber with a central rotatory table. Parts are placed on to the central rotary table & are subjected to continuous rotation. This added with washing & drying process executes the necessary cleanliness results for the customer

KEY FEATURES

- Rotary basket design for even, all-round coverage on every surface
- Stainless-steel construction built for continuous, multi-shift duty
- Compact footprint suited to tight or existing production layouts
- Interchangeable basket sizes to match different component batches
- Automatic wash-and-dry cycle with minimal operator input required
- Eco-friendly operation with controlled water and energy consumption

APPLICATIONS

Well suited for general washing of all parts within the size of the envelope of rotary table providing uniform washing & drying throughout the rotary table. Customers would prefer this machine for prewashing & cost effective machine

CONSTRUCTION

Stainless Steel

CONTROL

PLC

BEST FOR

Batch Cleaning

PRODUCT 02

Slide Table Focus Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

The machine consist of a process chamber divided into 2 stations - Washing & Drying with dedicated fixtures depending on the number parts that required to be loaded to match the cycle time. All loaded parts will have dedicated washing nozzles to perform high efficient washing. The drying process helps the components to drain water that would easy for unloading of parts after deep focus washing.

KEY FEATURES

- Sliding table for safe, convenient external loading and unloading
- Repeatabe, targeted coverage delivered cycle after cycle
- Focus washing for the parts to get high cleanliness values
- Adjustable spray pressure and cycle time per part programme
- Focused spray-and-drain cleaning action on targeted zones
- Reduced water and detergent consumption per cleaning cycle
- Automatic drying sequence after washing

APPLICATIONS

This type of machine is usually chosen by customers who prefers all holes & cavity to be completely cleaned & to achieve high Millipore values without any compromises.

LOADING

Front Slide Table

CYCLE

Washing & Drying

BEST FOR

Sub-Assemblies

PRODUCT 03

Conveyor Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

A conveyor runs through process chamber consisting of washing & drying station. Components moves through process chamber from one point to another finishing the washing & drying process.

KEY FEATURES

- | | |
|--|--|
| • Continuous conveyor feed with zero batch-to-batch downtime | • Machine compatible for Robo Loading of parts |
| • Even heat and air distribution guaranteed across every load | • Built for high-volume, multi-shift, round-the-clock production |
| • Stainless-steel chamber construction rated for continuous duty | • Automatic wash-to-dry handoff sequenced along the line |

APPLICATIONS

Machine built for high production volume where parts require the high cleanliness effectiveness but low cycle time with the machine robust reliableness with downtime next to non existence.

FEED
Continuous Conveyor

THROUGHPUT
Multi-Shift

BEST FOR
In-Line Production

PRODUCT 04

Conveyor Tumbling Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

A thru feed conveyor runs along the process chamber with 1 tumbling unit placed inside the washing station & another one placed inside the drying station. The washing & drying manifold would remain fixed at one corner while the tumbling systems rotates the compartments in 360 degree

KEY FEATURES

- Continuous tumbling feed suited to big bulk parts
- Complete wash spray exposure for component surface & cavity
- Line-integrated design needs no separate loading step
- Consistent throughput maintained at production line speed
- Even wash-to-dry transition achieved within a single pass
- Durable build engineered for high-cycle industrial duty

APPLICATIONS

Machine is usually suited for customers where requirement of large parts such as cylinder blocks & head requires high level of washing & drying for the outer surface & deep inner cavity where heavy contamination if found that will impact assembly & bring down performance during running. This machine helps the parts to have perfect optimum milipore values achieve at ease.

FEED

Tumbling Conveyor

IDEAL PARTS

Cylinder Block & Cylinder Head

DUTY

High-Cycle

PRODUCT 05

Tumbling Ultrasonic Flood Washing & Vacuum Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

A rollcage is present inside the process chamber where a basket filled with dirty parts are loaded & are rotated. The machine performs General Washing, Ultrasonic Flood Washing, Rinsing, Hot Air Blow & Vacuum Drying.

KEY FEATURES

- Combined tumbling, ultrasonic and flood-wash cycle in one pass
- Vacuum drying stage protects heat-sensitive components fully
- Reaches recesses, threads and internal features reliably
- Effective on complex and irregular component geometries
- Automated cycle sequencing delivers fully repeatable results
- Suited to stubborn contamination and fine particulate residue

APPLICATIONS

Best suited for components with complex geometries or hard-to-reach internal features, where standard rotary or spray washing cannot guarantee complete contaminant removal. Preferred for applications demanding very high Millipore cleanliness levels and 100% dryness, with machine performance that is unmatched by conventional cleaning concepts.

CLEANING
Ultrasonic + Flood

DRYING
Vacuum, Hot Air Blow

BEST FOR
Complex Geometries

PRODUCT 06

Turn Table Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

The process chamber is divided into 4 stations comprising of loading/unloading, washing & drying. At the centre of the process chamber is a rotary table where component fixtures are placed so that the component fixture travels from 1 station to another.

KEY FEATURES

- | | |
|--|--|
| ● Rotating turntable transport through fixed spray zones | ● Even, all-around cleaning coverage delivered per cycle |
| ● Robot loading compatible | ● Consistent repeatability for process sequencing of every component |
| ● Automatic wash-to-dry cycle transition, fully sequenced | ● Stainless-steel build rated for continuous industrial duty |
| ● Multiple turntable diameters available to match batch size | |

APPLICATIONS

Well suited for washing process cycle where cycle time is less & requires the machine to do its work at the utmost precision in terms of washing & also at same time should not be interrupted for loading & unloading of component.

MECHANISM
Rotating Turntable

COVERAGE
Fixed Spray Zones

BEST FOR
Consistent Repeatability & High Volume Production

PRODUCT 07

Pick & Place Multi Stage Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE



OVERVIEW

The machine will be divided into various stations linearly depending on the customers requirement. Apart from general washing & ultrasonic washing, this may include rinsing, dewatering, oiling, chemical coating, hot air drying & vacuum drying. The component(s) will usually be placed in a basket & a pick & place arm will do the job of transferring the basket from 1 station to another.

KEY FEATURES

- | | |
|--|--|
| ● Fully automated pick-and-place component transfer system | ● Sequential wash, rinse and dry stations in one integrated cell |
| ● Hands-free operation maintained across the entire cycle | ● Consistent, repeatable results delivered at high volume |
| ● Minimal manual handling required between process stages | ● Suited to continuous, multi-shift production environments |

APPLICATIONS

Customers usually prefer this concept, when they are search of an alternate of tumbling machine where each process requires individual process chamber if the combined process of all process with in single chamber is a deal breaker.

AUTOMATION
Pick & Place

STAGES
Wash-Rinse-Dry

BEST FOR
High-Volume Lines

PRODUCT 08

Child Parts Screw Feed Conveyor Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE · SINGLE VARIANT



OVERVIEW

A screw-feed conveyor washing and drying machine purpose-built for small child parts — fasteners, pins, clips and similar high-volume components. A rotating screw mechanism meters and advances parts steadily through the wash and dry stages, keeping tiny components moving and separated rather than clumping or settling into dead zones within the chamber.

KEY FEATURES

- Screw-feed mechanism meters small parts steadily and evenly
- Continuous, controlled throughput maintained at scale
- Compact, line-integrated footprint saves valuable floor space
- Screw pitch adjustable to suit different part dimensions

BUILT FOR YOUR LINE

Screw pitch and feed rate are matched to your part size and target output, keeping thousands of small components moving individually rather than in clumps, with output rates verified during commissioning.

- Prevents clumping and uneven exposure of tiny components
- Full-surface wash and dry coverage delivered per part
- Built for very high-volume fastener-class components

APPLICATIONS

Purpose-built for small child parts and fasteners produced in bulk, where consistent, individualised cleaning exposure matters more than the flexibility a general basket or turntable machine offers for larger components.

MECHANISM Screw-Feed	IDEAL PARTS Fasteners, Pins	VOLUME Very High
-------------------------	--------------------------------	---------------------

PRODUCT 09

Multistage Overhanging Washing & Drying Machine

INDUSTRIAL PART WASHING MACHINE · SINGLE VARIANT



OVERVIEW

The process chamber consist of a conveyor that runs through the entire machine built overhead. The conveyor on a regular interval consist of a hook like carrier of parts that will be able to carry part without any way damage them. this suspended parts go through washing station for overall general washing & drying station to eliminate dripping water to perform overall drying.

KEY FEATURES

- Overhead-hoist transfer keeps components fully suspended
- Well suited to large or awkwardly shaped components
- No component contact with chamber floor or bath sediment
- Multi-stage sequential wash and dry stations in one system
- Consistent, all-round coverage guaranteed at every stage
- Automated station-to-station transfer sequencing throughout

APPLICATIONS

Purpose-built for large, heavy, or awkwardly shaped components that are difficult to process in a standard basket or turntable machine, where overhead handling protects both the part and the finish quality throughout.



TRANSFER
Overhead Hoist

STAGING
Multi-Stage

BEST FOR
High Volume Parts

02

CATALOGUE SECTION

Industrial Part Drying Machine

Centrifugal, conveyor and vacuum drying configurations engineered for high-throughput lines and heat-sensitive components alike — matching drying method to material and production speed.

IN THIS SECTION

- 01 Centrifugal Drying Machine
- 02 Conveyor Drying Machine
- 03 Vacuum Drying Machine

PRODUCT 10

Centrifugal Drying Machine

INDUSTRIAL PART DRYING MACHINE

OVERVIEW

High-speed centrifugal drying that spins components to rapidly fling off residual moisture and oils, delivering fast, energy-efficient drying. The spin basket is engineered for balanced rotation even with mixed or asymmetric loads, reducing vibration and wear over years of continuous use. The hot air blow helps further in drying the component to match the production volume.

KEY FEATURES

- ◆ High-speed spin cycle removes moisture rapidly and thoroughly
- ◆ Turbine hot air blow rapidly increases the temperature to the desired level
- ◆ Compact footprint fits neatly into existing production cells
- ◆ Balanced basket design minimises vibration on mixed loads

APPLICATIONS

The machine is suited for customer who opt dryness of upto 90% effectiveness with much cost effective method



SPIN CYCLE
High-Speed

HEAT
Rapid Heated Turbine Blower

BEST FOR
Cost effective dryer

PRODUCT 11

Conveyor Drying Machine

INDUSTRIAL PART DRYING MACHINE

OVERVIEW

Continuous in-line drying on a moving conveyor bed, engineered for uninterrupted high-throughput production with even heat and air distribution across every load. Components travel through a controlled thermal zone at a fixed line speed, so drying time is fully predictable and repeatable batch after batch, shift after shift.

KEY FEATURES

- ◆ Continuous conveyor feed with zero batch downtime
- ◆ Even heat and air distribution guaranteed across the load
- ◆ Line speed matched precisely to upstream/downstream stages
- ◆ Suited to high-volume, multi-shift production schedules
- ◆ Insulated chamber design for consistent internal temperature
- ◆ Adjustable dwell time to suit different component masses

APPLICATIONS

Built for production lines where drying needs to happen in step with the line itself, connecting directly after a washing or coating stage without any intermediate handling or storage buffer required.



FEED Continuous Conveyor	AIRFLOW Even Distribution	BEST FOR Line-Integrated
-----------------------------	------------------------------	-----------------------------

PRODUCT 12

Vacuum Drying Machine

INDUSTRIAL PART DRYING MACHINE

OVERVIEW

Low-pressure vacuum drying that lowers the boiling point of residual liquids, enabling fast, low-temperature evaporation — ideal for heat-sensitive components that cannot tolerate conventional oven-style drying. The sealed chamber also protects parts from airborne contamination during the drying cycle itself.

KEY FEATURES

- ◆ Low-temperature process protects sensitive component surfaces
- ◆ Faster evaporation achieved under reduced chamber pressure
- ◆ Suited to precision and heat-sensitive machined components
- ◆ Clean, residue-free drying finish with no water spotting
- ◆ Sealed chamber keeps parts free of airborne contamination
- ◆ Digital vacuum and temperature logging for quality records

APPLICATIONS

The preferred choice for precision-machined or heat-sensitive components where oven or high-speed spin drying risks damaging tolerances, coatings or finishes — particularly for optical, electronic or plated parts.



PROCESS Vacuum	TEMPERATURE Controlled, Low	BEST FOR Tight Tolerances
-------------------	--------------------------------	------------------------------

03

CATALOGUE SECTION

Industrial Bin Washing & Drying Machine

Rotary and conveyor bin-cleaning systems purpose-built for crates, trays, totes and reusable containers — restoring hygienic, dispatch-ready condition at batch or continuous-flow scale.

IN THIS SECTION

- 01 Rotary Bin Washing & Drying Machine
- 02 Conveyor Bin Washing & Drying Machine

PRODUCT 13

Rotary Bin Washing & Drying Machine

INDUSTRIAL BIN WASHING & DRYING MACHINE · SINGLE VARIANT



OVERVIEW

A rotary washing and drying system engineered specifically for industrial bins, crates and reusable containers. Bins are rotated through a controlled wash-and-dry cycle that reaches interior surfaces, corners and handles alike, restoring containers to a hygienic, dispatch-ready condition suitable for food-adjacent or cleanroom-linked logistics environments.

KEY FEATURES

- | | |
|--|--|
| ■ Rotary action reaches interior corners and carry handles fully | ■ Full-cycle wash and dry completed in a single continuous pass |
| ■ Suited to a wide range of reusable crates, bins and containers | ■ Consistent, repeatable hygiene standard verified cycle to cycle |
| ■ Adjustable rotation speed for different bin sizes and weights | ■ Detergent dosing calibrated to typical industrial soiling levels |

APPLICATIONS

Suited to facilities that recirculate bins, crates or totes between production stages or with external suppliers, where consistent container hygiene is a formal part of the quality and food-safety process.

MECHANISM Rotary Action	COVERAGE Interior+Handles	BEST FOR Reusable Bins
----------------------------	------------------------------	---------------------------

PRODUCT 14

Conveyor Bin Washing & Drying Machine

INDUSTRIAL BIN WASHING & DRYING MACHINE · SINGLE VARIANT



OVERVIEW

A conveyorised bin washing and drying line for facilities cycling high volumes of crates and containers. Bins move continuously through wash and dry stages for steady, hands-free throughput, keeping pace with warehouse dispatch schedules without operators needing to load and unload individual bins by hand.

KEY FEATURES

- | | |
|---|---|
| ■ Continuous conveyor feed built for high daily bin volumes | ■ Hands-free wash-to-dry cycle from entry to exit |
| ■ Keeps pace with warehouse and dispatch schedules reliably | ■ Durable build engineered for constant, repeated cycling |
| ■ Stackable-bin compatible conveyor guide rails included | ■ Low water and detergent consumption per bin processed |

APPLICATIONS

Best suited to high-volume logistics and warehousing operations where large numbers of bins need continuous turnaround, particularly in bins used for parts transfer for one point to another.

FEED Continuous Conveyor	THROUGHPUT High-Volume	BEST FOR Warehouse Turnaround
-----------------------------	---------------------------	----------------------------------

04

CATALOGUE SECTION

Leak Testing Machine

Dry pressure-decay and wet submersion leak testing for sealed-component verification — two proven methods matched to whether the part must stay dry or can be visually confirmed under water.

IN THIS SECTION

- 01 Dry Leak Testing Machine
- 02 Wet Leak Testing Machine

PRODUCT 15

Dry Leak Testing Machine

QUALITY & TESTING · LEAK TESTING MACHINE

OVERVIEW


A non-immersion, sensor-based leak test that measures pressure decay to detect leaks. Clean and fast, it verifies air-tightness without wetting the component, making it well suited to parts that must stay dry or move straight into the next process without a drying step. Test results are digitally logged for quality traceability.

KEY FEATURES

- Pressure-decay measurement requires no component immersion
- Component remains completely dry throughout the entire test
- Fast cycle time suited to in-line quality control stations
- Repeatable, sensor-verified pass/fail data for every unit
- Digital data logging for full quality traceability records
- Configurable pressure thresholds per component specification

APPLICATIONS

Suited to sealed components that need verified air-tightness before moving directly into assembly, packing or dispatch without an intermediate drying step — common in automotive and appliance manufacturing.



METHOD	STATE	BEST FOR
Pressure-Decay	Stays Dry	In-Line QC

PRODUCT 16

Wet Leak Testing Machine

QUALITY & TESTING · LEAK TESTING MACHINE

OVERVIEW

A submersion-based leak test that immerses the component under controlled air pressure, making even minor leaks visible as a stream of bubbles — a simple, reliable method for confirming sealed-component integrity before dispatch. Operators can visually verify results without needing to interpret digital readouts.

KEY FEATURES

- Visual bubble detection reveals even the smallest leaks
- Reliable, straightforward pass/fail verification by eye
- Suited to sealed assemblies going out before final dispatch
- Simple operator interpretation with no extra tooling required
- Adjustable test pressure and immersion depth per part type
- Transparent test tank for full visibility during inspection

APPLICATIONS

A dependable final check for sealed assemblies — housings, tanks and enclosures — where visual, operator-verified confirmation of air-tightness is preferred before dispatch to the customer or next production stage.



METHOD	VERIFY	BEST FOR
Submersion	Bubble Detection	Sealed Assemblies

05

CATALOGUE SECTION

Oiling Machine

Dip, inline-conveyor and tumbling thru-feed oiling configurations for rust prevention and lubrication — from simple full-immersion protection to line-integrated and full-surface coverage systems.

IN THIS SECTION

- 01 Oil Dipping Machine
- 02 Inline Conveyor Oiling Machine
- 03 Tumbling Thrufeed Oiling Machine

PRODUCT 17

Oil Dipping Machine

Oil Dipping Machine

OVERVIEW

A precision dip-oiling station that immerses components in rust-preventive or lubricating oil for uniform, full-surface coverage before dispatch or assembly — a simple, dependable process for components that need complete, all-round protection with minimal process complexity or maintenance overhead.

KEY FEATURES

- Full-surface, all-round oil coverage on every immersed part
- Simple, dependable dip-process design with low maintenance
- Suited to rust-prevention treatment before long-term dispatch
- Consistent film thickness achieved batch to batch, reliably
- Adjustable dip duration for different oil viscosities
- Drip-return tray minimises oil waste and floor mess

APPLICATIONS

A dependable choice for components that need complete rust-preventive or lubricating coverage before storage, dispatch or the next assembly stage, especially for parts destined for long transit or storage periods.



PROCESS Full Immersion	COVERAGE All-Round	BEST FOR Rust Prevention
--------------------------------------	----------------------------------	--

PRODUCT 18

Inline Conveyor Oiling Machine

OILING MACHINE



OVERVIEW

Built directly into the production line, this configuration applies a controlled and consistent oil film to components as they pass through on a moving conveyor — keeping pace with the line rather than requiring a separate oiling step, and eliminating the pooling or uneven coverage manual oiling can cause on high-speed lines.

KEY FEATURES

- Applies a consistent oil film without slowing the production line
- Eliminates pooling and uneven coverage from manual application
- Suited to high-volume, continuous production environments
- Line-integrated design needs no separate oiling stage or handling
- Nozzle spacing adjustable to match component width and shape
- Recirculating oil system reduces consumption and waste

APPLICATIONS

Well suited to high-volume production where consistency, speed and minimal manual handling matter most, with oiling built directly into the existing line rather than added as a separate downstream process.

FEED

Line-Integrated

FILM

Metered, Consistent

BEST FOR

High-Volume Lines

PRODUCT 19

Tumbling Thrufeed Oiling Machine

OILING MACHINE



OVERVIEW

Tumbling throughfeed action carries components through a rotating drum as they pass through the oiling stage, ensuring every surface — including recesses, threads and hard-to-reach features — receives complete, even oil coverage. The continuous throughfeed design suits high-volume batches where full-surface protection matters more than a simple top-coat.

KEY FEATURES

- Tumbling drum action reaches recesses and internal threads
- Continuous throughfeed suited to high-volume batch processing
- Adjustable drum speed to suit part fragility and weight
- Complete, even coverage achieved across all part surfaces
- Full protection delivered beyond a simple exposed top-coat
- Oil reclaim system reduces overall consumption per batch

APPLICATIONS

Suited to components with recesses, threads, or complex internal features that need full-surface oil protection, not just an exposed-surface coating — common for fasteners, castings and machined assemblies.

MECHANISM	COVERAGE	BEST FOR
Tumbling Drum	Recesses+Threads	Complex Geometries

06

CATALOGUE SECTION

Oil Dispenser

A compact, precision metered lubricant dispensing solution for controlled point-of-assembly application — replacing manual oiling judgement with repeatable, dosed accuracy.

IN THIS SECTION

- 01 Oil Dispenser Unit

PRODUCT 20

Oil Dispenser Unit

INDUSTRIAL AUTOMATION · OIL DISPENSER

OVERVIEW

A compact, precision oil dispensing unit that delivers metered, consistent lubricant dosing for controlled application. Rather than relying on manual oiling by hand, the dispenser meters out a set, repeatable quantity of oil each cycle, keeping lubricant use accurate and consistent across every component or assembly point on the line, shift after shift.

KEY FEATURES

- + Metered, repeatable oil dosing delivered every single cycle
- + Compact footprint fits neatly into existing workstations
- + Reduces lubricant waste significantly versus manual application
- + Simple integration into existing production cell layouts
- + Programmable dose volume per part number stored in memory
- + Low-oil alerting reduces unplanned downtime for refills

APPLICATIONS

Suited to any assembly or production point where a small, precise, repeatable quantity of oil needs to be applied consistently, without relying on manual judgement from station to station or operator to operator.



DOSING
Metered

FOOTPRINT
Compact

BEST FOR
Point-of-Assembly



CATALOGUE SECTION

Industrial Conveyors

Cooling conveyors and material handling conveyors connecting thermal and process stages across the line — the connective infrastructure that ties an automated factory floor together.

IN THIS SECTION

- 01 Cooling Conveyor
- 02 Material Handling Conveyor

PRODUCT 21

Cooling Conveyor

INDUSTRIAL CONVEYORS · SINGLE VARIANT



OVERVIEW

A cooling conveyor is a dedicated cooling stage built directly into the production line, positioned right after a thermal process — heat treatment, drying, curing, or a similar step — so components can shed heat gradually and safely before moving on to the next stage of handling, packing, or assembly, without disrupting line flow.

KEY FEATURES

- | | |
|---|--|
| ◆ Controlled, slow-speed travel for gradual, even cooling | ◆ Passive ambient cooling with optional fan-assist zones |
| ◆ Positioned directly after any thermal process stage | ◆ Conveyor length calculated from your process thermal profile |
| ◆ Protects components, packaging and downstream tooling | ◆ Keeps operators safe from handling components while hot |

APPLICATIONS

Suited to any line where components exit a thermal process — heat treatment, drying, curing or coating — and need a safe, controlled cooldown before packing, coating, or further machining begins.

COOLING
Passive/Fan-Assisted

PLACEMENT
Post-Thermal Stage

BEST FOR
Safe Handoff

PRODUCT 22

Material Handling Conveyor

INDUSTRIAL CONVEYORS · SINGLE VARIANT



OVERVIEW

Material handling conveyors are the connective backbone of a production line — custom-built systems that move components and parts smoothly between processing stages, workstations, or storage points, rather than relying on manual transport between each step of the process, reducing labour and handling damage.

KEY FEATURES

- | | |
|---|---|
| ◆ Straight-run, curved, inclined and multi-level configurations available | ◆ Custom-built precisely to your line layout and throughput needs |
| ◆ Reduces manual handling and associated component damage risk | ◆ Connects washing, drying, testing, oiling and coating stages directly |
| ◆ Belt, roller and slat-chain options to match component type | ◆ Guard rails and safety interlocks included as standard |

APPLICATIONS

Often the system that ties an entire automated line together — the connecting infrastructure across Esteem's washing, drying, testing, oiling and coating equipment, engineered as one coherent material flow.

CONFIG Straight/Curved	BUILD Custom-to-Layout	BEST FOR Cross-Stage Link
---------------------------	---------------------------	------------------------------

08

CATALOGUE SECTION

Custom Fixtures & Tooling

Precision-engineered fixtures built to match exact component geometry across every process stage — holding, locating and supporting parts through washing, testing, oiling and handling.

IN THIS SECTION

- 01 Custom Fixtures & Tooling — Reference Set

PRODUCT 23

Custom Fixtures & Tooling

CUSTOM FIXTURES & TOOLING · REFERENCE SET



OVERVIEW

Esteem Multi Systems designs and builds custom fixtures and tooling to hold, locate and support components precisely through washing, testing, oiling, coating and handling processes. Each fixture is engineered in-house to match the exact geometry of the customer's part, ensuring components are held securely and positioned correctly at every stage.

KEY FEATURES

- | | |
|--|--|
| ◆ Custom-engineered to each component's exact geometry and profile | ◆ Precision locating delivers consistent process results every time |
| ◆ Designed in-house by the same team building the process equipment | ◆ Built to integrate directly with existing machines on your line |
| ◆ Durable construction rated for repeated, continuous industrial use | ◆ Covers washing, testing, oiling, coating and handling stages fully |
| ◆ Rapid turnaround from CAD approval to finished fixture delivery | |

APPLICATIONS

Used wherever a standard machine setup needs a custom fixture to hold, locate, or index a specific component correctly, from a single custom bracket to a full multi-part tooling set for a complete process line.

ENGINEERING
In-House Team

MATERIALS
Duty-Matched

BEST FOR
Precise Location

09

CATALOGUE SECTION

Polymer Coating Machine

Uniform protective polymer film application for durability and corrosion resistance — a dependable, repeatable finishing step ahead of packing or assembly.

IN THIS SECTION

- 01 Polymer Coating Machine

PRODUCT 24

Polymer Coating Machine

INDUSTRIAL AUTOMATION · POLYMER COATING · SINGLE VARIANT



OVERVIEW

A polymer coating machine that applies a uniform protective polymer layer to components, improving durability, surface finish and resistance to corrosion. Components pass through the coating machine where a controlled, even film is applied across the surface — a dependable, repeatable finishing step ahead of packing or assembly, with consistent film build verified across the run.

KEY FEATURES

- | | |
|--|---|
| Uniform, controlled polymer film application across every part | Improved corrosion resistance and consistent surface finish |
| Consistent coating thickness maintained across every component | Automated cycle requires minimal manual intervention throughout |
| Adjustable cure parameters for different polymer formulations | Reduced overspray and material waste versus manual coating |

APPLICATIONS

A dependable finishing step for components that need a protective, corrosion-resistant surface layer before they move on to packing, assembly, or dispatch to the customer, particularly for outdoor or exposed-use parts.

FILM Uniform, Automated	FINISH Corrosion-Resistant	BEST FOR Pre-Dispatch
----------------------------	-------------------------------	--------------------------



CATALOGUE SECTION

Fabrication Services

In-house design, sheet-metal, structural and precision assembly built to exact specification — the same team behind Esteem's standard equipment range, extended to custom builds.

IN THIS SECTION

01 Fabrication Services — Technical Overview

PRODUCT 25

Fabrication Services

SUPPORT SERVICE · TECHNICAL OVERVIEW

OVERVIEW

Alongside its standard machine range, Esteem Multi Systems offers a custom fabrication service — designing and building sheet-metal, structural and precision assemblies to a customer's exact specification, rather than working only from a fixed catalogue of machines. This service extends across brackets, guards, enclosures, chutes and full structural frames.

HOW IT WORKS

Requirements are worked through directly with Esteem's in-house design, fabrication and electrical team at their Ambattur (Chennai) facility — the same team that builds their standard washing, drying, testing, oiling, coating and conveyor equipment — so a custom enclosure, frame, chute or fixture is engineered to the same standards used across their product range, rather than outsourced separately to a third party with no visibility into your process.

WHY IT MATTERS

Not every requirement fits neatly into a standard machine, and off-the-shelf equipment sometimes needs a bracket, guard, chute or custom frame built around it to fit an existing line. Esteem's fabrication service covers that gap — from a small custom fixture to a larger structural build — so customers get one point of contact for both their core equipment and the supporting fabrication work around it. Since 2009, this has been part of how Esteem Multi Systems works with customers: a team formed collectively across design, fabrication, electrical and procurement, built to meet each factory's specific automation needs from first sketch through to installed, commissioned equipment.

SCOPE

Sheet-Metal/Structural

TEAM

Same In-House Engineers

BEST FOR

Custom Builds

TRUSTED BY INDUSTRY LEADERS

Our Customers

A selection of the manufacturers and engineering groups Esteem Multi Systems has supplied and supported over the years.
























































































44 CUSTOMER RELATIONSHIPS — AND COUNTING

CERTIFIED QUALITY MANAGEMENT

Our ISO Certification

Esteem Multi Systems' Quality Management System is audited and certified to ISO 9001:2015 by Absolute Quality Certification Pvt. Ltd. (AQC), an IAF-recognised certification body — covering design and manufacture of industrial parts washing, drying machines, conveyors, special purpose machines and metal fabrications.



STANDARD
ISO 9001:2015

CERT NO.
26UQLX35

VALID UNTIL
02 SEP 2029

EST. 2009



FACTORY AUTOMATION DIVISION

Thank You

for considering us for your process machinery needs.

WASHING & DRYING

QUALITY & TESTING

OILING

CONVEYORS

AUTOMATION

FIXTURES & FABRICATION

GET IN TOUCH

ADDRESS

DP 112/9, South Phase, 2nd Main
Road, Ambattur Industrial Estate,
Chennai – 600058

PHONE

93818 55535
93818 55575

EMAIL

info@esteemmultisystems.com
projects@esteemmultisystems.com
purchase@esteemmultisystems.com

WEB

www.esteemmultisystems.com

WHY ESTEEM

IN-HOUSE

Design, fabrication, electrical
and procurement under one roof

SINCE 2009

20+ years of automation
experience on the team

AFTER-SALES

Spares and support for
the life of the machine

“Built to meet the growing automation demands of modern manufacturing — one machine, one customer,
one factory floor at a time.”