King Saud University
College of Computer and Information Sciences
Computer Science Department
CSC180: Introduction to Database
Instructor: Dr. Kamal Hacusm
Midderm: 1

( Detail

Wednesday: 23/30/2019 Tomo: 50 com

Student Name:		ره ساعد السوريد	24143	III: 49/6)	26 Eq	
3480000 / 1000		1		(4	LUISCO	
Question 16	Marks)		No.	10/2	0	are.
			deeds out	v one corre	of annuar	
MULTIPLE-	CHOICE-QU	ESTIONS: Enc	diesetory	systems the	t support large n	under
1. Many i	irline reservati	ESTIONS: End on and telephone ions with little de SAL & OF	clay are ca	segorized as		
of cons	by RTS	MAI BOP	TP.			
a) GLTP	py 10.1.3			- transfer of a d	Lakelanes esistem	widow
2.	is the ability t	o change the sch	ema at on	e level of a s	andones of some	CO STORE
having	to change the	schema at next h ta dependence	Cel data is	ndependence	onid atabilg	ing
s) data exchan	ge b) dat	ta dependence	The same of the sa			
	Asta inden	endence changes	the conce	ptual schem	e without chan	gong to
3. evtern	al scheme.	4	Col. Library			
a) physical	(s) internal	cylow-level	d) logic			3
a) yaryanan		used to define b	ut the int	email and co	exectual schen	ne who
4	language is	used to detine or	ONT MAC VICE	2000		W.
there i	s no	westers.	1			40
separation bet 30 VDL	ween these sch E) SDL	(c) DDL)	d) DMI	L		
				Traffic.	ACCUPATION AND ADDRESS OF THE PARTY OF THE P	
≠ 5. A high	h-level DML u	sed in stand-alor	se interact	ive manner	is called	_
langu	200					
a) query	b) machine	o) assembly	Gy menu	ar day		
C The A	acceleration of a	chema construct	s and cons	straints is ca	iled da	sta.
s) dynamic	b) beta	(c) meta)	d) key			
a) b) hamino	3) 333	0	150,01151			
7. The d	escription of a	database is call-	ed databas	×		
a) schema	b) structure	c) construct	d) imp	plementation	9	
			2 13		to culted	
8. A sta	te that satisfies	the structure an	id constra	ints of a 967	eme in called	
a) invalid	b) true	c) real	(d) va	110		
¥9 The	latabase state i	e colled	of the si	home		
₩ intension		extension		pansion	y) defin	sition
Block	(4)		1000	A STATE OF THE STA	200	
* 10. The	sbility to mod	ify the data stru	icture and	not have t	o change the	progra
		alled:				

## Ouestion 2: (5 Marks)

Questi	OR 2: (5 Matris)
4.	or FALSE: Encircle only one correct answer The conceptual scheme of a database cannot be changed once it is defined. (T
	An advantage of the database approach is the creation of maximum data redundancy.
3.	A database administrator designs, constructs, and manages the databases. (1) F)
*4.	Database scheme is specified during database design. (1)/F)
5.	Database scheme changes very frequently. (T (E)
-6	The database state is also called an instance of database. (T) F)
al Com	a to the disagram does not show the data types of each data item. (T)/F).
	3. Composite or multivalued attributes are allowed in relational model. (T (F)
y (	A superkey can have redundant attributes.

## Question 3: (12 Marks)

A chain of pharmacies has offered to give you a free lifetime supply of medicine if you design its database. Given the rising cost of health care, you agree. Here's the information that you gather:

[Patients] are identified by an SSN, and their names, addresses, and ages must be recorded. Doctors are identified by an SSN. For each doctor, the name, specialty, and years of

experience must be recorded.

10. A foreign key can have a null value. (T)/F)

Each pharmaceutical company is identified by name and has a phone number.

For each drug, the trade name and formula must be recorded. Each drug is made by a given pharmaceutical company, and the trade name identifies a drug uniquely from among the products of that company. If a pharmaceutical company is deleted, you need not keep track of its products any longer,

Each pharmacy)has a name, address, and phone number.

Every patient comes to his Doctor. Every doctor has at least one patient.

(Each pharmacy sells several drugs and has a price for each) A drug could be sold at several pharmacies, and the price could vary from one pharmacy to another.

Doctors prescribe drugs for patients) A doctor could prescribe one or more drugs for several patients, and a patient could obtain prescriptions from several doctors. Each prescription has a date and a quantity associated with it. You can assume that, if a doctor prescribes the same drug for the same patient more than once, only the last such prescription needs to be stored.

Pharmaceutical companies have long-term contracts with pharmacies. A pharmaceutical company can contract with several pharmacies, and a pharmacy can contract with several pharmaceutical companies. For each contract, you have to store a start date, an end date, and the text of the contract.

Pharmacies appoint a supervisor for each contract. There must always be a supervisor for each contract, but the contract supervisor can change over the lifetime of the contract.

Draw an ER diagram that captures the information about the chain of pharmacies. Underline primary keys and show the total participation.

## Question 4: (8 Marks)

Map the following ER diagram into a relation schema



