


The Language accepted by this DFA is:

$$L = \{ w \in \Sigma^* | w = bbs \ for \ some \ s \in \Sigma^* \}$$

$$L = \{w \in \Sigma^* | w \text{ contains substring } bb\}$$

$$L = \{w \in \Sigma^* | w \text{ contains substring } bbb\}$$

$$L = \{w \in \Sigma^* | w = sbb \ for \ some \ s \in \Sigma^* \}$$



The string 1 is accepted by the DFA?

A. Yes

B. No

QUESTION 3

1 points

✓ Saved

The string 10 is accepted by the previous DFA?

A. Yes

3. No

QUESTION 4

1 points

Save Answer

The language accepted by this DFA is:

(A.

$$L = \{ w \in \Sigma^* | |w| > 1 \}$$

() B


$$L = \{ w \in \Sigma^* | |w| = 1 \text{ or } |w| > 2 \}$$

○ C.

$$L = \{ w \in \Sigma^* | |w| \neq 1 \}$$

(D

$$L = \{ w \in \Sigma^* | |w| > 2 \}$$



$\delta^*(q_1, 010110)$ is?

- A. {q4}
- B. {q1,q3}
- $\bigcirc \text{ C. } \{q3,q4\}$
- \bigcirc D. $\{q1,q3,q4\}$

QUESTION 5

1 points



Does the previous machine accept the string **010110**?

Yes

No

7- Consider the Language

$$L = \{a^m b^n c^{2n} \}$$

where n, m>=0. Which of the following string is not in the language.

- A. aabbcccc
- 3. abcc
- C. aacc
- D. bcc

QUESTION 7

1 points

ints

Save Answer

Let $\Sigma = \{0,1\}$, $L_1 = \{x \in \Sigma^* | x| \le 1\}$. Let $L_2 = \{\lambda, 0, 1, 11\}$. List the elements of the following language $L = (L_1)^2 \cap (L_2)$.

Let $\Sigma = \{0,1\}$, $L_1 = \{x \in \Sigma^* | x | \le 1\}$. Let $L_2 = \{\lambda, 0,1,11\}$. List the elements of the following language $L = (L_1)^2 \cap (L_2)$.

 $^{\circ}$ $\{\lambda, 0, 1, 00, 01, 10, 11\}$

°° {0,1,11}

ος {<mark>λ, 0,1,11</mark>}

°° {0,1,00,01,10,11}

QUESTION 8

1 points

Save Answer