

# How to use replace in oasis

If you want to add or replace strings in oasis files, you can also use info\_replace.xml.

Here are some examples.

## Replacing a string

If you want to replace whole string, then you can do:

```
<Replace RequiredFile="languages\english\oasisstrings.oasis.bin">
  <section name="0x00990284">
    <string enum="0x99977001" id="100000" value="My replaced string" />
  </section>
</Replace>
```

First you need define which oasis file will be processed. Every language oasis file must have own *Replace* tag.

If you want to replace *string* value, you need also define *section* which contain your *string* tag.

## Adding new strings

If you want to add new strings, you can do it like this:

```
<Replace RequiredFile="languages\english\oasisstrings.oasis.bin">
  <section addNode="1" name="0x00990284">
    <string addNode="1" enum="0x99977001" id="100000" value="My new string" />
    <string addNode="1" enum="0x99977002" id="100001" value="My second new string" />
  </section>
</Replace>
```

Every line which will be added must contain attribute *addNode* with value 1.

Also make sure that *enum* and *id* values are unique in whole oasis file.

## Replacing a word in whole oasis file

Replacing is case sensitive, so take care about it. Of course you define *ReplaceString* as many as you want.

```
<Replace RequiredFile="languages\english\oasisstrings.oasis.bin">
  <ReplaceString old="Boomer" new="Timber" />
</Replace>
```