




pgAdmin 4
pgadmin.ficlabs.com.mx/browser/
Object Explorer
Query
Query History
Scratch Pad
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
COUNT(*) AS total
FROM clientes
GROUP BY 1;
Data Output
Messages
Notifications
rango_edad text
total bigint
1 31-45 4
2 46+ 1
Total rows: 2
Query complete 00:00:00.359
Ln 9, Col 12


pgAdmin 4
pgadmin.ficlabs.com.mx/browser/
Object Explorer
Query
Query History
Scratch Pad
SELECT
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM clientes
GROUP BY 1;
Data Output
Messages
Notifications
region text
total bigint
1 82 1
2 80 3
3 81 1
Total rows: 3
Query complete 00:00:00.308
Ln 5, Col 12


pgAdmin 4
pgadmin.ficlabs.com.mx/browser/
File Object Tools Help
g.orduno23@info.uas.edu.mx (internal)
Object Explorer
Dashboard Properties SQL Statistics Dependencies Dependents Processes db_16537343_gustavo_orduno/u_16537343_gustavo_orduno@orduño* db_1
Query Query History
Scratch Pad
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM clientes
GROUP BY 1, 2;
Data Output Messages Notifications
rango_edad text region text total bigint
1 31-45 81 1
2 46+ 82 1
3 31-45 80 3
Total rows: 3 Query complete 00:00:00.301
Successfully run. Total query runtime: 301 msec. 3 rows affected.
CRLF Ln 14, Col 15
Buscar
ENG 10:24 p. m. 16/10/2026


pgAdmin 4
pgadmin.ficlabs.com.mx/browser/
File Object Tools Help
g.orduno23@info.uas.edu.mx (internal)
Object Explorer
Dashboard Properties SQL Statistics Dependencies Dependents Processes db_16537343_gustavo_orduno/u_16537343_gustavo_orduno@orduño* db_1
Query Query History
Scratch Pad
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM clientes
GROUP BY 1, 2
HAVING COUNT(*) >= 5;
Data Output Messages Notifications
rango_edad text region text total bigint
Total rows: 0 Query complete 00:00:00.297
CRLF Ln 16, Col 22
Buscar
ENG 10:24 p. m. 16/10/2026

1. ¿Qué identificadores directos fueron eliminados?

   Se quitaron los datos que identifican directamente a la persona de forma única, como el nombre completo, el correo electrónico, el teléfono y el RFC

2. ¿Qué cuasi-identificadores permanecen?

   Permanecen la edad y la ubicación

3. ¿Qué combinaciones de atributos podrían reducir el anonimato?

   Juntar la region con el rango_edad, si en una región específica hay muy pocas personas en un rango de edad, alguien que conozca a los vecinos de esa zona podría deducir fácilmente a quién pertenece cada registro

4. ¿Qué sucede cuando un grupo contiene pocos registros?

   Cuando un grupo tiene muy pocos registros se pierde el anonimato, ósea puede ocasionar una reidentificaión

5. ¿Qué atributos deberían generalizarse?

   Considero que ampliar mas los rangos de edad o generalizar mas la region


6. ¿Qué información debería suprimirse?

   Cuando sean muy poquitas personas en un grupo se podría suprimir el código postal

7. ¿Es correcto afirmar que el conjunto de datos es “100 % anónimo”? ¿Por qué?

   No, no es 100% anónimo por que al cruzar ciertos datos como la región y edad pueden quedar expuestos ciertos usuarios

Reto:



Se unificaron los rangos de edad en categorías más amplias, se tomó solo el primer dígito del código postal para hacer la región más general, y se ajustó la regla de k-anonimato a un mínimo de 2 personas por grupo

Motivo:
Al hacer los grupos de edad y de región más grandes, más personas quedan juntas dentro del mismo grupo, evitando que salgan grupos de 1 sola persona.

Resultados obtenidos:
Se obtienen grupos con un volumen suficiente en los que ningún individuo puede ser identificado de forma aislada.

Riesgo que se pretende reducir:
Se elimina el riesgo de reidentificación por aislamiento.