










Note 1:
R6, R7, R32 and R33 should
be placed close to
KS8721BL/SL


Title		
Ethernet : phy, magnetic and jack		
Size	Document Number	Rev
Custom<Doc>		V1.7
Date:	Saturday, March 15, 2008	Sheet 1 of 1




J12





J14





J15









J16



Title		
Regulators, and expansion bus		
Size	Document Number	Rev
Custom<Doc>		V1.7
Date:	Saturday, March 15, 2008	Sheet 1 of 1




Title		
SDRAM DATAFLASH		
Size	Document Number	Rev
B	<Doc>	V1.7
Date:	Saturday, March 15, 2008	Sheet 1 of 1




Title		
MAX232, USB, SD Card		
Size	Document Number	Rev
B	<Doc>	V1.7
Date:	Saturday, April 19, 2008	Sheet 1 of 1

300-8317-1-ND
CM200S32.768KDZB-UT
CRYSTAL 32.768 KHZ 6PF SMD
1 - 0.84
50 - 0.54
100 - 0.48




Digi-Key Part Number P299-ND
Manufacturer Part Number BR1632/1HFE
Description BATTERY LITH COIN 3V CELL W/LEGS
1 - 1.7
10 - 1.53
150 - 1.36

X1205S8ZT1CT-ND
IC RTC/CALENDER/ALARM 4K 8-SOIC
1 - 4,26
DIR = 1101 111 - 1 Read
DIR = 1101 111 - 0 Write



Title		
RTC ISL1208		
Size	Document Number	Rev
A	ECB_AT91_V1	1.7
Date:	Wednesday, April 02, 2008	Sheet 1 of 1



Title		
<Title>		
Size	Document Number	Rev
A	<Doc>	<RevCode>
Date:	Thursday, March 13, 2008	Sheet 1 of 1