

2





PDF.

LaTeX



- LaTeX- .
- , , .
- , .



LaTeX , PDF
 . .tex
LaTeX- , pdflatex.



: 1

1. first.tex.

Hey world!
This is a first document.

2. LaTeX- :

- `\documentclass{article};`
- `\begin{document};`
- `;`
- `\end{document}.`

This is a simple document¹.
This is a new paragraph.

. 2: .2

3. :

`pdflatex first.tex`

This is a simple document¹.
This is a new paragraph.
This text will be visible.
This text will also be visible.

. 3: .3

4. first.pdf.

This is the first paragraph.
This is the second paragraph.
This is the third paragraph.

. 4: .4

5. PDF.

Word1 Word2
Word1 Word2
Word1 Word2

. 5: .5

6. , :
- LaTeX;
 - {};
 - [];
 - ;
 - ;
 - \begin{...} / \end{...}.

Section 1
Section 1

. 6: .6

: 7

7.

%.

```

C:\Users\Elisaveta\Desktop\comp-skills-for-sci-writing\lab02>pdflatex first
This is pdfTeX, Version 3.141592653-2.6-1.40.29 (MiKTeX 26.2) (preloaded format=pdflatex.fmt)
 restricted \write18 enabled.
entering extended mode
(first.tex
LaTeX2e <2025-11-01>
L3 programming layer <2026-01-19>
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\base\article.cls
Document Class: article 2025/01/22 v1.4n Standard LaTeX document class
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\base\size12.clo))
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\base\fontenc.sty)
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\l3backend\l3backend
-pdftex.def)
No file first.aux.
[1(C:\Users\Elisaveta\AppData\Local\MiKTeX/fonts/map/pdftex/pdftex.map){C:/User
s/Elisaveta/AppData/Local/Programs/MiKTeX/fonts/enc/dvips/cm-super/cm-super-t1.
enc}] (first.aux) <C:/Users/Elisaveta/AppData/Local/Programs/MiKTeX/fonts/type
1/public/cm-super/sfrml200.pfb>
Output written on first.pdf (1 page, 12963 bytes).
Transcript written on first.log.

C:\Users\Elisaveta\Desktop\comp-skills-for-sci-writing\lab02>pdflatex first.tex
This is pdfTeX, Version 3.141592653-2.6-1.40.29 (MiKTeX 26.2) (preloaded format=pdflatex.fmt)
 restricted \write18 enabled.
entering extended mode
(first.tex
LaTeX2e <2025-11-01>
L3 programming layer <2026-01-19>
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\base\article.cls
Document Class: article 2025/01/22 v1.4n Standard LaTeX document class
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\base\size12.clo))
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\base\fontenc.sty)
(C:\Users\Elisaveta\AppData\Local\Programs\MiKTeX\tex\latex\l3backend\l3backend
-pdftex.def) (first.aux) [1(C:/Users/Elisaveta/AppData/Local/MiKTeX/fonts/map/p
dftex/pdftex.map){C:/Users/Elisaveta/AppData/Local/Programs/MiKTeX/fonts/enc/dv
ips/cm-super/cm-super-t1.enc}] (first.aux) <C:/Users/Elisaveta/AppData/Local/P
rograms/MiKTeX/fonts/type1/public/cm-super/sfrml200.pfb>
Output written on first.pdf (1 page, 12963 bytes).
Transcript written on first.log.

```

8.

.

Curly braces: { }

Dollar: \$

Percent: %

Ampersand: &

Hash: #

Underscore: _

Backslash: \

Caret: ^

Tilde: ~

: 9

9.

~.

: 9

.9

. 9: .9

10. LaTeX :

```
pdflatex first
```

```
pdflatex first.tex
```

: 10

.10

. 10: .10

11. LaTeX: {, }, \$, %, &, #, _, \, ^, ~.

: 11

.11

. 11: .11

12.

2

Exercises .

: 12

.12

. **12:** .12

PDF.

LaTeX