



File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
index.php
index.php
<?php
session_start();
if (!isset($_SESSION['rak'])) {
$_SESSION['rak'] = [];
}
/* Proses update */
if (isset($_POST['update'])) {
$id = $_POST['id'];
$_SESSION['rak'][$id]['namaGudang'] = $_POST['namaGudang'];
$_SESSION['rak'][$id]['namaZona'] = $_POST['namaZona'];
$_SESSION['rak'][$id]['nomorLorong'] = $_POST['nomorLorong'];
$_SESSION['rak'][$id]['nomorRak'] = $_POST['nomorRak'];
$_SESSION['rak'][$id]['kapasitas'] = $_POST['kapasitas'];
}
/* Proses hapus */
if (isset($_GET['hapus'])) {
$id = $_GET['hapus'];
unset($_SESSION['rak'][$id]);
$_SESSION['rak'] = array_values($_SESSION['rak']);
}
/* Data yang sedang diedit */
$dataEdit = null;
if (isset($_GET['edit'])) {
$idEdit = $_GET['edit'];
$dataEdit = $_SESSION['rak'][$idEdit];
}
?>
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 11, Col 17 Spaces: 4 UTF-8 CRLF PHP
31°C Cerah
Search
15:46 15/10/2026


File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
index.php
index.php
<!DOCTYPE html>
<html lang="id">
<head>
<meta charset="UTF-8">
<title>Data Zonasi dan Rak Gudang</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<main>
<section class="judul">
<h1>Data Zonasi dan Rak Gudang</h1>
</section>
<section class="aksi">

<button type="button">+ Tambah Rak</button>

</section>
<?php if ($dataEdit != null) { ?>
<section class="data-rak">
<h3>Edit Data Rak</h3>
<form method="post">
<input type="hidden" name="id" value="<?= $idEdit ?>">
<label>Nama Gudang</label>
<input type="text" name="namaGudang"
value="<?= $dataEdit['namaGudang'] ?>">
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 11, Col 17 Spaces: 4 UTF-8 CRLF PHP
31°C Cerah
Search
15:46 15/10/2026



```
<main>
    <section class="data-rak">
        <form method="post">
            <input type="text" name="namaGudang"

            <label>Nama Zona</label>
            <select name="namaZona">

                <option value="penerimaan"
                    <?= $dataEdit['namaZona'] == 'penerimaan' ? 'selected' : '' ?>>
                    Zona Penerimaan
                </option>

                <option value="penyimpanan"
                    <?= $dataEdit['namaZona'] == 'penyimpanan' ? 'selected' : '' ?>>
                    Zona Penyimpanan
                </option>


                <option value="pengambilan"
                    <?= $dataEdit['namaZona'] == 'pengambilan' ? 'selected' : '' ?>>
                    Zona Pengambilan
                </option>

                <option value="pengiriman"
                    <?= $dataEdit['namaZona'] == 'pengiriman' ? 'selected' : '' ?>>
                    Zona Pengiriman
                </option>

            </select>

            <label>Nomor Lorong</label>
            <input type="text" name="nomorLorong"
                   value="<?= $dataEdit['nomorLorong'] ?>">

            <label>Nomor Rak</label>
            <input type="text" name="nomorRak"
                   value="<?= $dataEdit['nomorRak'] ?>">
```



```
<main>
    <section class="data-rak">
        <form method="post">
            <input type="text" name="nomorLorong"

            <label>Nomor Rak</label>
            <input type="text" name="nomorRak"
                   value="<?= $dataEdit['nomorRak'] ?>">

            <label>Kapasitas Rak (kg)</label>
            <input type="number" name="kapasitas"
                   value="<?= $dataEdit['kapasitas'] ?>" min="1">

            <button type="submit" name="update">Update</button>

        </form>

    </section>


    <?php } ?>

    <section class="data-rak">

        <h3>Daftar Rak Gudang</h3>


        <table>

            <thead>
                <tr>
                    <th>No</th>
                    <th>Nama Gudang</th>
                    <th>Nama Zona</th>
                    <th>Nomor Lorong</th>
                    <th>Nomor Rak</th>
                    <th>Kapasitas Rak (kg)</th>
                    <th>Aksi</th>
                </tr>
            </thead>
```


File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
index.php
<main>
<section class="data-rak">
<table>
<thead>
<tr>
<th>Kapasitas Rak (kg)</th>
<th>Aksi</th>
</tr>
</thead>
<tbody>
<?php
$no = 1;
foreach ($_SESSION['rak'] as $id => $data) {
?>
<tr>
<td><?= $no++ ?></td>
<td><?= $data['namaGudang'] ?></td>
<td><?= $data['namaZona'] ?></td>
<td><?= $data['nomorLorong'] ?></td>
<td><?= $data['nomorRak'] ?></td>
<td><?= $data['kapasitas'] ?> kg</td>
<td>
<a href="index.php?edit=<?= $id ?>">
<button type="button">Edit</button>


<a href="index.php?hapus=<?= $id ?>">
<button type="button">Hapus</button>


</td>
</tr>
<?php } ?>
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 11, Col 17 Spaces: 4 UTF-8 CRLF PHP
31°C Cerah
Search
15:46 15/10/2026



File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
index.php
<main>
<section class="data-rak">
<table>
<tbody>
<tr>
<td><?= $data['namaZona'] ?></td>
<td><?= $data['nomorLorong'] ?></td>
<td><?= $data['nomorRak'] ?></td>
<td><?= $data['kapasitas'] ?> kg</td>
<td>
<a href="index.php?edit=<?= $id ?>">
<button type="button">Edit</button>


<a href="index.php?hapus=<?= $id ?>">
<button type="button">Hapus</button>


</td>
</tr>
<?php } ?>
</tbody>
</table>
</section>
</main>
</body>
</html>
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
index.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 11, Col 17 Spaces: 4 UTF-8 CRLF PHP
31°C Cerah
Search
15:46 15/10/2026



File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
index.php
koneksi.php
1 <?php
2 $host = "localhost";
3 $user = "root";
4 $password = "";
5 $database = "db_gudang";
6
7 $koneksi = mysqli_connect($host, $user, $password, $database);
8
9 if (!$koneksi) {
10 die("Koneksi database gagal: " . mysqli_connect_error());
11 }
12 ?>
13
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
koneksi.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode 0 0
Ln 10, Col 17 Spaces: 4 UTF-8 CRLF { } PHP
31°C Cerah
Search
15:46 15/10/2026



File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
style.css
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
style.css
style.css > body
1 body {
2 font-family: Arial, sans-serif;
3 margin: 30px;
4 background-color: #f2f2f2;
5 display: flex;
6 flex-direction: column;
7 align-items: center;
8 }
9
10 h1 {
11 color: rgb(90, 0, 0);
12 text-align: center;
13 }
14
15 form {
16 background-color: white;
17 padding: 20px;
18 width: 400px;
19 }
20
21 label {
22 display: block;
23 margin-top: 12px;
24 font-weight: bold;
25 }
26
27 input, select {
28 width: 100%;
29 padding: 10px;
30 margin-top: 10px;
31 box-sizing: border-box;
32 }
33
34 button {
35 margin-top: 20px;
36 padding: 10px 20px;
37 background-color: rgb(90, 0, 0);
38 color: white;
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
style.css
Describe what to build
Agent Models
Local Default permissions
Restricted Mode 0 0
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF { } CSS
31°C Cerah
Search
15:47 15/10/2026


File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
style.css
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
index.php C:\...\TUGASBESAR_M1_ELISABET
zonasi dan rak gudang.php
koneksi.php
style.css
style.css > body
25 }
26
27 input, select {
28 width: 100%;
29 padding: 10px;
30 margin-top: 10px;
31 box-sizing: border-box;
32 }
33
34 button {
35 margin-top: 20px;
36 padding: 10px 20px;
37 background-color: rgb(90, 0, 0);
38 color: white;
39 border: none;
40 cursor: pointer;
41 }
42
43 .card {
44 background-color: white;
45 padding: 20px;
46 margin-bottom: 30px;
47 width: 500px;
48 }
49
50 table {
51 border-collapse: collapse;
52 }
53
54 th, td {
55 border: 1px solid black;
56 padding: 8px;
57 }
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
style.css
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF { } CSS
31°C Cerah
Search
15:47 15/10/2026


File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
zonasi dan rak gudang.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
zonasi dan rak gudang.php C:\...\TUGASBESAR_M1_ELISABET
koneksi.php
zonasi dan rak gudang.php
zonasi dan rak gudang.php
1 <?php
2 session_start();
3
4 if (!isset($_SESSION['rak'])) {
5 $_SESSION['rak'] = [];
6 }
7
8 if (isset($_POST['simpan'])) {
9
10 $data = [
11 'namaGudang' => $_POST['namaGudang'],
12 'namaZona' => $_POST['namaZona'],
13 'nomorLorong' => $_POST['nomorLorong'],
14 'nomorRak' => $_POST['nomorRak'],
15 'kapasitas' => $_POST['kapasitas']
16];
17
18 $_SESSION['rak'][] = $data;
19
20 header("Location: index.php");
21 exit;
22 }
23 ?>
24
25 <!DOCTYPE html>
26 <html lang="id">
27 <head>
28 <meta charset="UTF-8">
29 <title>Data Zonasi dan Rak Gudang</title>
30 <link rel="stylesheet" href="style.css">
31 </head>
32
33 <body>
34
35 <h1>Data Zonasi dan Rak Gudang</h1>
36
37 <form action="" method="post">
38
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
zonasi dan rak gudang.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 54, Col 48 Spaces: 4 UTF-8 CRLF { } PHP
31°C Cerah
Search
15:47 15/10/2026


File Edit Selection View Go Run Terminal Help
TUGASBESAR_M1_ELISABET
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
Open Editors 1 unsaved
index.php C:\laragon\www\WAD-NIZW-ELI...
zonasi dan rak gudang.php C:\laragon\w...
koneksi.php
zonasi dan rak gudang.php
index.php
TUGASBESAR_M1_ELISABET
index.php
koneksi.php
style.css
zonasi dan rak gudang.php
Outline
Timeline
zonasi dan rak gudang.php C:\...\TUGASBESAR_M1_ELISABET
koneksi.php
zonasi dan rak gudang.php
zonasi dan rak gudang.php
<body>
<h1>Data Zonasi dan Rak Gudang</h1>
<form action="" method="post">
<label for="namaGudang">Nama Gudang</label>
<input type="text" id="namaGudang" name="namaGudang">
<label for="namaZona">Nama Zona</label>
<select id="namaZona" name="namaZona">
<option value="">Pilih Zona</option>
<option value="penerimaan">Zona Penerimaan</option>
<option value="penyimpanan">Zona Penyimpanan</option>
<option value="pengambilan">Zona Pengambilan</option>
<option value="pengiriman">Zona Pengiriman</option>
</select>
<label for="nomorLorong">Nomor Lorong</label>
<input type="text" id="nomorLorong" name="nomorLorong">
<label for="nomorRak">Nomor Rak</label>
<input type="text" id="nomorRak" name="nomorRak">
<label for="kapasitas">Kapasitas Rak (kg)</label>
<input type="number" id="kapasitas" name="kapasitas" min="1">
<button type="submit" name="simpan">Simpan</button>
</form>
</body>
</html>
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
zonasi dan rak gudang.php
Describe what to build
Agent Models
Local Default permissions
Restricted Mode
Ln 54, Col 48 Spaces: 4 UTF-8 CRLF PHP
31°C Cerah
Search
15:47 15/10/2026


localhost / localhost /
Free License Policy - L
localhost / localhost /
OAuth application au
LisaLena13/WAD-TOP
OAuth application au
Data Zonasi dan Rak
localhost/WAD-TOPA-ELIS-102022500216/TUGASBESAR_M2_ELISABET/zonasi%20dan%20rak%20gudang.php
Chat
Data Zonasi dan Rak Gudang
Nama Gudang
Gudang penerimaan
Nama Zona
Zona Penerimaan
Nomor Lorong
01
Nomor Rak
01
Kapasitas Rak (kg)
1
Simpan
31°C Cerah
Search
15:48 15/10/2026


localhost / localhost /
Free License Policy - L
localhost / localhost /
OAuth application au
LisaLena13/WAD-TOP
OAuth application au
Data Zonasi dan Rak
localhost/WAD-TOPA-ELIS-102022500216/TUGASBESAR_M2_ELISABET/index.php?hapus=0
Chat
Data Zonasi dan Rak Gudang
+ Tambah Rak
Daftar Rak Gudang
No
Nama Gudang
Nama Zona
Nomor Lorong
Nomor Rak
Kapasitas Rak (kg)
Aksi
1
Gudang penerimaan
penerimaan
01
01
1 kg
Edit
Hapus
31°C
Cerah
Search
15:49
15/10/2026