QUIZ M.E.R.N

paigauresh@gmail.com

The respondent's email (**paigauresh@gmail.com**) was recorded on submission of this form.

Email *

paigauresh@gmail.com

Name *

Gauresh G Pai

USN *

4JK22CS016

Branch *

◉ CSE

1. What is React? *

1 point

○ a) A server-side JavaScript framework

● b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code

○ b) A database query language

○ c) A Node.js API function

○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

○ a) React components can only be written as class components

● b) Components are reusable and help organize the UI

○ c) React components must be named using lowercase letters

○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

○ a) A special kind of browser DOM for virtual reality applications

◉ b) A lightweight copy of the real DOM used by React to optimize UI rendering

○ c) A feature to enhance server-side rendering in React

○ d) A special database for storing React state

5. How do you handle events in React? *

1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

○ a) A way to store state within a component

◉ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *   1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

*   1 point

8. What is the purpose of useEffect in React functional components?

○ a) To handle HTTP requests

● b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

● b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

⦿ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

The respondent's email (**shettysagar2123@gmail.com**) was recorded on submission of this form.

Email *

sagarshettyglobal@gmail.com

Name *

SAGAR SHETTY

USN *

4JK22CS045

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *

1 point

- ( ) a) Using traditional HTML event handlers
- (●) b) By calling functions directly from JSX
- ( ) c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)
- ( ) d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

- ( ) a) A way to store state within a component
- (●) b) A method for sending data to components
- ( ) c) A global variable accessible from all components
- ( ) d) A type of event handler

7.How can you update the state in a React component? *

1 point

- (●) a) By directly modifying the this.state object
- ( ) b) Using the setState method in class components or useState hook in function components
- ( ) c) By changing the prop values
- ( ) d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? *   1 point

◉ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

○ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

Raveenapeyush@gmail.com

Name *

Raveena Peyush Kumar

USN *

4JK22CS042

Branch *

⦿ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

- ○ a) To handle HTTP requests
- ● b) To manage side effects such as data fetching or manual DOM manipulation
- ○ c) To define a global state in your application
- ○ d) To optimize performance by batching state updates

9. What is React Router and why is it used? * 1 point

- ○ a) It is a function used to handle HTTP routing in Node.js
- ● b) It is a package used for managing routing in React applications, allowing navigation between different pages or components
- ○ c) A method for handling state in React applications
- ○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

- ○ a) By using the this.state object in class components
- ● b) Using Redux to globally manage state across components
- ○ c) Passing data via props, as props allow you to pass data and event handlers to child components
- ○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

vigneshpoojari3007@gmail.com

Name *

Vignesh

USN *

4JK22CS060

Branch *

⦿ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ⦿ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ◯ b) A database query language
- ◯ c) A Node.js API function
- ◯ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ◯ a) React components can only be written as class components
- ⦿ b) Components are reusable and help organize the UI
- ◯ c) React components must be named using lowercase letters
- ◯ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◯ a) A special kind of browser DOM for virtual reality applications
- ◯ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ⦿ c) A feature to enhance server-side rendering in React
- ◯ d) A special database for storing React state

5. How do you handle events in React? *

1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

○ a) A way to store state within a component

◉ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *

1 point

○ a) By directly modifying the this.state object

◉ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

● b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

● b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

● c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

nehamahesh2034@gmail.com

Name *

Neha Mahesh

USN *

4jk22cs034

Branch *

⦿ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

○ b) A method for sending data to components

● c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

raveenapeyush@gmail.com

Name *

Raveena Peyush Kumar

USN *

4JK22CS042

Branch *

🔘 CSE

1. What is React? *   1 point

⭕ a) A server-side JavaScript framework

🔘 b) A front-end JavaScript library for building user interfaces

⭕ c) A programming language

⭕ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *

1 point

- ( ) a) Using traditional HTML event handlers
- ( ) b) By calling functions directly from JSX
- (●) c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)
- ( ) d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

- ( ) a) A way to store state within a component
- (●) b) A method for sending data to components
- ( ) c) A global variable accessible from all components
- ( ) d) A type of event handler

7.How can you update the state in a React component? *

1 point

- ( ) a) By directly modifying the this.state object
- (●) b) Using the setState method in class components or useState hook in function components
- ( ) c) By changing the prop values
- ( ) d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

◉ b) Using Redux to globally manage state across components

○ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

shafiqah.sayed2020@gmail.com

Name *

Shafiqah sayed

USN *

4JK22CS049

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- (•) a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ( ) b) A database query language
- ( ) c) A Node.js API function
- ( ) d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ( ) a) React components can only be written as class components
- (•) b) Components are reusable and help organize the UI
- ( ) c) React components must be named using lowercase letters
- ( ) d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ( ) a) A special kind of browser DOM for virtual reality applications
- (•) b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ( ) c) A feature to enhance server-side rendering in React
- ( ) d) A special database for storing React state

5. How do you handle events in React? *

1 point

- ○ a) Using traditional HTML event handlers
- ○ b) By calling functions directly from JSX
- ● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)
- ○ d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

- ○ a) A way to store state within a component
- ● b) A method for sending data to components
- ○ c) A global variable accessible from all components
- ○ d) A type of event handler

7.How can you update the state in a React component? *

1 point

- ○ a) By directly modifying the this.state object
- ● b) Using the setState method in class components or useState hook in function components
- ○ c) By changing the prop values
- ○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? *   1 point

◉ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

○ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

varshinipaandiya2@gmail.com

Name *

M.Paandiyavarshini

USN *

4JK22CS025

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ◉ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ◉ b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◉ a) A special kind of browser DOM for virtual reality applications
- ○ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *   1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *   1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *   1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

This content is neither created nor endorsed by Google.

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

karthikarajp10@gmail.com

Name *

Karthika Raj P

USN *

4JK22CS024

Branch *

⊙ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

---

10. How do you pass data from a parent component to a child component in React? *   1 point

○ a) By using the this.state object in class components

◉ b) Using Redux to globally manage state across components

○ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

pavanbhavish1317@gmail.com

Name *

Pavan Kumar

USN *

4JK22CS036

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ⦿ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ◯ b) A database query language
- ◯ c) A Node.js API function
- ◯ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ◯ a) React components can only be written as class components
- ⦿ b) Components are reusable and help organize the UI
- ◯ c) React components must be named using lowercase letters
- ◯ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◯ a) A special kind of browser DOM for virtual reality applications
- ⦿ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ◯ c) A feature to enhance server-side rendering in React
- ◯ d) A special database for storing React state

5. How do you handle events in React? * 1 point

- ○ a) Using traditional HTML event handlers
- ⦿ b) By calling functions directly from JSX
- ○ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)
- ○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

- ⦿ a) A way to store state within a component
- ○ b) A method for sending data to components
- ○ c) A global variable accessible from all components
- ○ d) A type of event handler

7. How can you update the state in a React component? * 1 point

- ○ a) By directly modifying the this.state object
- ⦿ b) Using the setState method in class components or useState hook in function components
- ○ c) By changing the prop values
- ○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

Madhukarksamin1@gmail.com

Name *

Madhukar Ks

USN *

4JK22CS026

Branch *

⦿ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ⦿ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ◯ b) A database query language
- ◯ c) A Node.js API function
- ◯ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ◯ a) React components can only be written as class components
- ⦿ b) Components are reusable and help organize the UI
- ◯ c) React components must be named using lowercase letters
- ◯ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◯ a) A special kind of browser DOM for virtual reality applications
- ⦿ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ◯ c) A feature to enhance server-side rendering in React
- ◯ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

---

10. How do you pass data from a parent component to a child component in React? *   1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

sanjan.t.5232@gmail.com

Name *

Sanjan t suvarna

USN *

4jk22cs046

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *   1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *   1 point

◉ a) A way to store state within a component

○ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *   1 point

○ a) By directly modifying the this.state object

◉ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

⦿ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

⦿ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

---

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

⦿ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

nayanapoojary2004@gmail.com

Name *

Nayana Poojary

USN *

4JK22CS033

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *   1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *   1 point

◉ a) A way to store state within a component

○ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *   1 point

○ a) By directly modifying the this.state object

◉ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

- ◯ a) To handle HTTP requests
- ◯ b) To manage side effects such as data fetching or manual DOM manipulation
- ⦿ c) To define a global state in your application
- ◯ d) To optimize performance by batching state updates

9. What is React Router and why is it used? *   1 point

- ◯ a) It is a function used to handle HTTP routing in Node.js
- ⦿ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components
- ◯ c) A method for handling state in React applications
- ◯ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? *   1 point

- ◯ a) By using the this.state object in class components
- ◯ b) Using Redux to globally manage state across components
- ⦿ c) Passing data via props, as props allow you to pass data and event handlers to child components
- ◯ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

pushparaksha23@gmail.com

Name *

R Raksha

USN *

4JK22CS040

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ◉ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ◉ b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ◉ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

● a) A way to store state within a component

○ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

- a) To handle HTTP requests
- b) To manage side effects such as data fetching or manual DOM manipulation
- ● c) To define a global state in your application
- d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

- a) It is a function used to handle HTTP routing in Node.js
- ● b) It is a package used for managing routing in React applications, allowing navigation between different pages or components
- c) A method for handling state in React applications
- d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

- a) By using the this.state object in class components
- b) Using Redux to globally manage state across components
- ● c) Passing data via props, as props allow you to pass data and event handlers to child components
- d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

shreyapoojary251@gmail.com

Name *

SHREYA

USN *

4JK22CS053

Branch *

⦿ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ⦿ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ◯ b) A database query language
- ◯ c) A Node.js API function
- ◯ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ◯ a) React components can only be written as class components
- ⦿ b) Components are reusable and help organize the UI
- ◯ c) React components must be named using lowercase letters
- ◯ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◯ a) A special kind of browser DOM for virtual reality applications
- ⦿ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ◯ c) A feature to enhance server-side rendering in React
- ◯ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

◉ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

◉ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

The respondent's email (**mprakrithi84@gmail.com**) was recorded on submission of this form.

Email *

mprakrithi84@gmail.com

Name *

PRAKRITHI

USN *

4JK22CS038

Branch *

🔘 CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

🔘 b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ⦿ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ◯ b) A database query language
- ◯ c) A Node.js API function
- ◯ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ◯ a) React components can only be written as class components
- ⦿ b) Components are reusable and help organize the UI
- ◯ c) React components must be named using lowercase letters
- ◯ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◯ a) A special kind of browser DOM for virtual reality applications
- ⦿ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ◯ c) A feature to enhance server-side rendering in React
- ◯ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

Chandrothvishnu72@gmail.com

Name *

Vishnu

USN *

4jk22cs061

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ⦿ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ◯ b) A database query language
- ◯ c) A Node.js API function
- ◯ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ◯ a) React components can only be written as class components
- ⦿ b) Components are reusable and help organize the UI
- ◯ c) React components must be named using lowercase letters
- ◯ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ◯ a) A special kind of browser DOM for virtual reality applications
- ⦿ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ◯ c) A feature to enhance server-side rendering in React
- ◯ d) A special database for storing React state

5. How do you handle events in React? *

1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

○ a) A way to store state within a component

◉ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *

1 point

○ a) By directly modifying the this.state object

◉ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

ishraqkadikadka07@gmail.com

Name *

Muhamed Ishraq

USN *

4JK22CS029

Branch *

⦿ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

⦿ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ○ **a) A JavaScript XML extension that allows you to write HTML inside JavaScript code** (selected)
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ○ **b) Components are reusable and help organize the UI** (selected)
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ○ **b) A lightweight copy of the real DOM used by React to optimize UI rendering** (selected)
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *   1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

⦿ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *   1 point

○ a) A way to store state within a component

⦿ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7. How can you update the state in a React component? *   1 point

○ a) By directly modifying the this.state object

⦿ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

- ◯ a) To handle HTTP requests
- ◉ b) To manage side effects such as data fetching or manual DOM manipulation
- ◯ c) To define a global state in your application
- ◯ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

- ◯ a) It is a function used to handle HTTP routing in Node.js
- ◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components
- ◯ c) A method for handling state in React applications
- ◯ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

- ◯ a) By using the this.state object in class components
- ◯ b) Using Redux to globally manage state across components
- ◉ c) Passing data via props, as props allow you to pass data and event handlers to child components
- ◯ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

afthuab78@gmail.com

Name *

AFTHAB ABDULLA M A

USN *

4JK22CS004

Branch *

◉ CSE

1. What is React? *   1 point

◯ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

◯ c) A programming language

◯ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? *   1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

rakshithaacharya20@gmail.com

Name *

RAKSHITHA ACHARYA

USN *

4JK22CS041

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ( ) a) A JavaScript XML extension that allows you to write HTML inside JavaScript code *(selected)*
- ( ) b) A database query language
- ( ) c) A Node.js API function
- ( ) d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ( ) a) React components can only be written as class components
- ( ) b) Components are reusable and help organize the UI *(selected)*
- ( ) c) React components must be named using lowercase letters
- ( ) d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ( ) a) A special kind of browser DOM for virtual reality applications
- ( ) b) A lightweight copy of the real DOM used by React to optimize UI rendering *(selected)*
- ( ) c) A feature to enhance server-side rendering in React
- ( ) d) A special database for storing React state

5. How do you handle events in React? *

1 point

- ○ a) Using traditional HTML event handlers
- ○ b) By calling functions directly from JSX
- ● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)
- ○ d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

- ○ a) A way to store state within a component
- ● b) A method for sending data to components
- ○ c) A global variable accessible from all components
- ○ d) A type of event handler

7.How can you update the state in a React component? *

1 point

- ○ a) By directly modifying the this.state object
- ● b) Using the setState method in class components or useState hook in function components
- ○ c) By changing the prop values
- ○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

- ○ a) To handle HTTP requests
- ◉ b) To manage side effects such as data fetching or manual DOM manipulation
- ○ c) To define a global state in your application
- ○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

- ○ a) It is a function used to handle HTTP routing in Node.js
- ◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components
- ○ c) A method for handling state in React applications
- ○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

- ○ a) By using the this.state object in class components
- ○ b) Using Redux to globally manage state across components
- ◉ c) Passing data via props, as props allow you to pass data and event handlers to child components
- ○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

sanjanakulal2005@gmail.com

Name *

SANJANA

USN *

4JK22CS047

Branch *

🔘 CSE

1. What is React? *   1 point

◯ a) A server-side JavaScript framework

🔘 b) A front-end JavaScript library for building user interfaces

◯ c) A programming language

◯ d) A database management system

2. What is JSX in React? *

1 point

- ◉ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ◉ b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ◉ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *   1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

● c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? *   1 point

○ a) A way to store state within a component

● b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7.How can you update the state in a React component? *   1 point

○ a) By directly modifying the this.state object

● b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * 1 point

○ a) To handle HTTP requests

● b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * 1 point

○ a) It is a function used to handle HTTP routing in Node.js

● b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

10. How do you pass data from a parent component to a child component in React? * 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

● c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

navaneethkappally26@gmail.com

Name *

Navaneeth

USN *

4JK22CS03-

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ● a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ● b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ● b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? *

1 point

- ○ a) Using traditional HTML event handlers
- ○ b) By calling functions directly from JSX
- ◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)
- ○ d) You cannot handle events in React

6. What is a "prop" in React? *

1 point

- ○ a) A way to store state within a component
- ◉ b) A method for sending data to components
- ○ c) A global variable accessible from all components
- ○ d) A type of event handler

7.How can you update the state in a React component? *

1 point

- ○ a) By directly modifying the this.state object
- ○ b) Using the setState method in class components or useState hook in function components
- ◉ c) By changing the prop values
- ○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? * · 1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? * · 1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

---

10. How do you pass data from a parent component to a child component in React? * · 1 point

○ a) By using the this.state object in class components

○ b) Using Redux to globally manage state across components

◉ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms

QUIZ M.E.R.N

paigauresh@gmail.com

Email *

shibanir8888@gmail.com

Name *

Shibani

USN *

4JK22CS050

Branch *

◉ CSE

1. What is React? *   1 point

○ a) A server-side JavaScript framework

◉ b) A front-end JavaScript library for building user interfaces

○ c) A programming language

○ d) A database management system

2. What is JSX in React? *

1 point

- ◉ a) A JavaScript XML extension that allows you to write HTML inside JavaScript code
- ○ b) A database query language
- ○ c) A Node.js API function
- ○ d) A method for handling state in React

3. Which of the following is true about components in React? *

1 point

- ○ a) React components can only be written as class components
- ◉ b) Components are reusable and help organize the UI
- ○ c) React components must be named using lowercase letters
- ○ d) You cannot pass data to a React component

4. What is the virtual DOM in React? *

1 point

- ○ a) A special kind of browser DOM for virtual reality applications
- ◉ b) A lightweight copy of the real DOM used by React to optimize UI rendering
- ○ c) A feature to enhance server-side rendering in React
- ○ d) A special database for storing React state

5. How do you handle events in React? * 1 point

○ a) Using traditional HTML event handlers

○ b) By calling functions directly from JSX

◉ c) By passing event handlers as props to elements and using camelCase syntax (e.g., onClick)

○ d) You cannot handle events in React

6. What is a "prop" in React? * 1 point

○ a) A way to store state within a component

◉ b) A method for sending data to components

○ c) A global variable accessible from all components

○ d) A type of event handler

7. How can you update the state in a React component? * 1 point

○ a) By directly modifying the this.state object

◉ b) Using the setState method in class components or useState hook in function components

○ c) By changing the prop values

○ d) By reloading the component

8. What is the purpose of useEffect in React functional components? *   1 point

○ a) To handle HTTP requests

◉ b) To manage side effects such as data fetching or manual DOM manipulation

○ c) To define a global state in your application

○ d) To optimize performance by batching state updates

9.What is React Router and why is it used? *   1 point

○ a) It is a function used to handle HTTP routing in Node.js

◉ b) It is a package used for managing routing in React applications, allowing navigation between different pages or components

○ c) A method for handling state in React applications

○ d) A tool for bundling JavaScript files for React apps

---

10. How do you pass data from a parent component to a child component in React? *   1 point

○ a) By using the this.state object in class components

◉ b) Using Redux to globally manage state across components

○ c) Passing data via props, as props allow you to pass data and event handlers to child components

○ d) By calling a special React method for data transfer

Google Forms