

| | |
|-------------------|---|
| Template | Parent Class (if any): List the parent class if applicable Subclasses (if any): List all the subclasses separated by a comma |
| Responsibilities: | Collaborators: |

| | |
|---|--|
| LoginPage | Parent Class: App.js Subclasses: LoginForm.js |
| Responsibilities: Handles the UI for the login page | Collaborators: Rahul, David |

| | |
|--|-----------------------------|
| LoginForm | Parent Class: LoginPage.js |
| Responsibilities: Handles logging in users to the system (once integrated with the DB) | Collaborators: Rahul, David |

| | |
|--|---|
| SignupPage | Parent Class: App.js Subclasses: SignupForm.js |
| Responsibilities: Handles the UI for the signup page | Collaborators: Rahul, David |

| | |
|--|-----------------------------|
| SignupForm | Parent Class: SignupPage.js |
| Responsibilities: Handles creating new users and storing the information in the DB | Collaborators: Rahul, David |

| | |
|--------------------|---|
| ForgotPasswordPage | Parent Class: App.js Subclasses: ForgotPasswordForm.js |
|--------------------|---|

| | |
|---|-----------------------------|
| Responsibilities: Handles the UI for the forget password page | Collaborators: Rahul, David |
|---|-----------------------------|

| | |
|--|--|
| ForgotPasswordForm | Parent Class: ForgotPasswordForm.js |
| Responsibilities: Handles accessing the user who requests a password reset | Collaborators: Rahul, David |

| | |
|---|--------------------------------------|
| Graph.js | Parent Class: N/A Subclasses: N/A |
| Responsibilities: Handles and servers the schema for the graphql + neo4j api. | Collaborators: Daksh |

| | |
|---------------------------------|--|
| Timer Page | Parent Class: App.js Subclasses: TimerPage.js |
| Responsibilities: Handles timer | Collaborators: Shun Chit |

| | |
|--|--|
| Timer | Parent Class: TimerPage.js Subclasses: Timer.js |
| Responsibilities: Create a format for the timer for pomodoro | Collaborators: Shun Chit |

| | |
|---|--|
| Set | Parent Class: Timer.js Subclasses: Set.js |
| Responsibilities: Handles converting time, start time, pause time | Collaborators: Shun Chit |


| | |
|---|---|
| SettingContext | Parent Class: Timer.js Subclasses: SettingContext.js |
| Responsibilities: Handles the setting for the timer | Collaborators: Shun Chit |

| | |
|--|---|
| Main Interface | Parent Class: App.js Subclasses: N/A |
| Responsibilities: Allows for the changing of pages and tabs, and calendar view and notes | Collaborators: Manjoy malhotra |

| | |
|--|-------------------------------|
| Tasks Page | Parent Class: App.js |
| Responsibilities: Lists out the tasks the user still has to do, and can add more | Collaborators: Peter Ghobrial |

| | |
|--|------------------------|
| Journal | Parent Class: App.js |
| Responsibilities: Creates journal posts so the user can write and create documents | Collaborators: Yuvraaj |

Software Architecture Diagram



This image is taken from <https://grandstack.io/docs/getting-started-neo4j-graphql>.

The architecture relies on a neo4j database being hosted on the same or a separate server. We also rely on node.js being installed. Node.js is then used to install react and other react libraries.