

Regression Run — 2026-05-13

Status: All assertions passed (3/3) — with 3 informational findings

App: ListenFirst Platform · **Env:** dev · **Browser:** attached Work Browser (macOS) **Run kind:** Exploration (first run for this case) · **Cases:** 1 / 1

At a glance

Metric	This run	Notes
Cases run	1	QA-5757
Passed	1	All three assertions PASS
Bugs	0	—
Informational findings	3 i	See "Findings" below
Untrusted skills created	4	New skill files written — flagged for review
Stale-skill auto-updates	0	First run — no prior skills

Pre-flight

Check	Status	Detail
App reachable		<code>https://app.lfmdev.in</code> returned a logged-in Home page
Logged in		Existing browser session was active
Switched to Hulu		account_id=336, switched via My Profile → Search Account "Hulu"
Dashboard renders		Welcome screen for account Hulu loaded

QA-5757 — Reporting > Google Sheets export - TWC

PASS WITH FINDINGS

Source: [QA-5757 in Jira](#)

Test parameters used

Parameter	Value	How chosen
Account	Hulu	per test case precondition
Brand	Hulu	test case said "Hulu (Public Data)"; no such brand exists in autocomplete. Per user, used plain "Hulu" — see Finding F1
Perspective	Public Data	Default toggle position after selecting Hulu — confirmed by Perspective column = "Public" in exports
Date range type	Absolute Dates	Default tab
Date range	2026-05-05 to 2026-05-11	Default 7-day window (per user "by default 7 days are selected")
Data points	Facebook New Fans	Single metric, per test case example

Assertion results

A1 — Filename pattern **PASS**

Expected pattern: `Brand - Time Window Comparison - begin_date - end_date`

Export	Actual filename	Result
Google Sheets	<code>Hulu - Time Window Comparison - May 5, 2026 - May 11, 2026</code>	
CSV	<code>Hulu - Time Window Comparison - May 5, 2026 - May 11, 2026.csv</code>	

Both filenames substitute `Brand → Hulu`, `begin_date → May 5, 2026`, `end_date → May 11, 2026`, exactly as the pattern prescribes. The CSV adds the standard `.csv` extension; the Google Sheets tab title appends `- Google Sheets` (a Google Drive convention, not part of the file name).

A2 — Perspective column = "Public" **PASS**

Captured from both exports for all 7 rows:

Row	Perspective (Google Sheets)	Perspective (CSV)	Match	Expected
1	Public	Public		Public
2	Public	Public		Public
3	Public	Public		Public
4	Public	Public		Public
5	Public	Public		Public
6	Public	Public		Public
7	Public	Public		Public

All 7 rows in the Perspective column display `Public` exactly (text_equals after trim, case-sensitive). No whitespace, casing, or stray-character mismatches detected.

A3 — Google Sheets export matches CSV export **PASS**

Both exports captured and compared cell-by-cell:

Headers (both files):

Perspective, Brand, Date, Facebook New Fans

Data rows (identical in both files):

#	Perspective	Brand	Date	Facebook New Fans
1	Public	Hulu	05/05/2026	6329
2	Public	Hulu	05/06/2026	4906
3	Public	Hulu	05/07/2026	2648
4	Public	Hulu	05/08/2026	1787
5	Public	Hulu	05/09/2026	1785
6	Public	Hulu	05/10/2026	2061
7	Public	Hulu	05/11/2026	3883

Comparison: **7 rows × 4 columns = 28 cells, 0 mismatches.**

Bonus cross-source check (in-app table vs exports)

Date	In-app table	CSV / Google Sheets	Match
May 05, 2026	6,329	6329	
May 06, 2026	4,906	4906	
May 07, 2026	2,648	2648	
May 08, 2026	1,787	1787	
May 09, 2026	1,785	1785	
May 10, 2026	2,061	2061	
May 11, 2026	3,883	3883	

The in-app values display with thousands separators (`6,329`); the exports use raw integers (`6329`). After numeric normalization (strip commas, parse as integer), all 7 values match exactly. No backend/frontend drift detected.

Findings (not bugs)

i F1 — Brand "Hulu (Public Data)" does not exist in autocomplete

Category: test_case_outdated · **Severity:** info

Detail: Step 4 of QA-5757 says to enter `Hulu (Public Data)` in the Add Brand by Name field. The autocomplete returns four Hulu variants — `Hulu`, `Hulu (Brazil)`, `Hulu (Japan)`, `Hulu (LATAM)` — none of which contain the word "Public". The brand was instead selected as `Hulu`, and the per-brand View toggle (which appeared after selection) defaulted to **Public Data**. The Perspective column in both exports correctly displays "Public", confirming that selecting `Hulu` with the default toggle position is functionally equivalent to what the test case author meant by "Hulu (Public Data)".

Recommendation: Reword the step to remove the misleading parenthetical:

1. In the Add Brand by Name field, enter `Hulu` and select the result. Verify the per-brand View toggle defaults to **Public Data**.

If the original intent was a different brand entity (e.g., a separate "Public Data" feed) that has since been merged into the primary `Hulu` brand, this should be confirmed with whoever authored the case.

i F2 — Logged-in user display is "Yash", expected `lfika@listenfirstmedia.com`

Category: user_identity · **Severity:** info

Detail: The top-right user name on the attached Work Browser session shows `Yash`. `credentials.md` indicates the expected test user is `lfika@listenfirstmedia.com`. This may be the display name for that

account (some apps use first-name displays), or a different user is logged in on this browser profile. All test functionality worked, so this isn't blocking, but worth confirming so the report header has the right user identity going forward.

Recommendation: Either (a) the user confirms `Yash` is the display name for `lfika@listenfirstmedia.com` and we add a note to `credentials.md`, or (b) the user logs in as the intended test account on the Work Browser before subsequent runs.

i F3 — Brand autocomplete needs a programmatic input event

Category: automation_quirk · **Severity:** info

Detail: Typing into the "Search for a Brand" field via the Chrome MCP `type` action set the input's `value` but did not trigger the React typeahead's `onChange` handler. The dropdown only appeared after dispatching a native `InputEvent` on the field via JavaScript. A real user typing keys would not encounter this — it is automation-only friction. The skill `time-window-comparison-run` documents this quirk and uses programmatic dispatch as the canonical interaction for this field.

Recommendation: No product change needed. Document the pattern in `skills/_shared/network-patterns.md` or a new `automation-quirks.md` so future skills covering React-controlled inputs don't rediscover this.

Skills created (all `trust: untrusted`)

These are first-run skills. Per the architecture, they're flagged as untrusted until 3 successful runs on separate days.

Skill	Version	Purpose	Cases that use it
<code>switch-account</code>	1	Open My Profile dropdown, search account by name, switch	Any case that requires a specific account
<code>time-window-comparison-run</code>	1	Navigate to Time Window Comparison report, add a brand, pick metrics, run	QA-5757 and future TWC tests
<code>export-google-sheets</code>	1	From a built report, trigger Google Sheets export and capture the filename + content	QA-5757
<code>export-csv</code>	1	From a built report, trigger CSV download and intercept the blob	QA-5757

The knowledge-base files `app-map.md`, `known-quirks.md`, and `skills/_shared/selectors.md` were also seeded from this run.

Per-case telemetry

Case	Status	Wall time	Tokens	MCP calls (approx)	Screenshots saved	Console errors	Network 4xx/5xx
QA-5757		~8 min	not measured this run	~40	0 to disk*	0	0

* Screenshots were captured during the run for in-conversation verification but the Chrome MCP did not surface a disk path for the `save_to_disk` option in this session; subsequent runs will reattempt and the report's evidence folder will be populated. Since all assertions passed and we have full row-level data in both directions, the bug-evidence pattern (screenshot at point of failure) wasn't exercised.

Token & precise-time logging will be wired up properly in run 2 once the skills are in place and the exploration overhead is gone.

Trend

This is run 1. Trends/comparisons begin from run 2.

Bugs

None this run. See [bugs.md](#) for the (empty) bugs file and the format that future bug entries will follow.