

CSM 166: Discrete Mathematics for Computer Science

Fundamentals of Counting

Isaac Afari Addo <addoisaacafari@gmail.com>

National Institute for Mathematical Science (NIMS) - Ghana

Department of Mathematics, KNUST

Kumasi-Ghana.

Content

Course Outline

Fundamentals of Counting

Course Outline

1. Fundamentals of Counting
2. Multinomial Coefficients
3. Complex Numbers
4. Theory of Difference Equations/Recurrence Relations.
5. Boolean Algebra and Boolean Functions

Fundamentals of Counting

Definition 1 (additive principle)

*The additive principle states that if event A can occur in m ways, and event B can occur in n **disjoint** ways, then the event “A or B” can occur in $m + n$ ways.*

Since A and B are disjoint :

$$|A \cup B| = |A| + |B|$$

Fundamentals of Counting

Example 1

- i How many ways can a student be selected from a class of 18 boys and 20 girls
- ii How many two letter “words” start with either A or B?

Fundamentals of Counting

Definition 2 (Multiplicative Principle.)

The multiplicative principle states that if event A can occur in m ways, and each possibility for A allows for exactly n ways for event B , then the event “ A and B ” can occur in $m \cdot n$ ways.

Example 2

- i How many ways can 1 boy and 1 girl be selected from a class of 18 boys and 20 girls?
- ii There are 32 microcomputers in a computer center. Each microcomputer has 24 ports. How many different ports to a microcomputer in the center are there?
- iii A new company with just two employees, Sanchez and Patel, rents a floor of a building with 12 offices. How many ways are there to assign different offices to these two employees?

Fundamentals of Counting

Definition 3

Any arrangement of a set of n object in a given order is called a permutation of the objects (taken all at a time).

Example 3

How many permutations are there of the letters a, b, c, d, e, f?

Solution:

There are $6 \cdot 5 \cdot 4 \cdot 3 \cdot 2 \cdot 1 = 720$ permutations of the 6 letters.

Permutation of n elements

There are $n! = n \cdot (n-1) \cdot (n-2) \cdots 2 \cdot 1$ permutations of n (distinct) elements.

k-permutation of n elements

$P(n, k)$ is the number of k-permutations of n elements, the number of ways to arrange k objects chosen from n distinct objects.

$$P(n, k) = \frac{n!}{(n-k)!} = n(n-1)(n-2) \dots (n-(k-1))$$

Example 4

- i How many 4 letter “words” can you make from the letters a through f, with no repeated letters?

- ii How many ways are there to select a first-prize winner, a second-prize winner, and a third-prize winner from 100 different people who have entered a contest

Exercise A:

Suppose that there are eight runners in a race. The winner receives a gold medal, the second-place finisher receives a silver medal, and the third-place finisher receives a bronze medal. How many different ways are there to award these medals, if all possible outcomes of the race can occur and there are no ties?

Fundamentals of Counting

Definition 4

Suppose we have a collection of n objects. A combination of these n objects taken r at a time is any selection of r of the objects without taking order in account.

*An r - combination of n objects, denoted $C(n, r)$ is an **unordered** selection of r of the n objects.*

$$C(n, r) = \frac{P(n, r)!}{r!} = \frac{n!}{r!(n - r)!}$$

Example 5

1. Find the number of combinations of four objects, a, b, c, d taken three at a time
2. How many different committees of three students can be formed from a group of five (5) students?
3. In how many different ways can a hand of 5 cards be selected from a deck of 52 cards?

Fundamentals of Counting

Exercise B:

Suppose that there are 9 faculty members in the mathematics department and 11 in the computer science department. How many ways are there to select a committee to develop a discrete mathematics course at a school if the committee is to consist of three faculty members from the mathematics department and four from the computer science department?

Fundamentals of Counting

Exercise C:

Prove the following identities:

- a) $C(n, 0) = C(n, n) = 1$ and
 $C(n, 1) = C(n, n - 1) = n$
- b) Symmetry property: $C(n, r) = C(n, n - r)$, $r \leq n$.
- c) Pascal's identity:
 $C(n + 1, k) = C(n, k - 1) + C(n, k)$, $n \geq k$

End of Lecture

Questions...???

Thanks

Reference Books

1. Kenneth H. Rosen, “Discrete Mathematics and Its Applications”, Tata Mcgraw Hill, New Delhi, India, seventh Edition, 2012.
2. H. Levy, F. Lessman Finite Difference Equations. Dover books on mathematics
3. Gary Chartrand. Ping Zhang. Discrete Mathematics 1th
4. Oscar Leven. Discrete Mathematics: An open introduction. 2nd Edition. 2013