

AC Repro I


SPOT TEST

BY MDCU 77

(Filled answers 1/1)

- CaT

01




A. Identify structure A

Corpus cavernosum

B. Identify structure B

Fossa navicularis

02




A. Identify structure A

Glands of penis

B. Identify structure B

Bulb of penis covered
by bulbospongiosus m.

03




A. Identify the **area A** Mons pubis

B. What is the nerve that innervates skin in the **area A**?

Ilioinguinal n.

04




A. Identify muscle A

Bulbospongiosus m.

B. Identify muscle B

Ischiocavernosus m.

05




A. Identify spaces A

Ischiorectal fossa

B. (of pelvic diaphragm)

06




A. Identify structure 23

Rectouterine pouch

B. Identify structure 25

Posterior fornix

07





A. Identify structure A


Epididymis

B. Identify structure B

Parietal tunica vaginalis



08




A. Identify structure 1

Ovary

B. Identify structure 12

Ovarian ligament


09



A. Identify structure 3 Fundus of uterus



B. Identify structure 5 Cervix

10



- A. Identify structure 3 Prostate gland
- B. Identify structure 2 Seminal vesicles

11




A. Identify structure A

Tendinous arch of levator ani

B. Identify structure 15

Levator ani m.

12





A. Identify vessel A

Inferior vena cava

B. Identify vessel B

Right gonadal vein

13



①

The **obturator artery** arises from the anterior division of the internal iliac artery within the pelvis.

It then descends **anteroinferiorly** onto the lateral pelvic wall to reach the obturator foramen. It gives rise to several branches within the pelvis:

- Iliac branches
- Vesical artery
- Pubic branch

At the obturator foramen, the obturator artery leaves the pelvic cavity via the obturator canal and enters the medial thigh. Here it terminates by bifurcating into two branches:

- **Anterior branch** – anastomoses with the posterior branch of the obturator and medial circumflex femoral arteries.
- **Posterior branch** – anastomoses with the anterior branch of the obturator and the inferior gluteal artery.

Supply


The **obturator artery** supplies structures in the pelvis, medial thigh and gluteal regions.

- **Pelvis branches:** supply the iliacus muscle, urinary bladder, iliac and pubic bones.
- **Extrapelvic branches** – supply the muscles and skin of the medial thigh (pectineus, obturator externus, adductor muscles and gracilis) and the femoral head.


A. Identify vessel 1 **Obturator artery**

B. Which muscle is supplied by vessel 1?

Obturator internus, Adductor group m., etc.



14




A. Identify structure A

Ureter

B. Identify structure B

Uterine artery

15




A. Identify structure A

Inferior gluteal artery

B. Identify structure B

Umbilical artery

16




(Transformation zone of cervix/ Squamocolumnar junction)

A. Identify this structure as a whole **Cervix**

B. Tell its function **Protective barrier**

Produce mucus

17



A. Identify this structure

Ovary

B. Tell 2 of its functions

Oogenesis

Produce estrogen, progesterone

18




A. Identify this structure **Vagina**

B. Please give 2 reasons

Stratified squamous epithelium moist type (with glycogen storage(not well seen))


No mucous gland

19



- A. Identify this structure (be specific) Active mammary gland
(แยก non-lactating/lactating ไม่ชัดเจน)
- B. Please give 2 reasons But according to กฤตชัย slide 80 -> lactating
- Abundant glands and ducts (marked proliferation), Decreased stroma
- Extensive branching, Enlarged lumen, Found secretory products

20




A. Identify this organ

Uterus

B. Identify structure B

Uterine gland

21




A. Identify structure A

Seminiferous tubule

B. Identify structure B

*Straight tubule

22



A. Identify this tissue

Epididymis


B. Tell 2 reasons why

Pseudostratified columnar with branched stereocilia

Smooth-border lumen

Principal cell

23



Simple-pseudostratified columnar

Numerous irregular fold

Numerous apical secretory vesicles
(Pale apical vacuolated epi.)

A. Identify this tissue

Seminal vesicle


B. Name a component of the luminal fluid

Fructose, Phosphorylcholine, Ergothioneine

Ascorbic acid, Flavins, Prostaglandins,

Seminal vesicle-specific proteins (Coagulating proteins)

24




A. Identify this tissue

Vas deferens

B. Tell its clinical significance

Vasectomy

25



A. Identify cell A Leydig cell

B. (True/False) the number of chromatids in cell B1 is
equal to cell B2

False B1 = primary spermatocyte (2n)

B2 = secondary spermatocyte (n)

Notice B2 size < B1