

A Project Report
on
SPORTS EVENTS MANAGEMENT SYSTEM

Project report submitted for the award of the degree in

Bachelor of Science in Computers - submitted to



Department of Computer Science
Vivekananda Government Degree College
(Affiliated to Osmania University)
Vidyanagar, Hyderabad
(2021-22)

Submitted by:

- 1. V. LITISH. (HT. NO: 1244-19-345-106)**
- 2. B. MAMATHA. (HT. NO: 1244-19-345-012)**
- 3. M. PRAVALIKA. (HT. NO: 1244-19-345-062)**
- 4. B. BHASKAR. (HT. NO: 1244-19-345-020)**
- 5. D. NAGESH BABU. (HT. NO: 1244-19-345-026)**
- 6. J. VENKANNA. (HT. NO: 1244-19-345-042)**

Date: June 20, 2022

DECLARATION

We hereby declare that this project work entitled “**SPORTS EVENTS MANAGEMENT SYSTEM**” submitted by us to the **Vivekananda Government Degree College**, Bachelor of Science in Computers, Osmania University (OU), Hyderabad is a Bonafide work undertaken by us and it is not submitted to any other university or institution for the award of any degree/diploma /certificate or published any time before.

Signature

- 1. V. LITISH. (HT. NO: 1244-19-345-106)**
- 2. B. MAMATHA. (HT. NO: 1244-19-345-012)**
- 3. M. PRAVALIKA. (HT. NO: 1244-19-345-062)**
- 4. B. BHASKAR. (HT. NO: 1244-19-345-020)**
- 5. D. NAGESH BABU. (HT. NO: 1244-19-345-026)**
- 6. J. VENKANNA. (HT. NO: 1244-19-345-042)**

VIVEKANANDA GOVERNMENT DEGREE COLLEGE

Affiliated with Osmania University

Vidyanagar, Hyderabad - 500044

CERTIFICATE

This is to certify that the Project Report title “SPORTS EVENTS MANAGEMENT SYSTEM” submitted in partial fulfilment of the requirement for the award of bachelors in Science degree from Vivekananda Government Degree College, was carried by V. LITISH. (HT. NO: 1244-19-345-106), B. MAMATHA. (HT. NO: 1244-19-345-012), M. PRAVALIKA. (HT. NO: 1244-19-345-062), B. BHASKAR. (HT. NO: 1244-19-345-020), D. NAGESH BABU. (HT. NO: 1244-19-345-026), J. VENKANNA. (HT. NO: 1244-19-345-042) under the guidance of prof. Mrs. SREEDEVI MAM. This has not been submitted to any other university or institution for the award for any degree /certificate or published any time before.

NAME AND SIGNATURE OF THE

GUIDE

PRINCIPAL

ACKNOWLEDGEMENT

This is a matter of pleasure for us to acknowledge our deep sense of gratitude to **Mrs. G Sukanya mam**, Principal of **Vivekananda Government Degree College** (Affiliated to Osmania University), for giving us an opportunity to explore our abilities via this project work.

We would like to express our sincere gratitude to our project guide **Mrs. Sreedevi mam** for her valuable guidance and advice in completing this project.

Mrs. Sridevi mam for the wholehearted support extended to us throughout the conduct of the study. The encouraging words that have been extended were a great boost for the completion of this work.

We are also very thankful and grateful towards our authorities of **Vivekananda Government Degree College**, (Osmania University) for their support, encouragement, and valuable suggestions for the completion of this study.

It is my privilege to express my deep sense of gratitude to all those people who has given their valuable time and effort without which this project would have not been completed by me.

Submitted by:

1. V. LITISH.

2. B. MAMATHA.

3. M. PRAVALIKA.

4. B. BHASKAR.

5. D. NAGESH BABU.

6. J. VENKANNA.

ABSTRACT:

Sports management system provides and manages various sports events in organisations or institutions. It also manages selection, winners across various games and sports...

The software lets you share the event details with different people and admin i.e., confirmation email regarding registration.

The event information sent via the software network are specific to the target user. The software will run on a computer provided internet connectivity.

Table of Contents

List of Figures.....	7
List of Tables.....	7
1. Introduction.....	9
1.1. Overview.....	9
1.2. Motivation.....	9
1.3. Problem Definition.....	9
1.4. Objectives.....	9
1.5. Scope.....	10
2. Software Requirements Specification.....	10
2.1. One.....	11
2.2. Two.....	12
2.3. Three.....	13
3. App title and description.....	14
4. Activities.....	14
5. Implementation code.....	15
6. Results/Screenshots.....	64
7. Conclusion/Summary.....	68
8. References.....	68

List of Tables

1. **admin table:** Contains the credentials of the connection to the database
2. **entry table:** Contains the information related to all the entries regarding a particular event
3. **event table:** Contains the information regarding all the events available for registration and displays all the currently active users
4. **login table:** Contains all the information related to login of the students
5. **result1 table:** Contains all the information of the winners of a particular event

The image displays two screenshots of the phpMyAdmin interface, showing the structure and data of two tables in a MySQL database.

Top Screenshot: Table 'admin'

The interface shows the 'admin' table with the following structure:

username	password
test	test

The table contains one row with the username 'test' and password 'test'.

Bottom Screenshot: Table 'entry'

The interface shows the 'entry' table with the following structure:

id	event	type	username	email	class	contact
1	hockey	indoor	vaibhav gaikwad	abc@gmail.com	d15	8149316305
2	cricket	indoor	vaibhav gaikwad	abc@gmail.com	d15	1212121212
3	cricket	indoor	kalpesh deepak juvekar	kalpesh.juvekar@ves.ac.in	d14	8149316305
4	cricket	indoor	aniket nighot	aniket@gmail.com	d13	7854125478
5	hockey	indoor	kalpesh deepak juvekar	kalpesh.juvekar@ves.ac.in	d13	8149316305
6	hockey	indoor	aniket nighot	aniket@gmail.com	d11	4141414141
7	tennis	outdoor	jai hinduja	jai@gmail.com	d13	1212122121
8	cricket	outdoor	jai hinduja	jai@gmail.com	d13	1212122121
9	football	outdoor	jai hinduja	jai@gmail.com	d13	1212122121
10	hockey	indoor	Rohith	rohithlalla@gmail.com	hj	876987989

localhost / 127.0.0.1 / sportpro / x

localhost/phpmyadmin/sql.php?server=1&db=sportpro&table=event&pos=0

AdWords Aadhar Templates JEE 2018 BITSAT eWay Bill EAMCET TSBE HP MFP M126nm 207 OK Soft Cloud ERP WP Themes Other favorites

phpMyAdmin

Recent Favorites

Server: 127.0.0.1 » Database: sportpro » Table: event

Showing rows 0 - 3 (4 total, Query took 0.0011 seconds.)

SELECT * FROM 'event'

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

		id	event_name	type	description	start_date	end_date	time	status
<input type="checkbox"/>	Edit Copy Delete	1	cricket	indoor	abc	2017-04-07	2017-04-06	00:02:00	end
<input type="checkbox"/>	Edit Copy Delete	3	hockey	indoor	abcd	0000-00-00	0000-00-00	00:00:11	ongoing
<input type="checkbox"/>	Edit Copy Delete	18	tennis	outdoor	this is multiplayer game	2017-04-05	2017-04-22	05:00:00	ongoing
<input type="checkbox"/>	Edit Copy Delete	19	football	outdoor	fb	2017-04-11	2017-04-06	12:12:00	ongoing

Check all With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Console

localhost / 127.0.0.1 / sportpro / x

localhost/phpmyadmin/sql.php?server=1&db=sportpro&table=result1&pos=0

AdWords Aadhar Templates JEE 2018 BITSAT eWay Bill EAMCET TSBE HP MFP M126nm 207 OK Soft Cloud ERP WP Themes Other favorites

phpMyAdmin

Recent Favorites

Server: 127.0.0.1 » Database: sportpro » Table: result1

Showing rows 0 - 1 (2 total, Query took 0.0012 seconds.)

SELECT * FROM 'result1'

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

+ Options

		id	eventname	win1	w1class	win2	w2class	win3	w3class
<input type="checkbox"/>	Edit Copy Delete	3	football	vaibhav gaikwad	d15	jai hinduja	d13	aniket	d14
<input type="checkbox"/>	Edit Copy Delete	4	cricket	vaibhav gaikwad	d15	jai hinduja	d13	kalpesh deepak juvekar	d13

Check all With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

Let every user access this bookmark

Console

1. Introduction

1.1 Overview

Sports management system provides and manages various sports events in organisations or institutions. It also manages selection, winners across various games and sports...

It allows an organization to conduct events and announce the winners with our website letting them schedule the events and manage them too.

1.2 Motivation

Many institutions are now a days being hard pressed for time and giving lesser preference to conduct Sports Events smoothly. Our website will help them to save their time, resources and efforts by automating all these management issues. Thus, the project will be helpful.

1.3 Problem Definition

Sports management system provides and manages various sports events in organisations or institutions. It also manages selection, winners across various games and sports...

The software lets you share the event details with different people and admin i.e., confirmation email regarding registration.

The event information sent via the software network are specific to the target user. The software will run on a computer provided internet connectivity.

1.4 Objectives

This document describes the project's target audience and its userinterface, hardware and software requirements. It defines how our client, team and audience see the product and its functionality. Nonetheless, it helps any designer and developer to assist in software delivery lifecycle (SDLC) processes.

1.5 Scope

Scope of this website is to help institutions manage effectively their sports events by providing both student and admin interface. It eliminates the possibility of any cheat. This proposed system can be used by any naïve users and it does not require any educational level, experience or technical expertise in computer field but it will be of good use if user has the good knowledge of how to operate a computer.

2. Software Requirements Specification

2.1 Introduction

The introduction of the Software Requirements Specification (SRS) provides an overview of the entire SRS with purpose, scope, definitions, acronyms, abbreviations, references and overview of the SRS. The aim of this document is to gather and analyse and give an in-depth insight of the complete SEMS by defining the problem statement in detail.

Nevertheless, it also concentrates on the capabilities required by stakeholders and their needs while defining high-level product features. The detailed requirements of the SEMS are provided in this document.

2.1.1 Purpose

The purpose of the document is to collect and analyse all assorted ideas that have come up to define the system, its requirements with respect to consumers. Also, we shall predict and sort out how we hope this product will be used in order to gain a better understanding of the project, outline concepts that may be developed later, and document ideas that are being considered, but may be discarded as the product develops. In short, the purpose of this SRS document is to provide a detailed overview of our software product, its parameters and goals. This document describes the project's target audience and its user interface, hardware and software requirements. It defines how our client, team and audience see the product and its functionality. Nonetheless, it helps any designer and developer to assist in software delivery lifecycle (SDLC) processes.

2.1.2 Document Conventions

TNR FONT 12

2.1.3 Intended Audience and Reading Suggestions

This Software Requirements document is intended for: – Developers who can review project's capabilities and more easily understand where their efforts should be targeted to improve or add more features to it (design and code the application – it sets the guidelines for future development). – Project testers can use this document as a base for their testing strategy as some bugs are easier to find using a requirements document. This way testing becomes more methodically organized.

2.1.4 Product Scope

Scope of this website is to help institutions manage effectively their sports events by providing both student and admin interface. It eliminates the possibility of any cheat. This proposed system can be used by any naïve users and it does not require any educational level, experience or technical expertise in computer field but it will be of good use if user has the good knowledge of how to operate a computer.

2.2 Product Perspective

Sports management system provides and manages various sports events in organisations or institutions. It also manages selection, winners across various games and sports...

Communication Interface:

The software lets you share the event details with different people and admin i.e., confirmation email regarding registration.

Software interface:

The event information sent via the software network are specific to the target user.

Hardware interface:

The software will run on a computer provided internet connectivity.

2.2.1 Operating Environment

->Operating System: Windows 10

->Distributed Database: (SQL).

->Platform: HTML, CSS

2.2.3 Design and Implementation Constraints

Login details and other information is stored using MySQL. And data can be retrieved. The privileges assigned to Admin and customer are different. Admin can restrict or delete a User account.

2.2.4 User Documentation

Online Help and F.A. Qs are provided in the user documentation.

2.3 External Interface Requirements

2.3.1 User Interface

Front-end software: HTML, CSS

Back-end software: java Script, SQL, php

Hardware Interfaces:

Processor: Intel dual core or above

RAM: 1 GB RAM or above

Hard Disk: 20GB hard disk or above

2.3.2 Software Interfaces

Browsers - Chrome, Firefox, Internet Explorer

Database - MySQL

2.3.3 Communications Interfaces

This project supports all types of web browsers and it uses email (SMTP) etc.

3. App Title and Description

App Title- Sports Events Management System

Description- Home: It contains two options: admin and student. Student contains login registration, student's registration, tournaments, games, selection procedure, logout, help, feedback. Admin contains the access to schedule the events and if required delete and also can announce the winner in the results column.

4. Activities

Two choices in home page: admin and student.

If student:

Home: It contains login registration, student's registration, tournaments, games, selection procedure, logout, help, feedback.

Login Registration: Admin provides username and password to the employee. He also has the right to add or modify the given username and password of the employee and add new games. Using this username and password, an employee can login to the system.

Student Registration: The first procedure is the student registration. Here the employee enters all the details of a student including the sport they like to participate. All these information will be stored in the database

Tournament: Here depending on the sport, the tournament date and the venue is saved in the database for further confirmation.

Games: A list of players will be displayed and also the upcoming tournaments will be shown according to the particular sport. The system also provides a special authority of adding photos to the system for a particular sport for sweet memories and for proof.

Selection procedure: The system also does the selection procedure to the college level and the state level competition. To the college level all the players are allowed to play. Whereas to the state level, the best players will be selected from the college level list which will be also saved in the database.

Logout: This module allows the user to Logout the application. Further operations cannot be performed after user exits.

If admin:

Add events: Allows admins to add events giving the details of event name, type, description, start date, end date and event time.

Edit Events: Allows admins to edit the details they have entered in the add events section if there's any mistake in their previous entries.

Report: A detailed analysis will be provided for a particular event entered by the admin along with its type.

Results: The list of winners will be displayed to the admins in a particular sport.

Logout: Admins can logout from their session

5.Materials & Methods/ Implementation Code

ADMIN MODULE

Addevents.html

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
```

```

})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>

</head>
<body>

<header>

<h1 class="liketext">SportPro

<a href ="index.html"> <input type="button" value="Logout" style="float:right
;"></a></h1>
</header>

<div class="row">
<nav>
    <div class="menu-icon">

    </div>
    <ul>
        <li><a href="#" style="color:red;">Add Events</a></li>
        <li><a href="Edit Events.php">Edit Events</a></li>
        <li><a href="Reports.php">Reports</a></li>
        <li><a href="Results.php" >Results</a></li>

    </ul>
</nav>

<div class="col-12">
<div style="padding-left:2%;width:100%;border-style:solid; border-
radius:10px;border-color:#0000ff">
    <center><h1>Add Events</h1></center>

<form action="addevent.php" method="post">
Event name:
<input type="text" name="ename" required class="smalltext">
Type: <select name="type" required class="smalltext">
    <option value="indoor">Indoor</option>
    <option value="outdoor">Outdoor</option>

</select><br><br>

```


Description:

```
<input type="text" name="description" required class="bigtext"><br><br>
  Start Date:
<input type="date" name="start_date" required class="smalltext">
  End Date:
<input type="date" name="end_date" required class="smalltext"><br><br>
Event Time:
<input type="time" name="time" required class="smalltext"><br><br>
<center><input type="submit" value="Submit"></center>
</form>

</div>

</div>

</div>

<footer>
  <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>
```

Addevent.php

```
<?php
$event_name=$_POST['ename'];
$type=$_POST['type'];
$description=$_POST['description'];
$start_date=$_POST['start_date'];
$end_date=$_POST['end_date'];
$time=$_POST['time'];
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
```

```

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
$sql = "INSERT INTO event(event_name,type,description,start_date,end_date,time
e,status)
VALUES ('$event_name','$type','$description','$start_date','$end_date','$time
','ongoing')";
if ($conn->query($sql) === TRUE) {
    //$message = "Event Added Successfully";
    // echo "<script type='text/javascript'>alert('$message');</script>";
    //header('Location: Add Events.html');

echo '<script type="text/javascript">';
echo 'alert("Event Added Sucessfully");';
echo 'window.location.href = "Add Events.html";';
echo '</script>';
} else {
    echo "Error: " . $sql . "<br>" . $conn->error;
}

$conn->close();
?>

```

Edit events.php

```

<?php
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
?>
<!DOCTYPE html>
<html>
<head>

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date());a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>
</head>
<body>
<header>

<h1 class="liketext">SportPro
<a href="index.html"> <input type="button" value="Logout" style="float:right
;"></a></h1>
</header>

<div class="row">
<nav>
    <div class="menu-icon">

    </div>
    <ul>
        <li><a href="Add Events.html">Add Events</a></li>
        <li><a href="#" style="color:red;">Edit Events</a></li>
        <li><a href="Reports.php">Reports</a></li>
        <li><a href="Results.php" >Results</a></li>

    </ul>
</nav>

<div class="col-12">
<div style="padding-left:2%;width:100%;border-style:solid; border-
radius:10px;border-color:#0000ff">
    <center> <h1>Edit Events</h1></center>

    <form action="updateevent.php" method="post">
Event name:
<?php

```

```

$sql = "SELECT * FROM event";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row
    echo '<select name="ename" class="smalltext">';
    while($row = $result->fetch_assoc()) {

        echo '<option value="'. $row["event_name"].'">'. $row["event_name"].'</option>';
    }
} else {
    echo "0 results";
}

?>

</select>
Type:<select name="type" required class="smalltext">
    <option value="indoor">Indoor</option>
    <option value="outdoor">Outdoor</option>

</select><br><br>

Description:

<input type="text" name="description" required class="bigtext"><br><br>

    Start Date:
<input type="date" name="start_date" required class="smalltext">

    End Date:
<input type="date" name="end_date" required class="smalltext"><br><br>

Event Time:
<input type="time" name="time" required class="smalltext"><br>
<center><input type="submit" value="Submit"></center>
</form>

</div>
<center>


```

```

</div>

</div>

<footer>
  <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>';

```

Index.html

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
</style>
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>

</head>
<body>

<header>

<h1 class="liketext">SportPro</h1>
</header>

```

```

<div class="row">
<br><br>

<div class="col-12" style="padding-left:20%;padding-right:20%;" >
<div style="width:100%;border-style:solid; border-radius:10px;text-
align:center;border-color:#0000ff">
  <h2 class="liketext">Login!</h2>

    <form action="logincheck.php" method="post">
      <input type="text" name="u" id="username" placeholder="username" class=
"bigtext"required /><br><br>
      <input type="password" name="p" id="password" placeholder="password" re
quired class="bigtext" /><br><br>
      <input type="submit" value="Login"/>
    </form>

  </div>
</div>

</div>

</div>

<footer>
  <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>

```

Logincheck.php

```

<?php
$myusername = $_POST['u'];
$mypassword = $_POST['p'];
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";

```

```

// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";

$sql = "SELECT username FROM admin WHERE username = '$myusername' and password = '$mypassword'";
$result = $conn->query($sql);
$num_rows = mysqli_num_rows($result);
if($num_rows==1)
{
    echo '<script> window.location="Add Events.html"; </script> ';
//echo $num_rows;
}

else
{
    echo '<script type="text/javascript">';
    echo 'alert("Invalid username or password");';
    echo 'window.location.href = "login.html";';
    echo '</script>';
}

$conn->close();
?>

```

Process_ajax.php

```

<?php
    // Database logic here

    echo '<pre>';
    print_r($_POST);
    echo '</pre>';
?>

```

Reports.php

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
</head>
<body>

<header>

<h1 class="liketext">SportPro
<a href = "index.html"> <input type="button" value="Logout" style="float:right;"></a></h1>
</header>
<div class="row">
<nav>
    <div class="menu-icon">

    </div>
    <ul>
        <li><a href="Add Events.html">Add Events</a></li>
        <li><a href="Edit Events.php">Edit Events</a></li>
        <li><a href="#" style="color:red;">Reports</a></li>
        <li><a href="Results.php" >Results</a></li>

    </ul>
</nav>

<div class="col-12">
    <h1>Reports</h1>
    <div style="width:100%;border-style:solid; border-radius:10px;text-align:center;border-color:#0000ff">
        <form action="" method="post">
Type:<select name="type" class="smalltext">
    <option value="indoor">Indoor</option>
    <option value="outdoor">Outdoor</option>
</select>
Event Name:<select name="event" class="smalltext">
    <option value="cricket">Cricket</option>
```



```

    <option value="football">Football</option>
</select><br><br>

    <input type="submit" value="GET Report">
</form>
</div>
<br><br>
<table>
<tr>
<th>Name </th>
<th>Class</th>
<th>E-mail</th>
<th>Contact</th>
</tr>
<?php
error_reporting(0);
$event_name = $_POST['event'];
$type= $_POST['type'];
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);//echo $event_n
ame;
//echo $type;

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
// Check connection
// $sql = "SELECT * FROM entry where event='$event_name' AND type='$type'";
$sql = "SELECT * FROM entry where event='$event_name' AND type='$type'";

$result = $conn->query($sql);
if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        echo '<tr>';
        echo "<td>" . $row["username"]."</td><td>" . $row["class"]."</td><td>
" . $row["email"]."</td><td>" . $row["contact"]."</td>";
        echo '</tr>';
    }
}

```

```

} else {
    echo "0 results";
}
$conn->close();

?>
</table>
</div>

</div>

<footer>
    <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>

```

Result_update.php

```

<?php
$event_name=$_POST['ename'];
$first=$_POST['1st'];
$second=$_POST['2nd'];
$third=$_POST['3rd'];
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
$sql = "UPDATE event set status='end' where event_name='$event_name'";
$conn->query($sql);
$sql = "select class from entry where username='$first'";
$result=$conn->query($sql);
while($row = $result->fetch_assoc()) {

```

```

    $fclass=$row["class"];

    }
    $sql = "select class from entry where username='$second'";
    $result=$conn->query($sql);
    while($row = $result->fetch_assoc()) {
        $sclass=$row["class"];

        }
    $sql = "select class from entry where username='$third'";
    $result=$conn->query($sql);
    while($row = $result->fetch_assoc()) {
        $tclass=$row["class"];

        }

    $sql = "INSERT INTO result1(eventname,win1,w1class,win2,w2class,win3,w3class)
VALUES ('$event_name','$first','$fclass','$second','$sclass','$third','$tclass')";

    if ($conn->query($sql) === TRUE) {

        // $message = "Event Added Successfully";
        // echo "<script type='text/javascript'>alert('$message');</script>";
        // header('Location: Add Events.html');

        echo '<script type="text/javascript">';
        echo 'alert("Result Saved");';
        echo 'window.location.href = "Results.php";';
        echo '</script>';
    } else {
        echo "Error: " . $sql . "<br>" . $conn->error;
    }

    $conn->close();
?>

```

Results.php

```

<?php
$servername = "localhost";
$username = 'id1298591_sportpro';

```

```

$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";

?>

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../../css/style.css">

</head>
<body>

<header>

<h1 class="liketext">SportPro
<a href = "index.html"> <input type="button" value="Logout" style="float:right;"></a></h1>
</header>
<div class="row">
<nav>
    <div class="menu-icon">

    </div>
    <ul>
        <li><a href="Add Events.html">Add Events</a></li>
        <li><a href="Edit Events.php">Edit Events</a></li>
        <li><a href="Reports.php">Results</a></li>
        <li><a href="#" style="color:red;">Results</a></li>

    </ul>
</nav>

<div class="col-12">
<div style="width:100%;border-style:solid; border-radius:10px;text-align:center;border-color:#0000ff">

```

```

    <h1>Result</h1>
    <form action="result_update.php" method="post">
Event name:
<select name="ename" required class="smalltext">
<?php

$sql = "SELECT * FROM event where status='ongoing'";
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    // output data of each row

    while($row = $result->fetch_assoc()) {

        echo '<option value="'. $row["event_name"].' ">'. $row["event_name"].'</
option>';
    }
} else {
    echo "0 results";
}

?>

</select>
<br><br>
    1st prize:

<input type="text" name="1st" required class="bigtext"><br><br>
    2nd prize :
<input type="text" name="2nd" required class="bigtext"><br><br>
    3rd prize :
<input type="text" name="3rd" required class="bigtext"><br><br>
<input type="submit" value="Submit">
</form>

</div>
<center>


</div>

</div>

```

```

<footer>
  <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>

```

Updateevent.php

```

<?php
$event_name=$_POST['ename'];
$type=$_POST['type'];
$description=$_POST['description'];
$start_date=$_POST['start_date'];
$end_date=$_POST['end_date'];
$time=$_POST['time'];
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";

$sql = "UPDATE event set type='$type',description='$description',start_date='
$start_date',end_date='$end_date',time='$time' where event_name='$event_name'
";

if ($conn->query($sql) === TRUE) {

echo '<script type="text/javascript">';
echo 'alert("Event Updated Sucessfully");';
echo 'window.location.href = "Edit Events.php";';
echo '</script>';
} else {
    echo "Error: " . $sql . "<br>" . $conn->error;
}

```

```
$conn->close();  
?>
```

CSS MODULE

Style.css

```
* {  
    box-sizing: border-box;  
  
    text-decoration: none;  
}  
.row::after {  
    content: "";  
    clear: both;  
    display: block;  
}  
[class*="col-"] {  
    float: left;  
    padding: 15px;  
}  
html {  
    font-family: "Lucida Sans", sans-serif;  
}  
header {  
    background-color:lightgreen;  
    color: #ffffff;  
    padding: 10px;  
    margin-left:left;  
    height:100px;  
}  
h1.liketext {  
  
    display:inline;  
    vertical-align: top;  
    line-height: 300%;  
    }  
/*
```

```

.menu ul {
  text-decoration: none;
  margin: 0;
  padding: 0;
}
.menu li {
  text-decoration: none;
  padding: 8px;
  margin-bottom: 7px;
  background-color: #6880a8;
  color: #ffffff;
  box-shadow: 0 1px 3px rgba(0,0,0,0.12), 0 1px 2px rgba(0,0,0,0.24);
}
.menu li:hover {
  background-color: #0099cc;
  text-decoration: none;
  color: white;
}
*/
nav ul
{
  background-color: #333;
  overflow: hidden;
  color: #fff;
  padding: 0;
  text-align: center;
  margin: 0;
  transition: max-height 0.5s;
  box-shadow: 2px 2px #bbb
}

nav ul li{
  display: inline-block;
  padding: 20px;
}

nav ul li a{
  text-decoration: none;
  color: inherit;
}

nav ul li:hover{
  background-color: #4CAF50;

```



```

}

footer {
  background-color: #6880a8;
  color: #ffffff;
  text-align: center;
  font-size: 12px;
  padding: 15px;
}

.container {
  width: 500px;
  clear: both;
}

.container input {
  width: 100%;
  clear: both;
}

#map {
  width: 50%;
  height: 400px;
  background-color: grey;
}

/* For desktop: */
.col-1 {width: 8.33%;}
.col-2 {width: 16.66%;}
.col-3 {width: 25%;}
.col-4 {width: 33.33%;}
.col-5 {width: 41.66%;}
.col-6 {width: 50%;}
.col-7 {width: 58.33%;}
.col-8 {width: 66.66%;}
.col-9 {width: 75%;}
.col-10 {width: 83.33%;}
.col-11 {width: 91.66%;}
.col-12 {width: 100%;}

@media only screen and (max-width: 768px) {
  /* For mobile phones: */

  [class*="col-9"] {
    width: 70%;
  }
}

```

```

}

@media only screen and (max-width: 480px) {
  /* For mobile phones: */
  [class*="col-"] {
    width: 100%;
  }
  ul li{

width:100%;

  }

input[type=submit] {
  width: 100%;
  background-color: #4CAF50;
  color: white;
  padding: 14px 20px;
  margin: 8px 0;
  border: none;
  border-radius: 4px;
  cursor: pointer;
}

.smalltext
{
  width: 60%;
  padding: 12px 20px;
  margin: 8px 0;
  display: inline-block;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
}

.bigtext
{
  width: 60%;
  padding: 12px 20px;
  margin: 8px 0;
  display: inline-block;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
}

```

```

}

.smalltext
{
    width: 30%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
}

.bigtext
{
    width: 60%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
}

input[type=submit] {
    width: 20%;
    background-color: #4CAF50;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

input[type=submit]:hover {
    background-color: #45a049;
}

table {
    border-collapse: collapse;
    width: 100%;
}

```

```

th, td {
    text-align: left;
    padding: 8px;
}

tr:nth-child(even){background-color: #f2f2f2}

th {
    background-color: #4CAF50;
    color: white;
}


/* jssor slider bullet navigator skin 05 css */
/*
.jssorb05 div          (normal)
.jssorb05 div: hover   (normal mouseover)
.jssorb05 .av          (active)
.jssorb05 .av: hover   (active mouseover)
.jssorb05 .dn          (mousedown)
*/
.jssorb05 {
    position: absolute;
}
.jssorb05 div, .jssorb05 div: hover, .jssorb05 .av {
    position: absolute;
    /* size of bullet elment */
    width: 16px;
    height: 16px;
    background: url('img/b05.png') no-repeat;
    overflow: hidden;
    cursor: pointer;
}
.jssorb05 div { background-position: -7px -7px; }
.jssorb05 div: hover, .jssorb05 .av: hover { background-position: -
37px -7px; }
.jssorb05 .av { background-position: -67px -7px; }
.jssorb05 .dn, .jssorb05 .dn: hover { background-position: -97px -
7px; }

/* jssor slider arrow navigator skin 22 css */

```

```

/*
.jssora22l                (normal)
.jssora22r                (normal)
.jssora22l:hover          (normal mouseover)
.jssora22r:hover          (normal mouseover)
.jssora22l.jssora22ldn    (mousedown)
.jssora22r.jssora22rdn    (mousedown)
*/
.jssora22l, .jssora22r {
    display: block;
    position: absolute;
    /* size of arrow element */
    width: 40px;
    height: 58px;
    cursor: pointer;
    background: url('img/a22.png') center center no-repeat;
    overflow: hidden;
}
.jssora22l { background-position: -10px -31px; }
.jssora22r { background-position: -70px -31px; }
.jssora22l:hover { background-position: -130px -31px; }
.jssora22r:hover { background-position: -190px -31px; }
.jssora22l.jssora22ldn { background-position: -250px -31px; }
.jssora22r.jssora22rdn { background-position: -310px -31px; }

```

STUDENT MODULE

Aboutus.html

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>
</head>
<body>

<header>

<h1 class="liketext">SportPro</h1>

</header>

<div class="row">

<nav>
  <div class="menu-icon">

  </div>
  <ul>
    <li><a href="index.html">Home</a></li>
    <li><a href="Events.php">Events</a></li>
    <li><a href="Results_stud.php">Results</a></li>
    <li><a href="#" style="color:red;">About us</a></li>
```

```

    </ul>
  </nav>
<center>
<div class="col-5">
  <h1>About us</h1>
  Vivekanand Education Society's Institute of Technology also known as VESIT or
  V.E.S. Institute of Technology, established in 1984, is a premier engineerin
  g college affiliated with the University of Mumbai.

  If you have any query about this application please click on below bubtton to
  get contact information.<br><br>
  <b><i>Thank you </b></i>
  <br><br>
  <button type="button" onclick="loadDoc()">Get Contact Details</button>
  <br><br>
</table id="demo"></table>

<script>
function loadDoc() {
  var xhttp = new XMLHttpRequest();
  xhttp.onreadystatechange = function() {
    if (this.readyState == 4 && this.status == 200) {
      myFunction(this);
    }
  };
  xhttp.open("GET", "dev.xml", true);
  xhttp.send();
}
function myFunction(xml) {
  var i;
  var xmlDoc = xml.responseXML;
  var table="<tr><th>Name</th><th>E-mail</th><th>Contact</th></tr>";
  var x = xmlDoc.getElementsByTagName("CD");
  for (i = 0; i <x.length; i++) {
    table += "<tr><td>" +
    x[i].getElementsByTagName("TITLE")[0].childNodes[0].nodeValue +
    "</td><td>" +
    x[i].getElementsByTagName("ARTIST")[0].childNodes[0].nodeValue +
    "</td><td>" +
    x[i].getElementsByTagName("COUNTRY")[0].childNodes[0].nodeValue +
    "</td></tr>";
  }
  document.getElementById("demo").innerHTML = table;
}
</script>

```

```

</div>

</center>

    <h3>Google Map Location</h3>
    <div id="map" class="col-5"></div>
    <script>
        function initMap() {

            var uluru = {lat:17.3805, lng:78.3826};
            var map = new google.maps.Map(document.getElementById('map'), {
                zoom: 18,
                center: uluru
            });
            var marker = new google.maps.Marker({
                position: uluru,
                map: map
            });
        }
    </script>
    <script async defer
        src="https://maps.googleapis.com/maps/api/js?key=AIzaSyBL0YnmIfZqElm1KLIu
sbLLooqXT0-e0Ts&callback=initMap">
    </script>
</div>
<br>
<center>

</center>

<footer>
    <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

<div style='text-align: right;position: fixed;z-
index:9999999;bottom: 0; width: 100%;cursor: pointer;line-
height: 0;''><a title="Hosted on free web hosting 000webhost.com. Host your ow
n website for FREE." target="_blank" href="https://www.000webhost.com/?utm_so
urce=000webhostapp&utm_campaign=000_logo&utm_medium=website_undernourished-
acti&utm_content=footer_img"></a></div></body>
</html>

```


Dev.xml

```
<CATALOG>
<CD>
<TITLE>Jitesh Ahuja</TITLE>
<ARTIST>jitesh.ahuja@ves.ac.in</ARTIST>
<COUNTRY>9999999999</COUNTRY>
</CD>
<CD>
<TITLE>Jai Hinduja</TITLE>
<ARTIST>jai.hinduja@ves.ac.in</ARTIST>
<COUNTRY>8888888888</COUNTRY>
</CD>
<CD>
<TITLE>Vaibhav Gaikwad</TITLE>
<ARTIST>vaibhav.gaikwad@ves.ac.in</ARTIST>
<COUNTRY>7777777777</COUNTRY>
</CD>
</CATALOG>
```

Events.php

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>
```

```

</head>
<body>

<header>

<h1 class="liketext">SportPro</h1>

</header>

<div class="row">

<nav>
    <div class="menu-icon">

    </div>
    <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="#" style="color:red;">Events</a></li>
        <li><a href="Results_stud.php">Results</a></li>
        <li><a href="About us.html">About us</a></li>

    </ul>
</nav>
<div class="col-12">
<center>
    <h1>Events</h1>

<?php
$servername = "localhost";
$username = 'root';
$password = '';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
// Check connection
$sql = "SELECT * FROM event where status='ongoing' ORDER BY end_date asc";
$result = $conn->query($sql);
if ($result->num_rows > 0) {
    // output data of each row

```

```

        while($row = $result->fetch_assoc()) {
            echo '<div style="align:center; box-
shadow: 10px 10px 5px #888888; padding-left:10px;border:1px; border-
radius:5px;background-
color:#d6e4f9"><form action="register.php" method="post">';
            echo "<br><b>Event Name: </b>" . $row["event_name"]."<br> <b>Type: </
b>" . $row["type"]. " <br> <b>Description:</b> " . $row["description"]."<br><b>
> Registration Last Date: </b>" . $row["end_date"]."<br><b> Timing:</b> " . $
row["time"];
            echo '<input type="hidden" name="event" value=' . $row["event_name"] . '>
<input type="hidden" name="type" value=' . $row["type"] . '>';
            echo '<br><input type="submit" value="register"><br><br></form></div>
<br><br>';

        }
    } else {
        echo "0 results";
    }
}
$conn->close();
?>

</div>
</div>

<footer>
    <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>

```

Index.html

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="..\css/style.css">
<script src="js/jssor.slider-23.0.0.min.js" type="text/javascript"></script>
<script type="text/javascript">

```

```

jssor_1_slider_init = function() {

    var jssor_1_SlideoTransitions = [
        [{b:5500,d:3000,o:-1,r:240,e:{r:2}}],
        [{b:-1,d:1,o:-1,c:{x:51.0,t:-51.0}}, {b:0,d:1000,o:1,c:{x:-51.0,t:51.0}}, {e:{o:7,c:{x:7,t:7}}}],
        [{b:-1,d:1,o:-1,sX:9,sY:9}, {b:1000,d:1000,o:1,sX:-9,sY:-9,e:{sX:2,sY:2}}],
        [{b:-1,d:1,o:-1,r:-180,sX:9,sY:9}, {b:2000,d:1000,o:1,r:180,sX:-9,sY:-9,e:{r:2,sX:2,sY:2}}],
        [{b:-1,d:1,o:-1}, {b:3000,d:2000,y:180,o:1,e:{y:16}}],
        [{b:-1,d:1,o:-1,r:-150}, {b:7500,d:1600,o:1,r:150,e:{r:3}}],
        [{b:10000,d:2000,x:-379,e:{x:7}}],
        [{b:10000,d:2000,x:-379,e:{x:7}}],
        [{b:-1,d:1,o:-1,r:288,sX:9,sY:9}, {b:9100,d:900,x:-1400,y:-660,o:1,r:-288,sX:-9,sY:-9,e:{r:6}}, {b:10000,d:1600,x:-200,o:-1,e:{x:16}}]
    ];

    var jssor_1_options = {
        $AutoPlay: 1,
        $SlideDuration: 800,
        $SlideEasing: $Jease$. $OutQuint,
        $CaptionSliderOptions: {
            $Class: $JssorCaptionSlideo$,
            $Transitions: jssor_1_SlideoTransitions
        },
        $ArrowNavigatorOptions: {
            $Class: $JssorArrowNavigator$
        },
        $BulletNavigatorOptions: {
            $Class: $JssorBulletNavigator$
        }
    };

    var jssor_1_slider = new $JssorSlider$("jssor_1", jssor_1_options
);

    /*responsive code begin*/
    /*remove responsive code if you don't want the slider scales while window resizing*/
    function ScaleSlider() {
        var refSize = jssor_1_slider.$Elmt.parentNode.clientWidth;
        if (refSize) {
            refSize = Math.min(refSize, 1920);
            jssor_1_slider.$ScaleWidth(refSize);
        }
    }

```

```

        else {
            window.setTimeout(ScaleSlider, 30);
        }
    }
    ScaleSlider();
    $Jssor$.AddEvent(window, "load", ScaleSlider);
    $Jssor$.AddEvent(window, "resize", ScaleSlider);
    $Jssor$.AddEvent(window, "orientationchange", ScaleSlider);
    /*responsive code end*/
};

(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date());a=s.createElement(o)
,m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>
</head>
<body>

<header>

<h1 class="liketext">SportPro</h1>
</header>

<div class="row">

<nav>
    <div class="menu-icon">

    </div>
    <ul>
        <li><a href="#" style="color:red;">Home</a></li>
        <li><a href="Events.php">Events</a></li>
        <li><a href="Results_stud.php">Results</a></li>
        <li><a href="About us.html">About us</a></li>

    </ul>
</nav>
<div style="margin-left:12%; margin-right:12%;">

```

```

<div class="col-12" style="float:center;">
  <div id="jssor_1" style="position:relative;margin:0 auto;top:0px;left:0px;wi
dth:1300px;height:400px;overflow:hidden;visibility:hidden;">
    <!-- Loading Screen -->
    <div data-
u="loading" style="position:absolute;top:0px;left:0px;background-
color:rgba(0,0,0,0.7);">
      <div style="filter: alpha(opacity=70); opacity: 0.7; position: ab
solute; display: block; top: 0px; left: 0px; width: 100%; height: 100%;"></di
v>
      <div style="position:absolute;display:block;background:url('img/l
oading.gif') no-
repeat center center;top:0px;left:0px;width:100%;height:100%;"></div>
    </div>
    <div data-
u="slides" style="cursor:default;position:relative;top:0px;left:0px;width:130
0px;height:400px;overflow:hidden;">
      <div>
        
      </div>
      <div>
        
      </div>
      <div>
        
      </div>
      <div>
        
      </div>
      <div>
        
      </div>
    </div>
    <!-- Bullet Navigator -->
    <div data-
u="navigator" class="jssorb05" style="bottom:16px;right:16px;" data-
autocenter="1">
      <!-- bullet navigator item prototype -->
      <div data-u="prototype" style="width:16px;height:16px;"></div>
    </div>
    <!-- Arrow Navigator -->
    <span data-
u="arrowleft" class="jssora221" style="top:0px;left:12px;width:40px;height:58
px;" data-autocenter="2"></span>

```

```

        <span data-
u="arrowright" class="jssora22r" style="top:0px;right:12px;width:40px;height:
58px;" data-autocenter="2"></span>
    </div>
    <script type="text/javascript">jssor_1_slider_init();</script>
    <!-- #endregion Jssor Slider End -->
    </div>
</div>
<center>
<h3 style="color:#6880a8">&ldquo;The will to win is not really so important a
s the will to prepare to win&rdquo; </h3>
</center>
<footer>
    <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>

```

Login.html

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>
</head>
<body>

```

```

<style>
@import url(https://fonts.googleapis.com/css?family=Roboto:300);

.login-page {
  width: 360px;
  padding: 8% 0 0;
  margin: auto;
}

.form {
  position: relative;
  z-index: 1;
  background: #FFFFFF;
  max-width: 360px;
  margin: 0 auto 100px;
  padding: 45px;
  text-align: center;
  box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
}

.form input {
  font-family: "Roboto", sans-serif;
  outline: 0;
  background: #f2f2f2;
  width: 100%;
  border: 0;
  margin: 0 0 15px;
  padding: 15px;
  box-sizing: border-box;
  font-size: 14px;
}

.form button {
  font-family: "Roboto", sans-serif;
  text-transform: uppercase;
  outline: 0;
  background: #4CAF50;
  width: 100%;
  border: 0;
  padding: 15px;
  color: #FFFFFF;
  font-size: 14px;
  -webkit-transition: all 0.3 ease;
  transition: all 0.3 ease;
  cursor: pointer;
}

.form button:hover,.form button:active,.form button:focus {
  background: #43A047;
}

```



```

.form .message {
  margin: 15px 0 0;
  color: #b3b3b3;
  font-size: 12px;
}
.form .message a {
  color: #4CAF50;
  text-decoration: none;
}
.form .register-form {
  display: none;
}
.container {
  position: relative;
  z-index: 1;
  max-width: 300px;
  margin: 0 auto;
}
.container:before, .container:after {
  content: "";
  display: block;
  clear: both;
}
.container .info {
  margin: 50px auto;
  text-align: center;
}
.container .info h1 {
  margin: 0 0 15px;
  padding: 0;
  font-size: 36px;
  font-weight: 300;
  color: #1a1a1a;
}
.container .info span {
  color: #4d4d4d;
  font-size: 12px;
}
.container .info span a {
  color: #000000;
  text-decoration: none;
}
.container .info span .fa {
  color: #EF3B3A;
}
body {

```

```

background: #76b852; /* fallback for old browsers */
background: -webkit-linear-gradient(right, #76b852, #8DC26F);
background: -moz-linear-gradient(right, #76b852, #8DC26F);
background: -o-linear-gradient(right, #76b852, #8DC26F);
background: linear-gradient(to left, #76b852, #8DC26F);
font-family: "Roboto", sans-serif;
-webkit-font-smoothing: antialiased;
-moz-osx-font-smoothing: grayscale;
}
</style>
<script>
$($('.message a').click(function(){
    $('form').animate({height: "toggle", opacity: "toggle"}, "slow");
}));
</script>
<div class="header">

<h1 class="liketext">SportPro</h1>
<div class="login">
<input type="button" value="Sign up">
<input type="button" value="Sign in">

</div>
</div>

<div class="row">

<div class="col-3 menu">
<ul>
<li><a href="Front_stud.html"> Home</a></li>
<li><a href="Events.php"> Events</a></li>
<li><a href="Results_stud.php">Result</a></li>
<li><a href="About us.html"> About us</a></li>
</ul>
</div>

<div class="col-9">
<h1>About us</h1>

<div class="login-page">
<div class="form">
<form class="register-form">
<input type="text" placeholder="name"/>
<input type="password" placeholder="password"/>

```

```

        <input type="text" placeholder="email address"/>
        <button>create</button>
        <p class="message">Already registered? <a href="#">Sign In</a></p>
    </form>
    <form class="login-form">
        <input type="text" placeholder="username"/>
        <input type="password" placeholder="password"/>
        <button>login</button>
        <p class="message">Not registered? <a href="#">Create an account</a></p>
    </form>
</div>
</div>

<b><u><i>Thankyou</i></u></b>


</div>

</div>

<div class="footer">
    <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</div>

</body>
</html>

```

Mail.php

```

<?php
$to = "vaibhav.gaikwad@ves.ac.in";
$subject = "My subject";
$txt = "Hello world!";
$headers = "From: webmaster@example.com" . "\r\n" .
"CC: somebodyelse@example.com";
mail($to,$subject,$txt,$headers);
echo "sucess"
?>

```

Popup.html

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.css">
<script src="https://code.jquery.com/jquery-1.11.3.min.js"></script>
<script src="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.js"></script>
</head>
<body>

<div data-role="page">

    <div data-role="popup" id="myPopup" class="ui-content" style="min-width:250px;">
        <form method="post" action="/action_page_post.php">
            <div>
                <h3>Login information</h3>
                <label for="usrnm" class="ui-hidden-accessible">Username:</label>
                <input type="text" name="user" id="usrnm" placeholder="Username">
                <label for="pswd" class="ui-hidden-accessible">Password:</label>
                <input type="password" name="passw" id="pswd" placeholder="Password"
            ">

                <label for="log">Keep me logged in</label>
                <input type="checkbox" name="login" id="log" value="1" data-mini="true">
                <input type="submit" data-inline="true" value="Log in">
            </div>
        </form>
    </div>
</div>

</body>
</html>
```

Register_process.php

```
<?php
$event_name=$_POST['event'];
$type=$_POST['type'];
$name=$_POST['name'];
$email=$_POST['email'];
$class=$_POST['class'];
$contact=$_POST['contact'];
$servername = "localhost";
$username = 'id1298591_sportpro';
$password = '11111';
$dbname = "id1298591_sportpro";
// Create connection
$conn = new mysqli($servername, $username, $password,$dbname);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
//echo "Connected successfully";
$sql = "select * from entry where event='$event_name' and email='$email'";
$result = $conn->query($sql);
$num_rows = mysqli_num_rows($result);
if($num_rows!=1)
{
    $sql = "INSERT INTO entry(event,type,username,email,class,contact)
VALUES ('$event_name','$type','$name','$email','$class','$contact')";
    $subject = "Registration Conformation";
    $message = "Hello '$name' you are sucessfully registred for event '$event_name' Best wishes from Sportpro Team";

    $headers = "MIME-Version: 1.0" . "\r\n";
    $headers .= "Content-type:text/html;charset=UTF-8" . "\r\n";

    // More headers
    $headers .= 'From: <sportpro.com>' . "\r\n";
    $headers .= 'Cc: myboss@example.com' . "\r\n";

    mail($email,$subject,$message,$headers);

    if ($conn->query($sql) === TRUE) {

        // $message = "Event Added Successfully";
        // echo "<script type='text/javascript'>alert('$message');</script>";
        //header('Location: Add Events.html');
```

```

echo '<script type="text/javascript">';
echo 'alert("Registered Sucessfully!!!!!!!!!!");';
echo 'window.location.href = "Events.php";';
echo '</script>';
}

else {
    echo "Error: " . $sql . "<br>" . $conn->error;
}
}

else
{
    echo '<script type="text/javascript">';
    echo 'alert("Already Registered!!!!!!!!!!");';
    echo 'window.location.href = "Events.php";';
    echo '</script>';
}
$conn->close();
?>

```

Register.php

```

<?php
$event_name=$_POST['event'];
$type=$_POST['type'];
?>

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">

</head><script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');

```

```
ga('send', 'pageview');
</script>
</head>
<body>

<header>

<h1 class="liketext">SportPro</h1>
</header>

<div class="row">
<nav>

    <div class="menu-icon">

        </div>
        <ul>
            <li><a href="index.html">Home</a></li>
            <li><a href="Events.php">Events</a></li>
            <li><a href="Results_stud.php">Results</a></li>
            <li><a href="About us.html">About us</a></li>

        </ul>
    </nav>

<div class="col-12" >
<div style="width:100%;border-style:solid; border-radius:10px;text-align:center;border-color:#0000ff">
    <h2 class="liketext">Registration Form </h2>

    <form action="register_process.php" method="post">
    <b>Event Name: <input type="text" name="event" id="event" value='<?php echo $event_name; ?>' readonly class="smalltext"/><br>
        Type:   <input type="text" name="type" id="event_type" value='<?php echo $type;?'>' r
eadonly class="smalltext"/><br>
        Full Name:   <input type="text" name="name" id=
"fullname" placeholder="Full Name" required class="smalltext"/><font color="red"><b>* </font><br>
        E-mail:   <input type="email" name="email" id="email" placeholder="E-mail" required class="smalltext"/><font color="red"><b>* </font><br>
```



```

$result = $conn->query($sql);
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="../css/style.css">
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o)
,
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,
m)
})(window,document,'script','https://www.google-
analytics.com/analytics.js','ga');
ga('create', 'UA-97824898-1', 'auto');
ga('send', 'pageview');
</script>

</head>
<body>

<header>

<h1 class="liketext">SportPro</h1>
</header>

<div class="row">

<nav>
  <div class="menu-icon">

  </div>
  <ul>
    <li><a href="index.html">Home</a></li>
    <li><a href="Events.php">Events</a></li>
    <li><a href="#" style="color:red;">Results</a></li>
    <li><a href="About us.html">About us</a></li>

  </ul>
</nav>
<div class="col-12">
  <h1>Results</h1>
<table>

```

```

<table>
<tr>
<th>Event Name </th>
<th>Winner</th>
<th>Runner Up</th>
<th>2nd Runner Up</th>
</tr>
<?php

if ($result->num_rows > 0) {
    // output data of each row
    while($row = $result->fetch_assoc()) {
        echo '<tr>';
        echo "<td>" . $row["eventname"]."</td><td>" . $row["win1"]. " (".$row
["w1class"].")</td><td>" . $row["win2"]. " (".$row["w2class"].")</td><td>" .
$row["win3"]. " (".$row["w3class"].")</td>";
        echo '</tr>';

    }
} else {
    echo "0 results";
}
$conn->close();
?>

</table>

</table>
<center>


</div>
</div>
<footer>
    <p>Copyright 2016-2020 by VG corporation. All Rights Reserved.</p>
</footer>

</body>
</html>

```

DATABASE LOGIC

Sportpro.sql

```
-- phpMyAdmin SQL Dump
-- version 4.6.5.2
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Apr 04, 2017 at 07:23 PM
-- Server version: 10.1.21-MariaDB
-- PHP Version: 7.1.1

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `sportpro`
--

--
-- Table structure for table `admin`
--

CREATE TABLE `admin` (
  `username` varchar(20) NOT NULL,
  `password` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `admin`
--

INSERT INTO `admin` (`username`, `password`) VALUES
('test', 'test');
```

```

-- -----
--
-- Table structure for table `entry`
--

CREATE TABLE `entry` (
  `id` int(20) NOT NULL,
  `event` varchar(50) NOT NULL,
  `type` varchar(20) NOT NULL,
  `username` varchar(30) NOT NULL,
  `email` varchar(30) NOT NULL,
  `class` varchar(10) NOT NULL,
  `contact` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `entry`
--

INSERT INTO `entry` (`id`, `event`, `type`, `username`, `email`, `class`, `contact`) VALUES
(1, 'hocky', 'indoor', 'vaibhav gaikwad', 'abc@gmail.com', 'd15', '8149316305'),
(2, 'cricket', 'indoor', 'vaibhav gaikwad', 'abc@gmail.com', 'd15', '1212121212'),
(3, 'cricket', 'indoor', 'kalpesh deepak juvekar', 'kalpesh.juvekar@ves.ac.in', 'd14', '8149316305'),
(4, 'cricket', 'indoor', 'aniket nighot', 'aniket@gmail.com', 'd13', '7854125478'),
(5, 'hocky', 'indoor', 'kalpesh deepak juvekar', 'kalpesh.juvekar@ves.ac.in', 'd13', '8149316305'),
(6, 'hocky', 'indoor', 'aniket nighot', 'aniket@gmail.com', 'd11', '4141414141'),
(7, 'tennis', 'outdoor', 'jai hinduja', 'jai@gmail.com', 'd13', '1212122121'),
(8, 'cricket', 'outdoor', 'jai hinduja', 'jai@gmail.com', 'd13', '1212122121'),
(9, 'football', 'outdoor', 'jai hinduja', 'jai@gmail.com', 'd13', '1212122121');

-- -----
--
-- Table structure for table `event`

```

```
--
CREATE TABLE `event` (
  `id` int(10) NOT NULL,
  `event_name` varchar(30) NOT NULL,
  `type` varchar(20) NOT NULL,
  `description` varchar(100) NOT NULL,
  `start_date` date NOT NULL,
  `end_date` date NOT NULL,
  `time` time NOT NULL,
  `status` varchar(15) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `event`
--

INSERT INTO `event` (`id`, `event_name`, `type`, `description`, `start_date`,
`end_date`, `time`, `status`) VALUES
(1, 'cricket', 'indoor', 'abc', '2017-04-07', '2017-04-
06', '00:02:00', 'end'),
(3, 'hocky', 'indoor', 'abcd', '0000-00-00', '0000-00-
00', '00:00:11', 'ongoing'),
(18, 'tennis', 'outdoor', 'this is multiplayer game', '2017-04-05', '2017-04-
22', '05:00:00', 'ongoing'),
(19, 'football', 'outdoor', 'fb', '2017-04-11', '2017-04-
06', '12:12:00', 'ongoing');

-----

--
-- Table structure for table `login`
--

CREATE TABLE `login` (
  `id` int(10) NOT NULL,
  `username` varchar(20) NOT NULL,
  `password` varchar(20) NOT NULL,
  `email` varchar(40) NOT NULL,
  `contact` int(10) NOT NULL,
  `class` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

-----

--
```

```

-- Table structure for table `result1`
--

CREATE TABLE `result1` (
  `id` int(20) NOT NULL,
  `eventname` varchar(30) NOT NULL,
  `win1` varchar(30) NOT NULL,
  `w1class` varchar(10) NOT NULL,
  `win2` varchar(30) NOT NULL,
  `w2class` varchar(10) NOT NULL,
  `win3` varchar(30) NOT NULL,
  `w3class` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `result1`
--

INSERT INTO `result1` (`id`, `eventname`, `win1`, `w1class`, `win2`, `w2class`,
  `win3`, `w3class`) VALUES
(3, 'football', 'vaibhav gaikwad', 'd15', 'jai hinduja', 'd13', 'aniket', 'd14'),
(4, 'cricket', 'vaibhav gaikwad', 'd15', 'jai hinduja', 'd13', 'kalpesh deepa
k juvekar', 'd13');

--
-- Indexes for dumped tables
--

--
-- Indexes for table `admin`
--
ALTER TABLE `admin`
  ADD PRIMARY KEY (`username`);

--
-- Indexes for table `entry`
--
ALTER TABLE `entry`
  ADD PRIMARY KEY (`id`);

--
-- Indexes for table `event`
--
ALTER TABLE `event`
  ADD PRIMARY KEY (`id`);

```

```

--
-- Indexes for table `login`
--
ALTER TABLE `login`
  ADD PRIMARY KEY (`username`),
  ADD KEY `id` (`id`);

--
-- Indexes for table `result1`
--
ALTER TABLE `result1`
  ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `entry`
--
ALTER TABLE `entry`
  MODIFY `id` int(20) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=10;


--
-- AUTO_INCREMENT for table `event`
--
ALTER TABLE `event`
  MODIFY `id` int(10) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=20;



--
-- AUTO_INCREMENT for table `login`
--
ALTER TABLE `login`
  MODIFY `id` int(10) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `result1`
--
ALTER TABLE `result1`
  MODIFY `id` int(20) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

```

6. Results/Screenshots/Discussions






localhost / 127.0.0.1 / sportpro / x

localhost/sportpro/admin/Add E

localhost/sportpro/admin/Add%20Events.html

AdWords Aadhar Templates JEE 2018 BITSAT eWay Bill EAMCET TSBI HP MFP M126nm 207 OK Soft Cloud ERP WP Themes Other favorites

 SportPro Logout

Add Events Edit Events Reports Results

Add Events

Event name: Type: Indoor

Description:

Start Date: End Date:

Event Time:


Submit

localhost / 127.0.0.1 / sportpro / x

localhost/sportpro/admin/Edit E

localhost/sportpro/admin/Edit%20Events.php

AdWords Aadhar Templates JEE 2018 BITSAT eWay Bill EAMCET TSBI HP MFP M126nm 207 OK Soft Cloud ERP WP Themes Other favorites

 SportPro Logout

Add Events Edit Events Reports Results

Edit Events


Event name: cricket Type: Indoor

Description:

Start Date: End Date:

Event Time:

Submit




Reports

Type: Event Name:

0 results

Name	Class	E-mail	Contact
------	-------	--------	---------



Result

Event name:

1st prize:

2nd prize :

3rd prize :



7.Summary/Conclusion

Thus, we have implemented the sports events management system and the functionalities specified in the document and we would like to add further complex functionalities to our project as per the requirement of an institution.

8. References/Bibliography:

<https://www.w3schools.com/html/>

<https://www.w3schools.com/css/>

<https://www.w3schools.com/php/DEFAULT.asp>

<https://www.tutorialspoint.com/sql/index.htm>

https://www.w3schools.com/xml/xml_what_is.asp