📋 Module 14: Report Writing and Post Testing Actions

```
# Exercise 01: Generating Penetration Test Reports and Documenting all of them to Dradis
```

Scenario

Dradis Collaborative Report Generation & Pentest Data Consolidation utilizes the Dradis Framework web application (`http://127.0.0.1:3000`) to aggregate, structure, tag, and export security assessment findings into comprehensive, multi-audience penetration testing reports.

Key technical concepts in Dradis pentest report generation:
1. **Dradis Service Initialization**: Starting the Dradis Ruby web service via **sudo dradis** on **Parrot Security** VM, spawning a local web app server on port `3000` .
2. **Metadata & Executive Summary Structuring**: Creating custom issue fields in Dradis to store document control parameters (Company: `X-SECURITY` , Recipient: `Luxurytreats` , Date: `August 18, 2020` , Classification: `Confidential` , Author: `John` , Testers: `Micheal, Marshall, Sean, Adam`) and executive summaries.
3. **Automated Tool Output Ingestion**: Utilizing Dradis upload plugins—specifically **Dradis::Plugins::Nmap**—to parse XML scan files (**/home/pentester/scan.xml**) and automatically import discovered open ports, services, and vulnerability findings into the issue database.
4. **Issue Classification & Tagging**: Tagging issues with severity indicators (`Info` , `Critical`) and drafting comprehensive technical report entries.
5. **Report Export Engine**: Rendering the aggregated project database via **default_dradis_template_v3.0.html.erb** template to produce a standalone HTML report file for client delivery.

In this exercise, we launch Dradis (`sudo dradis`), log into the web GUI (`Admin` / **password**), structure project metadata and executive summaries, upload Nmap scan XML (`scan.xml`), classify issue severity tags, and export the finalized HTML penetration test report.

Objective

The objective of this lab is to help students learn how to:
- Launch and authenticate to Dradis framework (`http://127.0.0.1:3000`)
- Structure project metadata, document details, and executive summaries
- Ingest external scanner outputs using **Dradis::Plugins::Nmap** plugin
- Parse XML scan file: **/home/pentester/scan.xml**
- Apply issue severity tags (`Info` , `Critical`)
- Draft comprehensive technical findings
- Export consolidated HTML penetration test report using **default_dradis_template_v3.0.html.erb** template


---

Task 1: Initialize Dradis Framework, Import Nmap XML Output, Structure Custom Issue Fields, and Export Consolidated HTML Report


In this task, we start Dradis, ingest `scan.xml` via Nmap plugin, build report fields, tag issue severity, and generate the final HTML report.

Lab Tasks


1. Log into **Parrot Security** VM using credentials (**pentester** / **toor**). Open terminal window and start Dradis server:
   sudo dradis
   Enter password **toor** when prompted. Wait for the URL generation output (`http://127.0.0.1:3000`).




1. Open Firefox browser and navigate to Dradis interface: `http://127.0.0.1:3000` .




1. Log in with default credentials:
2. **Username**: **Admin**
3. **Password**: **password**




1. Upon logging in, view the Dradis Dashboard page.




1. Click **Go To Issues** under Project summary. Under Issues Summary pane, click the **+** icon next to **Issues** and select **Blank**.




1. Under **Add new issue** tab, select **Fields** and enter field name: `Luxurytreats Penetration Test Report`.




1. Click **Add field** and type field name: `Document Details`.




1. In **Enter field value** under Document Details, enter:
2. **Document Title**: Luxurytreats Penetration Testing Report
3. **Company**: X-SECURITY
4. **Recipient**: Luxurytreats
5. **Date**: August 18, 2020
6. **Classification**: Confidential
7. **Document Type**: Report
8. **Version**: 1.0
9. **Author**: John
10. **Pen testers**: Micheal, Marshall, Sean, and Adam
11. **Reviewed By**: Allen and Bacon
12. **Approved By**: Clark




1. Click **Add field** and enter field name: `Executive Summary`.




1. Populate the **Executive Summary** field content.




1. Click **Upload** on the top navigation bar.




1. In **1. Tool are you uploading output from**, select **Dradis::Plugins::Nmap**.




1. Under **Upload output file**, click **Browse**, navigate to **/home/pentester**, select **scan.xml**, and click **Open**.




1. Scroll down to review imported Nmap scan results.




1. Click **All issues** from left window pane. Click the **+** icon next to **Issues** and select **Blank**.




1. Select **Tag** section, choose **Info**, and click **Create Issue (Draft)**.




1. Confirm issue creation.




1. Click the **+** icon next to **Issues** and select **Blank**.




1. Under **Add New Issue** tab, select **Fields** and enter field name: `Comprehensive Technical Report`.




1. Populate content under **Comprehensive Technical Report**.




1. Under **Tag** section, select **Critical** and click **Create Issue (Draft)**.




1. Confirm issue creation.




1. Click **Dashboard** or **Dradis Project** to view consolidated project summary.



1. Click **Export** on the top menu bar. Under **Choose a template**, select **default_dradis_template_v3.0.html.erb** and choose **Export All Records**.



1. Review generated final HTML penetration testing report output.



This concludes the lab exercise.

IMPORTANT: ❓ **Question 14.1.1.1** On the Parrot Security machine, utilize the Dradis tool to import penetration test reports from the "Penetration Test" folder. Consolidate these reports within Dradis and generate a comprehensive final penetration test report. Additionally, specify the name of the tool whose output is being uploaded to Dradis as part of this process. [!SUCCESS] ✅ **Answer:** **nmap**