

The rubber parts are used to achieve stable movement. These parts are mounted at the end of the front legs. They increase the friction between the legs and the surface.




Find:


- left motor
- front and back left legs
- rubber parts






1






2





3




4

B






5






6






ROBOTIQUE.ICAT




7







8




littlealphas.com.au




9




ROBOTMANIA
ROBOTMANIA.COM




10






11





robotics.com.au
ROBOTICS CAT




12












13




14







15




ROBOFREE
ROBOTICS EDUCATION

16






17




ROBOTIC EDUCATION



18




19







20



robotics@littlealphas.com.au




21




ROBOTIC EDUCATION




22




ROBOTIC EDUCATION




23




ROBOTIC EDUCATION




24



ROBOTICS ACADEMY
ROBOTIC EDUCATION




25





ROBOTIC EDUCATION




26









27




28








ROBORISE-IT!
ROBOTIC EDUCATION




29








31






32





ROBOTSQUAD.COM







34







35










36




37









38






39





ROBORISE-IT!
ROBOTIC EDUCATION




40










41





42







43




ROBORISE-IT!



44









45








46




47









48







49




ROBORISE-IT!




50







51




ROBORISE-IT!
ROBOTIC EDU


52





ROBORISE-IT
ROBOTICS EDUCATION






53




54





55


ROBORISE-
ROBOTIC EDUCAT


ROBORISE-IT!
ROBOTIC EDUCATION












Task




Place the parts of the robot in the correct places





Task 1. Algorithm

The simplest algorithm can look like this:




Use the motor blocks to program the robot's movement:

In ICON Blocks mode, the program looks like this:




Use the motor blocks to program the robot's movement:

In Word Blocks mode, the program looks like this:



Teach your robot to turn. Similarly to the previous task, the correct initial position of the robot's legs is critically important. This is how the robot will behave if the position is not correct:




With the correct position of the legs, the robot can perform a turn. Note that the number of revolutions required to turn left or right depends on the surface you are testing the robot on.



Also use motor and movement blocks for this task.

In Word Blocks mode, the program looks like this:



At the end of the robot's movement, add setting the legs to the required position. In Word Blocks mode, the program will look like this.



Program and test your robot. Add the following program.

In Word Blocks mode, the program looks like this:



robotics@littlealphas.com.au

Program and test your robot. Add the following program.

In ICON Blocks mode, the program looks like this:



ICON BLOCKS | WORD BLOCKS


Program and test your robot. Pay attention to the initial position of the robot's legs

In ICON Blocks mode, the program looks like this:




Program and test your robot. Pay attention to the initial position of the robot's legs

In Word Blocks mode, the program looks like this:



What is the purpose of these program blocks?



Setting the legs' position

Turning left

Moving forward