



Bobcat


yinleaplas.com.au









©2021 roboriseit.com. All rights reserved.




2



2/44
0
19
©2021 roboriseit.com. All rights reserved.
Model by



3



botics@ittealthas.com.au
ROBOTIC B

3/44


0


20

©2021 roboriseit.com. All rights reserved.


Model by Ignat Khliebn

4







1




2






0



6




6/44

0


23

©2021 roboriseit.com. All rights reserved.

Mod





7




robotics@littlearp

8







10




11






12








©2021 roboriseit.com. All rights reserved.




13




©2021 roboriseit.com. All rights reserv

14




©2021 roboriseit.com. All rights reserved.




ROBORISE-IT!
ROBOTIC EDUCATION


16





0




17




3x
7
1x
5
1x
1
5
7
2
18/44
0



ROBORISE
ROBOTIC EDUC

19




0






20




©2021 roboriseit.com. All rights reserved.


Model by Ignat Khlieb




21





22





ROBORISE-IT!
ROBOTIC EDUCATION













ROBORISE-IT!
ROBOTIC EDUCATION




24



ROBORISE-IT!
ROBOTIC EDUCATION




25





26



ROBORISE-IT!
ROBOTIC EDUCATION




27



ROBOTIC EDUCATION




28




ROBOTIC EDUCATION

29




30




©2021 roboriseit.com. All rights reserved.


Model by Ignat Khlieb

31




2x
1x
1x
2x
ROBORISE-IT!
ROBOTIC EDUCATION

33




0


2021 roberiscit.com. All rights reserved

Model by Ignat Khlis




34







36




©2021 roboriseit.com. All right
el by Ignat Khliebni

37






38




©2021 roboriseit.com. All rights reser del by Ignat

44




©2021 roboriseit.com. All rights reserved.

To accomplish the task, the program must work according to the following algorithm:




The program might look like this:




Today you will program the robot to clean the construction site from large stones. The wheels of the robot are constantly slipping. Therefore, you will need to use the gyroscope to move forward and turn.


To accomplish the task, the program must work according to the following algorithm:




The program might look like this:





The algorithm for performing the task can be as follows:




when program starts
Task 3
set sensor orientation to top
set yaw angle to 0
set movement motors to C+D
set movement speed to 15 %
D set relative position to 0
repeat until D relative position > 21 / 17.6 * 360
start moving yaw angle * -2
stop moving

otics@littlealphas.com.au







Program the robot to turn 45 degrees to the left. The robot's wheels slide, so use the gyroscope to control the robot's movement.


The task execution algorithm can be as follows:

The "marked" part of the algorithm is conveniently place in a separate block for repeated use.



The program according to this algorithm looks as follows:






Program the robot to turn 45 degrees to the right. The robot's wheels slide, so use the gyroscope to control the robot's movement.


@littleal


The task execution algorithm can be as follows:

The "marked" part of the algorithm is conveniently place in a separate block for repeated use.




The program according to this algorithm looks as follows:





To accomplish the task, the program must work according to the following algorithm:




The program might look like this:




mbotics@thealphas.com.au

Program the clearing of the road. The robot has a color sensor. Use it to detect obstacles along the way.


The task execution algorithm can be as follows:



The program for this algorithm looks like this:



The "Forward_C" block works as follows:



The "Clean" block works as follows:

