



Jamie





6x
1x
2x







2



ROBOPIGE-IT
robotics@




3




ROBOTIC EDUCATIO


4







5







1x



1x





2x




2x

6






7




8




8/29


0

©2024 roboriginit.com. All rights reserved.




9






10




©2021 roboriseit.com. All rig

11




©2021 roboriseit.com. All rights reserved.

Model by




14




©2021 roboriseit.com. All rights reserved.

Model by




15




©2021 roboriseit.com. All rights reserved.

Model by Igna




16




robotics@willealphas





17











©2021 roboriseit.com. All rights reserved.


Model by Ign



18




©2021 roboriseit.com. All rights reserved.







20




21






0



22







4x


23






1







2




25







26




ROBOTIC EDUCA




27





ROBORISE-IT!
ROBOTIC EDUCATION

28




0

45


©2021 roboriseit.com. All rights reserved.


29



©2021 roboriseit.com. All rights reserved.


31







©2021 roboriseit.com. All rights reser

32





©2021 roboriseit.com. All rights reserved.






33






1







2




3




35




36






37



38




9/18

0

©2021 roboriseit.com. All rights reserved

Model by Ignat Khliebr

39




ROBOTICS
robotics@littlealphas.com.au


10/18

0

©2021 roboriseit.com. All rights reserved.

Model by





1x





2x




1x


40






1






2




3




42




43







1




2



44



45



16/18


0


63

©2021 roboriseit.com. All rights reserved.


Model by Ignat Khliebniko

46






47



©2021 roboriseit.com. All rights reserved.

To accomplish the task, the program should consist of the following parts:



The duration of the movement in the number of degrees to which the axes of the servos should return is calculated as follows:

The diameter of the wheels of the robot is 56 mm, so in one turn they pass


56 * 3.14 = 176mm

Divide the desired distance by the distance the robot moves in one turn and multiply by 360 degrees:


(50/176) * 360 = 102 degrees

*** 3.14 - approximate value of Pi, connecting the diameter of a circle and its diameter**


The program for this algorithm looks like this:




Similar to the previous task, the execution algorithm can be as follows:




The program for this algorithm looks like this:




The task execution algorithm can be as follows:



The program for this algorithm looks like this:




The algorithm will change as follows:




ittlealphas.com.au

The program for this algorithm looks like this:



Add the program as follows:



The program for performing such a turn looks like this:



The program for completing the task might look like this:

