

SeaQuest



Scanner




For example, this is what your backpack might look like on a scanner at the airport.




@littlealphas.com.au

In order to immediately see the result of the scan, you can use the Smarthub matrix screen. The screen has 5 points (pixels) horizontally and 5 - vertically.



In order to indicate which point on the screen should be turned on, two coordinates are called. The first is called the 'X' coordinate, the second - 'Y'. Thus, the pixel in the upper left corner has coordinates (1,1), the central pixel has coordinates (3,3), and the pixel in the upper right corner has coordinates (5,1).




To scan plates, you need to ensure movement in two directions. The Medium Motor moves the Plate and the Large Motor moves the Color Sensor in a perpendicular direction.




Find:

- **Smarthub**
- **Motors**
- **Sensor**




1x




1x




3x







2




3




ROBORISE-IT!
ROBOTIC EDUCATION






4




4/47

0

©2024 roborise-it.com. All rights reserved.



5




5/47


0

©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebn




6




©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebn




7





©2024 roboriseit.com. All rights reserved.


Model by Ignat Khliebnikov



8









9



10



11



11/47

0


28

©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebnikov

robotics@littlealphas.com.au


12



©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebnik

13



13/47

0


30

©2024 roboriseit.com. All rights reserved.

Model by Ignat Khlieb




14



©2024 roboticsit.com. All rights reserved.

15



©2024 roboriseit.com. All rights reserved.


Model by Ignat Khliel

15/47

0

32

16





16/47

0


©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebni







17





18






19






4x
1x
2x
20/47
0




21


robotics@littlealpha




13
1x
1x
1x
13
13
22/47




23




0




24




ROBOTSE-
ROBOT AT




25



robotics@littlealphas.com




26




©2024 roboriseit.com. All rights reserved.

Model by lg

27




28




©2024 roboriseit.com. All rights reserved.

29



©2024 roboriseit.com. All rights reserved.


30



©2024 roboriseit.com. All rights reserved.


Model by Ignat K

31




©2024 roboriseit.com. All rights reserved.

Model by Igna




32




©2024 roboriseit.com. All rights reserved.

Model by Ignat K




33




©2024 roboriseit.com. All rights reserved.

Model by Ignat




1



2






©2024 roboriseit.com. All rights reserved.

Model by Ignat Khli

35




35/47

0

52


©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebr






36




©2024 roboriseit.com. All rights reserved.


Model by Ignat Khliebnikov





37



ROBOTSE-IT







38/47


0

55


©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebnikov

39



40




40/47

0


57

©2024 roboriseit.com. All rights reserved.


Model by Ignat Khliebni




1




2




42







©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebi



43





ROBORISE-IT
ROBOTIC EDUCATION


3/47

0

60

©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebnikov




1



2




45




45/47

©2024 roboriseit.com. All rights reserved.


Model by Ignat Khliebnikov




1



2




ROBORISE-IT!
ROBOTIC EDUCATION
robotics@littlealphas.com.au




©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebnikov




49





©2024 roboriseit.com. All rights reserved.

Model by Ignat Khliebnikov


The algorithm for scanning one line is as follows:





when program starts
set Y to 1
ScanX


when I receive Draw
set Power Button ligh


The simplest implementation of such an algorithm looks like this:



It is important to start the motor with power, not speed - so the motor does not destroy the structure during blocking




Under this condition, anchor pixels correspond to all colors whose number is greater than 4



Pixels are off

Pixels on

To perform the assigned task, the program must work according to the following algorithm:



Add the main program as follows:







'Sketch' the scan result. To change the status of a pixel, simply click on it.

What image did you get?




Collect and scan the first shard. In order to decode it correctl
need to change the condition under which the color will corre
the on pixel:





Pixels are off

Pixels on



status of a pixel, simply click or

Your achievements

Total: 0

1



2



3



4

