

# TKS Combined Cognitive Framework

Mathematical Foundations for  
Psychological Analysis, Social Engineering,  
Cultural Manipulation, and AI Alignment

Based on TKS v7.4 Canonical Formalization

TKS v7.4 Formalization Project

December 2025



# Contents

|                                                                                        |           |
|----------------------------------------------------------------------------------------|-----------|
| <b>Preface</b>                                                                         | <b>5</b>  |
| <b>I Psychology: Weaponized Therapy</b>                                                | <b>7</b>  |
| <b>1 Mathematical Framework for Psychological Profiling</b>                            | <b>9</b>  |
| 1.1 Profile Extraction: <code>extract_fractal_from_text()</code> . . . . .             | 9         |
| 1.2 Attractor Computation: <code>psych_attractor = attractor(profile)</code> . . . . . | 10        |
| 1.3 Vulnerability Detection: <code>find_high_lacunarity_regions()</code> . . . . .     | 10        |
| 1.4 Intervention Design: <code>design_fractal()</code> . . . . .                       | 11        |
| <b>II Social Engineering: Predictive Manipulation</b>                                  | <b>13</b> |
| <b>2 Modeling Society as Interacting Fractal Systems</b>                               | <b>15</b> |
| 2.1 Collective Noetic Systems . . . . .                                                | 15        |
| 2.2 Meme Engineering . . . . .                                                         | 16        |
| <b>III Overton Window Manipulation: Reality Tunneling</b>                              | <b>17</b> |
| <b>3 The Overton Window as Attractor Basin</b>                                         | <b>19</b> |
| 3.1 Window Definition and Dynamics . . . . .                                           | 19        |
| <b>IV Hyperstition Creation: Self-Fulfilling Prophecies</b>                            | <b>21</b> |
| <b>4 Quantum Superposition of Possible Realities</b>                                   | <b>23</b> |
| 4.1 Reality Hilbert Space . . . . .                                                    | 23        |
| 4.2 Hyperstition Structure . . . . .                                                   | 23        |

|            |                                                              |           |
|------------|--------------------------------------------------------------|-----------|
| <b>V</b>   | <b>TKS Cognitive Warfare Stack</b>                           | <b>25</b> |
| <b>5</b>   | <b>The Four-Level Structure</b>                              | <b>27</b> |
| <b>VI</b>  | <b>TKS vs Current AI Issues</b>                              | <b>29</b> |
| <b>6</b>   | <b>The Seven AI Crises</b>                                   | <b>31</b> |
| 6.1        | Crisis 1: The Alignment Problem . . . . .                    | 31        |
| 6.2        | Crisis 2: Interpretability . . . . .                         | 31        |
| 6.3        | Crisis 3–7: Summary . . . . .                                | 31        |
| <b>VII</b> | <b>TKS Predictive Intelligence Systems</b>                   | <b>33</b> |
| <b>7</b>   | <b>The Six-Stage Pipeline</b>                                | <b>35</b> |
| 7.1        | Stage 1: NLP to Noetic Mapping . . . . .                     | 35        |
| 7.2        | Stage 2–3: Fractal Construction and Attractor . . . . .      | 35        |
| 7.3        | Stage 4–6: Goal Inference, Timeline, Vulnerability . . . . . | 35        |
| <b>A</b>   | <b>Master Equation Reference</b>                             | <b>37</b> |
| A.1        | Psychology Equations . . . . .                               | 37        |
| A.2        | Social Engineering Equations . . . . .                       | 37        |
| A.3        | Overton Window Equations . . . . .                           | 37        |
| A.4        | Hyperstition Equations . . . . .                             | 37        |
| A.5        | AI Resolution Equations . . . . .                            | 38        |
| A.6        | Predictive Intelligence Equations . . . . .                  | 38        |
| <b>B</b>   | <b>Symbol Reference</b>                                      | <b>39</b> |

# Preface

## Document Scope and Intent

This document provides comprehensive mathematical documentation for the TKS (Tootra Kabbalistic System) v7.4 framework as applied to:

1. **Individual Psychology:** Profiling, attractor analysis, and intervention design
2. **Social Dynamics:** Group modeling, cascade optimization, and network analysis
3. **Cultural Engineering:** Overton windows, memetic warfare, and hyperstition
4. **Civilizational Analysis:** Long-term trajectory modeling and existential dynamics
5. **AI Systems:** Alignment, interpretability, safety, and multi-agent coordination
6. **Predictive Intelligence:** Digital footprint analysis and behavioral forecasting

**This document is descriptive, not prescriptive.** The mathematics and mechanisms described herein exist regardless of whether they are documented. The question is not whether such capabilities exist—they do. The question is who understands them, who uses them, and for what purposes.

**Moloch Principle:** In competitive environments, if one party develops these capabilities, others must understand them for defense. Unilateral ignorance serves no one.



## Part I

# Psychology: Weaponized Therapy





# Chapter 1

## Mathematical Framework for Psychological Profiling

### Purpose and Scope

This part establishes the mathematical foundations for psychological profile extraction, attractor computation, vulnerability detection, and intervention design using the TKS canonical framework. The system provides rigorous formalization of:

1. `extract_fractal_from_text()`: Text-to-noetic-fractal mapping
2. `psych_attractor = attractor(profile)`: IFS fixed-point computation
3. `vulnerabilities = find_high_lacunarity_regions()`: Gap detection
4. `manipulation_fractal = design_fractal()`: Counter-fractal engineering

### 1.1 Profile Extraction: `extract_fractal_from_text()`

**Definition 1.1** (Text Corpus). A *text corpus*  $\mathcal{T} = \{t_1, t_2, \dots, t_n\}$  is a collection of textual utterances produced by subject  $S$ , including written communications, speech transcripts, social media posts, and behavioral descriptions.

**Definition 1.2** (Noetic Mapping Function). The *noetic mapping function*  $\mathcal{M}_\nu : \mathcal{T} \rightarrow \Phi$  is defined by:

- (i) **Lexical Analysis**: Parse  $\mathcal{T}$  into semantic units  $\{u_1, \dots, u_m\}$
- (ii) **Noetic Classification**: Map each unit to dominant noetic:  $\kappa : u_i \mapsto k_i \in \{0, 1, \dots, 9\}$
- (iii) **Sequence Construction**: Form the fractal:  $\Phi = \langle \kappa(u_1) : \kappa(u_2) : \dots : \kappa(u_m) \rangle$

**Definition 1.3** (Noetic Classification Rules). The classification function  $\kappa$  maps semantic content to noetics:

| Noetic  | Name      | Textual Indicators                                        |
|---------|-----------|-----------------------------------------------------------|
| $\nu_0$ | Idea      | Pure statements, definitions, abstractions                |
| $\nu_1$ | Mind      | Awareness, attention, “I notice”, “I realize”             |
| $\nu_2$ | Positive  | Attraction, desire, “I want”, “I like”, approach          |
| $\nu_3$ | Negative  | Rejection, avoidance, “I hate”, “I fear”, withdrawal      |
| $\nu_4$ | Vibration | Energy, intensity, excitement, emphasis, activation       |
| $\nu_5$ | Female    | Reception, absorption, “I absorb”, passivity, integration |
| $\nu_6$ | Male      | Projection, action, “I do”, “I create”, expression        |
| $\nu_7$ | Rhythm    | Patterns, habits, cycles, “always”, “every time”          |
| $\nu_8$ | Above     | Causation, origin, “because”, “the reason is”             |
| $\nu_9$ | Below     | Effects, results, “therefore”, “it leads to”              |

**Theorem 1.4** (Profile Extraction Canonical Form). *For any text corpus  $\mathcal{T}$  with sufficient data ( $|\mathcal{T}| > \theta_{\min}$ ), the extracted profile fractal converges to a characteristic signature:*

$$\boxed{\text{extract\_fractal\_from\_text}(\mathcal{T}) = \lim_{n \rightarrow \infty} \langle \kappa(u_1) : \cdots : \kappa(u_n) \rangle = \Phi_S} \quad (1.1)$$

where  $\Phi_S$  is the psychological fingerprint of subject  $S$ .

## 1.2 Attractor Computation: `psych_attractor = attractor(profile)`

**Definition 1.5** (Psychological Attractor). The psychological attractor  $\mathcal{A}_S$  for profile  $\Phi_S$  is the unique fixed point:

$$\boxed{\text{attractor}(\Phi_S) = \text{fix} \left( \lambda X. \bigcup_{k \in S} \nu_k(X) \right) = \bigsqcap_{n=0}^{\infty} F^n(\perp)} \quad (1.2)$$

**Theorem 1.6** (Psychological Attractor Existence). *For any profile  $\Phi_S$  with non-trivial noetic content, there exists a unique psychological attractor  $\mathcal{A}_S \subset \mathcal{I}$  satisfying:*

- (i) **Invariance:**  $\bigcup_{k \in S} \nu_k(\mathcal{A}_S) = \mathcal{A}_S$
- (ii) **Attraction:**  $\lim_{n \rightarrow \infty} d_H(\Phi_S^n(X), \mathcal{A}_S) = 0$
- (iii) **Minimality:** No proper closed subset satisfies (i) and (ii)

## 1.3 Vulnerability Detection: `find_high_lacunarity_regions()`

**Definition 1.7** (TKS Lacunarity). The *lacunarity* of a psychological fractal  $\Phi$  at scale  $\varepsilon$  is:

$$\Lambda(\Phi, \varepsilon) := \frac{\text{Var}[M_\varepsilon]}{\mathbb{E}[M_\varepsilon]^2} + 1$$

where  $M_\varepsilon$  measures the occupancy of  $\varepsilon$ -boxes covering the attractor.

**Definition 1.8** (Vulnerability Region). A *vulnerability region*  $\mathcal{V} \subset \mathcal{A}_S$  is a subset where:

$$\Lambda(\Phi|_{\mathcal{V}}, \varepsilon) > \Lambda_{\text{crit}} = 1.5$$

High lacunarity indicates “gaps” in psychological integration.

## 1.4 Intervention Design: *design\_fractal()*

**Theorem 1.9** (Intervention Fractal Design). *The optimal intervention fractal is:*

$$\boxed{\text{design\_fractal}(\Phi_S, \mathcal{V}, \mathcal{A}_{\text{target}}) = \Phi_{\text{destab}} \circ \Phi_{\text{guide}} \circ \Phi_{\text{stab}}} \quad (1.3)$$

where each phase is tuned to the subject’s profile and vulnerabilities.

### Plain English: The “Mind-Reading Machine”

**The Simple Version:** `extract_fractal_from_text()` is like a “psychological X-ray” that reads someone’s writing and speech to decode their mental operating system.

**The Fingerprint Scanner Metaphor:** Every person has a unique *psychological fingerprint*—a pattern of how they think, feel, and process reality. This function scans their “mental fingerprint” from their words.

#### What It Reveals:

- How often they approach vs. avoid (ratio of  $\nu_2$  to  $\nu_3$ )
- Whether they think in causes or effects ( $\nu_8$  vs.  $\nu_9$ )
- Their energy patterns (presence of  $\nu_4$ )
- Whether they act or receive ( $\nu_6$  vs.  $\nu_5$ )



## Part II

# Social Engineering: Predictive Manipulation



## Chapter 2

# Modeling Society as Interacting Fractal Systems

### Chapter Overview

This part provides a rigorous mathematical framework for modeling **social engineering**—the systematic application of predictive manipulation techniques to populations. Using canonical TKS constructs, we formalize:

1. Society as a system of interacting noetic fractals
2. Critical mass thresholds and tipping point mathematics
3. Meme engineering via viral fractal signatures
4. Campaign dynamics through ACBE descent

## 2.1 Collective Noetic Systems

**Definition 2.1** (Collective Noetic System). A *collective noetic system* (society)  $\mathcal{S}$  is a tuple:

$$\mathcal{S} = (\{\Phi_i\}_{i \in \mathcal{P}}, G, \mu, H_{\mathcal{S}})$$

where  $\mathcal{P}$  is the population,  $G$  is the social graph,  $\mu$  is influence weight, and  $H_{\mathcal{S}}$  is the collective Hutchinson operator.

**Definition 2.2** (Critical Mass Threshold). The *critical mass threshold*  $\theta_{\text{crit}}^{\mathcal{B}}$  is:

$$\theta_{\text{crit}}^{\mathcal{B}} := \inf \left\{ \theta \in [0, 1] \mid \rho^{\mathcal{B}}(t) \geq \theta \Rightarrow \frac{d\rho^{\mathcal{B}}}{dt} > 0 \text{ without external input} \right\} \quad (2.1)$$

## 2.2 Meme Engineering

**Definition 2.3** (Virality Signature). The *virality signature* of fractal  $\Phi$  is:

$$\mathcal{V}(\Phi) := \sum_{j=1}^n w_j \cdot \mathbf{1}_{[\text{viral}]}(k_j)$$

where  $\mathbf{1}_{[\text{viral}]}(k) = 1$  if  $k \in \{2, 4, 6, 7\}$  (the spreading operators).

The canonical *high-virality signature* is  $\langle 2 : 4 : 7 \rangle$  (Positive-Vibration-Rhythm).

**Theorem 2.4** (Cascade Propagation). *Adoption dynamics follow:*

$$\boxed{\frac{d\rho}{dt} = \beta \cdot \rho(1 - \rho) \cdot \mathcal{V}(\Phi_{\text{meme}}) - \gamma \cdot \rho \cdot (1 - \mathcal{R})} \quad (2.2)$$

where  $\beta$  is transmission rate,  $\gamma$  is resistance decay, and  $\mathcal{R}$  is resonance factor.



## Part III

# Overton Window Manipulation: Reality Tunneling



## Chapter 3

# The Overton Window as Attractor Basin

### Chapter Overview

This part formalizes the **Overton Window**—the range of ideas considered acceptable in public discourse—as a *psychological attractor basin* in idea space  $\mathcal{I}$ .

### 3.1 Window Definition and Dynamics

**Definition 3.1** (Overton Window). The **Overton Window**  $\mathcal{O} \subset \mathcal{D}$  is:

$$\mathcal{O}(t) := \left\{ x \in \mathcal{D} \mid \mu_{\text{accept}}(x, t) \geq \theta_{\text{norm}}(t) \right\} \quad (3.1)$$

**Definition 3.2** (Shift Fractal). The **shift fractal**  $\Phi_{\text{shift}}$  is a transfinite sequence:

$$\Phi_{\text{shift}} := (x_\alpha)_{\alpha < \lambda} \quad \text{where } d(x_\alpha, x_{\alpha+1}) \leq \delta_{\text{max}} \quad (3.2)$$

**Theorem 3.3** (Shift Convergence). *Under the shift fractal, the sequence of windows converges:*

$$\lim_{\alpha \rightarrow \lambda} \mathcal{O}_\alpha = \mathcal{O}^* \quad \text{where } x_{\text{target}} \in \text{Core}(\mathcal{O}^*)$$

### Plain English: The “Boiling Frog” Metaphor

Imagine a frog in a pot of water. If you heat the water slowly enough, the frog doesn’t notice the gradual temperature change. Similarly, societal acceptance shifts gradually. What seems radical today becomes debatable tomorrow and policy the day after—if the shift is slow enough that people adapt without noticing.



## Part IV

# Hyperstition Creation: Self-Fulfilling Prophecies



## Chapter 4

# Quantum Superposition of Possible Realities

### Chapter Overview

This part develops the theory of **hyperstition creation**—the engineering of ideas that make themselves true through belief-reality feedback loops.

## 4.1 Reality Hilbert Space

**Definition 4.1** (Quantum Superposition of Realities). A **quantum superposition of possible realities** is:

$$|\Psi_{\text{reality}}\rangle = \sum_{i=1}^n c_i |R_i\rangle \quad \text{where} \quad \sum_{i=1}^n |c_i|^2 = 1 \quad (4.1)$$

## 4.2 Hyperstition Structure

**Definition 4.2** (Hyperstition). A **hyperstition**  $\mathcal{H} = (\mathcal{I}, \mathcal{B}, \mathcal{M}, \Phi_H)$  satisfies the **self-fulfillment condition**:

$$\mathcal{M}(\mathcal{B}_t) > \mathcal{M}(\mathcal{B}_{t-1}) \quad \Rightarrow \quad \mathcal{B}_{t+1} > \mathcal{B}_t \quad (4.2)$$

**Theorem 4.3** (Hyperstition Dynamics). *The belief distribution evolves according to:*

$$\frac{d\mathcal{B}}{dt} = \alpha \cdot \mathcal{M}(\mathcal{B}) - \beta \cdot \mathcal{B} + \gamma \cdot \text{Prop}(\mathcal{I}) \quad (4.3)$$





## Part V

# TKS Cognitive Warfare Stack



## Chapter 5

# The Four-Level Structure

### Stack Architecture

The TKS Cognitive Warfare Stack comprises four hierarchical levels:

- **Level 1: Individual** ( $\mathfrak{I}$ ): Thought patterns, attractors, intervention
- **Level 2: Social** ( $\mathfrak{S}$ ): Group fractals, cascades, network dynamics
- **Level 3: Cultural** ( $\mathfrak{C}$ ): Overton windows, memetic warfare, hyperstition
- **Level 4: Civilizational** ( $\mathfrak{J}$ ): Historical trajectories, existential engineering

**Definition 5.1** (The Cognitive Warfare Stack). The *TKS Cognitive Warfare Stack* is a graded category **CWS** with:

- (i) **Objects**: Four levels  $\mathfrak{L}_1, \mathfrak{L}_2, \mathfrak{L}_3, \mathfrak{L}_4$
- (ii) **Upward morphisms**: Aggregation functors  $\mathbf{Agg}_i^{i+1}$
- (iii) **Downward morphisms**: Constraint functors  $\mathbf{Proj}_{i+1}^i$

**Theorem 5.2** (Fractal Scale Invariance). *The same mathematical structures appear at all four levels:*

$$\mathfrak{L}_i \cong \mathfrak{L}_j \quad (\text{as categories})$$

*This is the mathematical expression of the “fractal” nature of consciousness organization.*



## Part VI

# TKS vs Current AI Issues



# Chapter 6

## The Seven AI Crises

### TKS as AI Foundation

Current AI systems are built on mathematics designed for pattern recognition, not for reasoning about goals, values, and meaning. TKS provides the missing mathematical infrastructure.

### 6.1 Crisis 1: The Alignment Problem

**Definition 6.1** (Aligned Goal Structure). An **aligned goal structure** is a triple  $(D, W, P)$  in the RPM monad where alignment requires:

$$\mathcal{G}_{\text{aligned}} = \text{RPM} \left( \bigwedge_{m=1}^7 (D_m \wedge W_m \wedge P_m) \right) \quad (6.1)$$

### 6.2 Crisis 2: Interpretability

**Theorem 6.2** (Interpretability via Fractals). *Every AI decision path admits:*

$$\text{Interpret}(\pi) = \langle \nu_{k_1}, \dots, \nu_{k_n}, \mathcal{A}_\Phi \rangle \quad (6.2)$$

### 6.3 Crisis 3–7: Summary

| AI Crisis          | Current Limitation       | TKS Solution                |
|--------------------|--------------------------|-----------------------------|
| Alignment          | No formal goal structure | RPM Monad + D/W/P Triad     |
| Interpretability   | Black-box gradients      | Noetic Algebra + Attractors |
| Forgetting         | Flat parameter space     | Transfinite Fractals        |
| Distribution Shift | Point estimates          | Quantum Density Matrix      |

|                |                     |                            |
|----------------|---------------------|----------------------------|
| Multi-Agent    | Emergent chaos      | Collective IFS Dynamics    |
| Value Learning | Scalar rewards      | Noetic Topos + Sheaves     |
| Safety         | Runtime checks only | Coalgebraic Temporal Types |



## Part VII

# TKS Predictive Intelligence Systems



## Chapter 7

# The Six-Stage Pipeline

### Pipeline Architecture

The TKS Predictive Intelligence pipeline transforms raw digital activity into psychological analysis:

$$\mathcal{D} \xrightarrow{\text{Stage 1}} \mathcal{N}^* \xrightarrow{\text{Stage 2}} \Phi \xrightarrow{\text{Stage 3}} \mathcal{A} \xrightarrow{\text{Stage 4}} \mathbf{s}_{DWP} \xrightarrow{\text{Stage 5}} \mathcal{T}_{\text{line}} \xrightarrow{\text{Stage 6}} \mathcal{V}_{\text{score}} \quad (7.1)$$

## 7.1 Stage 1: NLP to Noetic Mapping

**Definition 7.1** (NLP-to-Noetic Mapping).

$$\text{NLP}(d) = \bigoplus_{i=1}^{|d|} \text{classify}(\text{token}_i(d), \text{context}(d)) \quad (7.2)$$

## 7.2 Stage 2–3: Fractal Construction and Attractor

**Theorem 7.2** (40-Step Stabilization Bound). (*TKS v7.4 Theorem 7.4*)

$$\exists N_{\text{stable}} \leq 40 : \quad d_{\text{frac}} \left( \Phi_i^{(n)}, \Phi_i^{(n+1)} \right) < \varepsilon \quad \forall n > N_{\text{stable}}$$

## 7.3 Stage 4–6: Goal Inference, Timeline, Vulnerability

$$\text{Prediction Confidence} = \begin{cases} 0.95 & \text{if } \dim(\mathcal{A}_i) = 0 \\ 0.85 & \text{if } \dim(\mathcal{A}_i) = 1 \\ 0.70 & \text{if } 1 < \dim(\mathcal{A}_i) \leq 2 \\ 0.50 & \text{if } \dim(\mathcal{A}_i) > 2 \end{cases} \quad (7.3)$$

**Plain English: The “Behavioral Weather Forecast”**

Imagine a weather forecast, but for human behavior. Just as meteorologists use pressure, temperature, and wind patterns to predict tomorrow’s weather, TKS Predictive Intelligence uses digital footprints to predict tomorrow’s behavior.

**Key Insight:** The mathematics does not read minds—it reads patterns.

# Appendix A

## Master Equation Reference

### A.1 Psychology Equations

$$\begin{aligned}\Phi_S &= \text{extract\_fractal\_from\_text}(\mathcal{T}_S) && \text{(Profile)} \\ \mathcal{A}_S &= \text{fix} \left( \lambda X. \bigcup_{k \in S} \nu_k(X) \right) && \text{(Attractor)} \\ \mathcal{V}_S &= \{R : \Lambda(R, \varepsilon) > 1.5\} && \text{(Vulnerability)} \\ \Phi_{\text{manip}} &= \Phi_{\text{destab}} \circ \Phi_{\text{guide}} \circ \Phi_{\text{stab}} && \text{(Intervention)}\end{aligned}$$

### A.2 Social Engineering Equations

$$\begin{aligned}H_S(X) &= \bigcup_{i \in \mathcal{P}} \mu(i) \cdot \Phi_i(X) && \text{(Collective)} \\ \frac{d\rho}{dt} &= \beta \cdot \rho(1 - \rho) \cdot \mathcal{V} - \gamma \cdot \rho \cdot (1 - \mathcal{R}) && \text{(Cascade)}\end{aligned}$$

### A.3 Overton Window Equations

$$\begin{aligned}\mathcal{O}(t) &= \{x : \mu_{\text{accept}}(x, t) \geq \theta_{\text{norm}}(t)\} && \text{(Window)} \\ \frac{d\theta_{\text{norm}}}{dt} &= -\gamma \cdot (\theta_{\text{norm}} - \bar{\mu}(t)) + \eta \cdot \sigma_{\mu}(t) \cdot \xi(t) && \text{(Dynamics)}\end{aligned}$$

### A.4 Hyperstition Equations

$$\begin{aligned}|\Psi_{\text{reality}}\rangle &= \sum_{i=1}^n c_i |R_i\rangle && \text{(Superposition)} \\ \frac{d\mathcal{B}}{dt} &= \alpha \cdot \mathcal{M}(\mathcal{B}) - \beta \cdot \mathcal{B} + \gamma \cdot \text{Prop}(\mathcal{I}) && \text{(Dynamics)}\end{aligned}$$

## A.5 AI Resolution Equations

$$\begin{aligned}
\mathcal{G}_{\text{aligned}} &= \text{RPM} \left( \bigwedge_{m=1}^7 (D_m \wedge W_m \wedge P_m) \right) && \text{(Alignment)} \\
\text{Interpret}(\pi) &= \langle \nu_{k_1}, \dots, \nu_{k_n}, \mathcal{A}_\Phi \rangle && \text{(Interpretability)} \\
\mathcal{K}_{\text{total}} &= \varinjlim_{\alpha \in \text{Ord}} \Phi^\alpha && \text{(Lifelong Learning)} \\
\text{Safe}(S) &\iff !(S) \subseteq \llbracket \Box \neg \text{Catastrophe} \rrbracket_Z && \text{(Safety)}
\end{aligned}$$

## A.6 Predictive Intelligence Equations

$$\begin{aligned}
\text{NLP} : \mathcal{D} &\rightarrow \{0, 1, \dots, 9\}^* && \text{(Stage 1)} \\
\Phi_i^{\text{stable}} &= \lim_{n \rightarrow \infty} \Phi_i^{(n)} && \text{(Stage 2-3)} \\
\mathcal{V}_i &= \max_m \Lambda(\Phi_i^{(m)}) && \text{(Stage 6)}
\end{aligned}$$

## Appendix B

### Symbol Reference

| Symbol        | Name                    | Meaning                           |
|---------------|-------------------------|-----------------------------------|
| $\nu_k$       | Noetic operator $k$     | Consciousness transformation      |
| $\Phi$        | Noetic fractal          | Sequence of noetic operations     |
| $\mathcal{A}$ | Psychological attractor | Stable mental configuration       |
| $\Lambda$     | Lacunarity              | Gappiness/vulnerability measure   |
| RPM           | RPM monad               | Prerequisite-tracking computation |
| ACBE          | ACBE functor            | World descent cascade             |
| $\mathcal{O}$ | Overton window          | Acceptable discourse range        |
| $\mathcal{H}$ | Hyperstition            | Self-fulfilling belief structure  |
| $\Phi^\alpha$ | Transfinite fractal     | Ordinal-indexed iteration         |
| $\dim_H$      | Hausdorff dimension     | Complexity measure                |