

# Empirical Validation Framework for the Tootra Kabbalistic System (TKS)

*A Comprehensive Research Protocol for Scientific Assessment*

Version 1.0 | December 2025

## Abstract

The Tootra Kabbalistic System (TKS) presents a comprehensive framework for consciousness engineering, featuring 10 Noetics (fundamental consciousness operations), 40 Elements (4 worlds  $\times$  10 Noetics), 12 Prerequisites organized into the Recursive Prerequisite Model (RPM), and 7 Foundations (core human drives). While TKS demonstrates high mechanistic clarity, scale/emergence integration, and practical applicability compared to established consciousness theories, it currently lacks empirical validation—the critical component distinguishing pre-scientific from scientific frameworks. This paper presents three rigorous experimental protocols designed to establish TKS's empirical foundation: (1) RPM Progression Studies examining whether prerequisite sequence affects goal achievement outcomes, (2) 40-Element Diagnostic Reliability Studies assessing inter-rater agreement among TKS practitioners, and (3) Equation Predictive Validity Studies testing whether TKS-based interventions outperform control conditions. Together, these studies constitute the minimum viable research program for transitioning TKS from a practitioner framework to a scientifically validated system. Power analyses, statistical methods, ethical considerations, and implementation timelines are provided for each protocol.

## 1. Introduction

### 1.1 Background: TKS in the Landscape of Consciousness Theories

The Tootra Kabbalistic System (TKS) represents a comprehensive framework for understanding and engineering consciousness. In systematic comparison with nine established consciousness theories—including Integrated Information Theory (IIT), Global Workspace Theory (GWT), Attention Schema Theory (AST), and Predictive Processing—TKS demonstrates distinctive strengths in mechanistic clarity, scale/emergence integration, and practical applicability.

TKS's core architecture consists of:

- **10 Noetics:** Fundamental consciousness operations (N1-Mind through N10-Idea)
- **40 Elements:** Complete grid of 4 Worlds (Spiritual, Mental, Emotional, Physical) × 10 Noetics
- **12 Prerequisites:** Sequential requirements for goal manifestation organized into Desire, Wisdom, and Power cycles
- **7 Foundations:** Core human drives (Association, Wisdom, Life, Companionship, Power, Material, Lust)
- **RPM Algorithm:** Recursive Prerequisite Model for systematic goal achievement diagnosis
- **Noetic Fractals:** 1,000 X.Y.Z combinations expressing fractal consciousness relationships

### 1.2 The Critical Gap: Empirical Validation

Despite TKS's structural sophistication, one dimension remains underdeveloped: empirical testability. In the comparative analysis against consciousness theories, TKS scored 5/10 on testability—its lowest dimension—compared to 8/10 for Global Workspace Theory and Recurrent Processing Theory, which benefit from decades of neuroimaging, masking, and TMS studies.

This gap is not indicative of pseudo-science. Pseudo-scientific frameworks resist testing through unfalsifiable claims, vague definitions, and immunity to counter-evidence. TKS, by contrast, makes specific, falsifiable predictions:

- The RPM predicts that clearing prerequisites in sequence should improve outcomes versus random or reversed sequences
- The 40-Element grid predicts that trained practitioners should converge on similar diagnoses for identical cases
- TKS equations predict that interventions targeting identified elements should outperform non-targeted interventions

TKS is therefore better characterized as **pre-scientific**—a framework with sufficient structure for empirical testing that has not yet undergone systematic validation. The transition from pre-scientific to scientific status requires executing the research protocols outlined in this paper.

### 1.3 Research Objectives

This paper presents comprehensive experimental protocols addressing three core questions:

1. **RPM Progression:** Does the sequence of prerequisite clearing affect goal achievement outcomes?

2. **Diagnostic Reliability:** Do TKS practitioners converge on consistent 40-Element diagnoses for identical cases?
3. **Predictive Validity:** Do TKS equation-based interventions produce superior outcomes compared to control conditions?

Together, these studies constitute the minimum viable research program for establishing TKS's empirical foundation.

## 2. Study 1: RPM Progression Studies

### 2.1 Theoretical Foundation

The Recursive Prerequisite Model (RPM) is TKS's master diagnostic and intervention algorithm. It proposes that goal manifestation requires clearing 12 prerequisites in three sequential cycles:

**Desire Cycle (P1-P4):** Foundation Focus, Idea Clarity, Positive Affinity, Vibration/Charge

**Wisdom Cycle (P5-P8):** Information/Plan, Confidence/Belief, Rhythm/Timing, Cause Analysis

**Power Cycle (P9-P12):** Control/Agency, Resources/Structure, Implementation/Rhythm, Effect/Result

The RPM makes two critical claims: (1) prerequisites must be cleared in sequence—earlier prerequisites support later ones; and (2) the process is recursive—after clearing any prerequisite, the practitioner returns to P1 to verify earlier prerequisites remain intact.

### 2.2 Research Questions and Hypotheses

**Primary Research Question:** Does following the RPM prerequisite sequence improve goal achievement outcomes compared to alternative sequences?

#### Hypotheses:

**H1a:** Participants following the standard RPM sequence (P1→P12) will achieve higher goal completion rates than those following a reversed sequence (P12→P1).

**H1b:** Participants following the standard RPM sequence will achieve higher goal completion rates than those following a randomized sequence.

**H1c:** Participants using recursive checking (returning to P1 after each cleared prerequisite) will achieve higher goal completion rates than those using linear progression without recursion.

**H1d:** The magnitude of sequence effects will be greater for complex goals (requiring clearing of 8+ prerequisites) than simple goals (requiring 4 or fewer prerequisites).

### 2.3 Study Design

#### 2.3.1 Design Overview

A  $4 \times 2$  between-subjects factorial design with Sequence Condition (Standard RPM, Reversed, Randomized, No-Structure Control) and Goal Complexity (Simple, Complex) as independent variables.

#### 2.3.2 Participants

**Sample Size:**  $N = 480$  (60 per cell)

**Power Analysis:** Based on detecting a medium effect size (Cohen's  $f = 0.25$ ) with  $\alpha = .05$  and power = .80, minimum required  $N = 352$ . We recruit 480 to account for approximately 25% attrition over the 12-week study period.

#### Inclusion Criteria:

- Adults aged 18-65
- No prior TKS training (naive to the system)

- Currently pursuing a concrete, measurable goal
- Willing to commit to 12-week protocol
- English fluency for standardized materials

**Exclusion Criteria:**

- Current psychiatric treatment for major mental illness
- Prior exposure to Kabbalistic, TKS, or similar consciousness frameworks
- Goals involving harm to self or others

**2.3.3 Conditions**

**Condition 1 - Standard RPM Sequence:** Participants receive training on all 12 prerequisites and are instructed to work through them in standard order (P1→P2→P3...→P12). They are taught the recursive checking procedure: after clearing any prerequisite, return to P1 and verify all earlier prerequisites remain cleared before proceeding.

**Condition 2 - Reversed Sequence:** Participants receive identical content training but are instructed to work through prerequisites in reversed order (P12→P11→P10...→P1). No recursive checking.

**Condition 3 - Randomized Sequence:** Participants receive identical content training but are given a randomly generated sequence unique to each participant. No recursive checking.

**Condition 4 - No-Structure Control:** Participants receive general goal-setting education covering SMART goals, motivation, planning, and action—content equivalent in duration and depth but without TKS structure or sequencing. This controls for attention, expectancy, and general goal-setting knowledge.

**2.3.4 Goal Classification****Simple Goals (4 or fewer prerequisites typically blocked):**

- Complete a specific online course
- Establish a consistent exercise routine (30 days)
- Read a specified number of books
- Learn a basic skill (e.g., beginner guitar chords)

**Complex Goals (8+ prerequisites typically blocked):**

- Launch a small business or side project
- Complete a major creative project (novel, album, software)
- Significant career transition
- Major relationship repair or development

Goal complexity is assessed at baseline using a standardized Goal Complexity Inventory (GCI) developed for this study, measuring dimensions of: time horizon, resource requirements, skill acquisition needs, dependency on others, uncertainty, and emotional difficulty.

**2.4 Measures****2.4.1 Primary Outcome Measures**

**Goal Attainment Scaling (GAS):** Participants define 5 levels of goal achievement at baseline (-2 = much less than expected, -1 = somewhat less, 0 = expected outcome, +1 = somewhat more, +2 = much more than expected). Validated instrument with strong psychometric properties.

**Objective Goal Completion Rate:** Binary measure (0/1) of whether the pre-specified concrete goal criterion was met. Criteria defined at baseline with verification method (e.g., course completion certificate, business registration document, measurable metrics).

**Time to Goal Completion:** Days from study start to verified goal achievement. Censored at 12 weeks for non-completers.

#### 2.4.2 Secondary Outcome Measures

**Prerequisite Clearing Rate:** Weekly self-assessment of which prerequisites are cleared (1-12), providing trajectory data.

**Goal Progress Scale:** Weekly 0-100 VAS rating of perceived progress toward goal.

**Self-Efficacy for Goal Achievement:** Adapted General Self-Efficacy Scale (Schwarzer & Jerusalem, 1995) with goal-specific items. Administered at baseline, week 6, and week 12.

**Process Adherence:** Weekly logs documenting which prerequisites participants worked on, in what order, and for how long. Manipulation check for sequence conditions.

#### 2.4.3 Control Variables

- Baseline motivation (Intrinsic Motivation Inventory)
- Prior goal achievement history
- Personality (Big Five Inventory)
- Socioeconomic resources
- Time available for goal pursuit
- Belief in intervention efficacy (expectancy)

### 2.5 Procedure

**Week 0 (Baseline):** Online screening, informed consent, baseline assessments, goal specification and complexity rating, random assignment to condition.

**Week 1 (Training):** 4-hour online training session (live or recorded) specific to assigned condition. All conditions receive equivalent training duration. Comprehension check at end of training.

**Weeks 2-12 (Implementation):** Participants work on their goals following assigned protocol. Weekly 15-minute check-ins via online survey documenting progress, prerequisites addressed, and adherence.

**Week 12 (Outcome Assessment):** Final outcome assessment, goal verification, post-intervention questionnaire, debrief.

**Week 24 (Follow-up):** 3-month follow-up assessment of goal maintenance and sustained outcomes.

### 2.6 Statistical Analysis Plan

#### 2.6.1 Primary Analyses

**Goal Attainment Scaling:**  $4 \times 2$  ANCOVA with Sequence Condition and Goal Complexity as factors, GAS score as DV, and baseline motivation, self-efficacy, and expectancy as covariates. Planned contrasts: (1) Standard RPM vs. all other conditions combined; (2) Standard RPM vs. Reversed; (3) Standard RPM vs. Randomized; (4) Any-TKS (Conditions 1-3) vs. Control.

**Goal Completion Rate:** Logistic regression with condition, complexity, and their interaction as predictors. Report odds ratios with 95% CI.

**Time to Completion:** Cox proportional hazards regression. Kaplan-Meier survival curves by condition.

### ***2.6.2 Secondary Analyses***

**Trajectory Analysis:** Multilevel growth curve modeling of weekly progress ratings with condition as Level 2 predictor. Examines whether sequence condition affects rate of progress over time.

**Mediation Analysis:** Test whether prerequisite clearing rate mediates the relationship between condition and goal attainment using bootstrapped indirect effects.

**Moderation Analysis:** Examine whether personality traits (conscientiousness, openness) or baseline self-efficacy moderate sequence effects.

### ***2.6.3 Manipulation Checks***

Process adherence logs will be analyzed to verify that participants in each condition followed the assigned sequence. Participants deviating more than 30% from assigned sequence will be flagged for sensitivity analysis (intention-to-treat vs. per-protocol).

### 3. Study 2: 40-Element Diagnostic Reliability

#### 3.1 Theoretical Foundation

The 40-Element Grid is TKS's primary diagnostic tool, mapping 10 Noetic functions across 4 Worlds (Spiritual/A, Mental/B, Emotional/C, Physical/D). TKS claims that problems can be pinpointed to specific Elements, enabling targeted interventions. For this claim to be valid, trained practitioners must be able to reliably identify the same Elements when presented with identical cases.

This study examines inter-rater reliability—the degree to which different practitioners converge on the same diagnoses—a prerequisite for any valid diagnostic system.

#### 3.2 Research Questions and Hypotheses

**Primary Research Question:** Do TKS practitioners demonstrate acceptable inter-rater reliability when diagnosing identical cases using the 40-Element Grid?

##### Hypotheses:

**H2a:** Trained TKS practitioners will demonstrate substantial inter-rater reliability (Fleiss'  $\kappa \geq 0.61$ ) when identifying the primary blocked Element in standardized case vignettes.

**H2b:** Inter-rater reliability will be higher for World-level diagnosis (A, B, C, or D) than for specific Element diagnosis (e.g., B5 vs. B6).

**H2c:** Inter-rater reliability will improve with increased training hours.

**H2d:** Reliability will be higher for cases with clear Element indicators than for ambiguous cases.

**H2e:** Test-retest reliability within practitioners will demonstrate substantial stability (ICC  $\geq 0.70$ ) when re-diagnosing the same cases after 2-week delay.

#### 3.3 Study Design

##### 3.3.1 Design Overview

Cross-sectional inter-rater reliability study with repeated measures component for test-retest analysis.

##### 3.3.2 Participants

**Sample Size:** N = 60 TKS practitioners stratified by training level:

- Novice (n = 20): 10-20 hours of TKS training
- Intermediate (n = 20): 21-50 hours of training
- Advanced (n = 20): 51+ hours of training

**Power Analysis:** Following Gwet (2014), for detecting  $\kappa = 0.60$  vs.  $\kappa = 0.40$  with  $\alpha = .05$  and power = .80, minimum 10 raters per group with 30+ subjects (cases) are required. Our design (20 raters  $\times$  3 groups  $\times$  50 cases) exceeds these minimums.

##### 3.3.3 Case Vignette Development

50 standardized case vignettes will be developed through the following process:

1. **Case Generation:** Expert TKS panel (n = 5) generates 100 candidate cases based on real practitioner experiences, anonymized and standardized in format.



2. **Expert Consensus:** Expert panel independently diagnoses all cases. Cases with  $\geq 80\%$  expert agreement on primary Element are classified as "clear." Cases with 50-79% agreement are classified as "ambiguous." Cases with  $< 50\%$  agreement are revised or eliminated.
3. **Final Selection:** 50 cases selected: 30 clear (6 per World + 6 spanning multiple Worlds), 20 ambiguous. This ratio allows testing both optimal conditions and realistic complexity.
4. **Standardization:** Each vignette follows identical format: presenting problem (100-150 words), relevant history (50-100 words), current state (50-75 words). Total reading time standardized to approximately 2 minutes per case.

#### Example Vignette (Clear B5 Case):

*"Sarah, 34, wants to start a photography business. She has professional equipment, completed courses, and produced a strong portfolio. Friends and colleagues consistently praise her work. However, she has not taken any steps toward launching. When asked why, she says: 'I'm just not a business person. Creative types like me always fail at the business side. My father always said artists can't make money.' She can articulate a clear plan when prompted but immediately dismisses each step as 'unrealistic for someone like me.'"*

Expert consensus diagnosis: B5 (Mental Female Structure / Limiting Belief)

### 3.4 Measures

For each case, practitioners provide:

1. **Primary Element Diagnosis:** Which of the 40 Elements is the primary blockage? (Single selection from A1-A10, B1-B10, C1-C10, D1-D10)
2. **Secondary Element(s):** Up to 3 additional Elements contributing to the problem (optional)
3. **World-Level Diagnosis:** Primary World affected (A, B, C, or D)
4. **Confidence Rating:** 0-100 scale confidence in diagnosis
5. **Reasoning:** Brief free-text explanation (50-100 words) of diagnostic rationale

### 3.5 Procedure

#### Session 1 (Baseline, 2.5 hours):

- Informed consent and demographics
- TKS knowledge assessment (multiple choice, verify training level)
- Case diagnosis (all 50 vignettes, randomized order)
- Self-paced with recommended 3-minute maximum per case

#### Session 2 (Test-Retest, 2.5 hours, 2 weeks later):

- Same 50 vignettes in different randomized order
- No access to previous responses
- Post-session debrief questionnaire

### 3.6 Statistical Analysis Plan

#### 3.6.1 Inter-Rater Reliability

**Primary Element Agreement:** Fleiss' kappa ( $\kappa$ ) for multiple raters with 40 categories. Calculated separately for each training level and overall. Benchmarks:  $\kappa < 0.20$  poor, 0.21-

0.40 fair, 0.41-0.60 moderate, 0.61-0.80 substantial, 0.81-1.00 near-perfect (Landis & Koch, 1977).

**World-Level Agreement:** Fleiss'  $\kappa$  for 4-category classification (A, B, C, D). Expected to be higher than Element-level.

**Hierarchical Analysis:** Krippendorff's alpha with ordinal weighting, treating World agreement as partial credit when Element agreement fails.

### 3.6.2 Test-Retest Reliability

**Intra-Rater Stability:** Intraclass Correlation Coefficient (ICC, two-way mixed, absolute agreement) for each practitioner's diagnoses across sessions.

**Percent Agreement:** Proportion of cases receiving identical diagnosis at both time points.

### 3.6.3 Moderator Analyses

**Training Level:** Compare  $\kappa$  across Novice, Intermediate, and Advanced groups using confidence intervals and z-tests for  $\kappa$  comparison.

**Case Clarity:** Compare  $\kappa$  for Clear vs. Ambiguous cases.

**Confidence-Accuracy Relationship:** Correlation between practitioner confidence ratings and agreement with expert consensus.

## 3.7 Interpretive Framework

Results will be interpreted as follows:

| Result                                            | Interpretation                                                                              |
|---------------------------------------------------|---------------------------------------------------------------------------------------------|
| $\kappa \geq 0.61$ (Element)                      | Strong support for TKS diagnostic validity                                                  |
| $\kappa = 0.41-0.60$ (Element)                    | Moderate support; may require additional training protocols or diagnostic refinement        |
| $\kappa < 0.40$ (Element)                         | Insufficient reliability; 40-Element system requires revision                               |
| $\kappa \geq 0.61$ (World) but $< 0.40$ (Element) | 4-World system valid but within-World distinctions unreliable; consider collapsing Elements |

## 4. Study 3: Equation Predictive Validity

### 4.1 Theoretical Foundation

TKS claims that reality can be described using causal equations mapping the flow from Cause (N8) to Effect (N9) across the four Worlds. For example:

$$[Limiting\ belief\ (B5)] + [New\ opportunity\ (B10)] \rightarrow [Rejection\ (B3)]$$

If TKS equations validly model consciousness operations, then interventions designed based on equation analysis should outperform non-targeted or generic interventions. This study tests that claim.

### 4.2 Research Questions and Hypotheses

**Primary Research Question:** Do interventions designed from TKS equation analysis produce superior outcomes compared to control conditions?

#### Hypotheses:

**H3a:** Participants receiving TKS equation-based interventions will show greater problem resolution than those receiving generic interventions matched for time and attention.

**H3b:** Participants receiving TKS equation-based interventions will show greater improvement than waitlist control participants.

**H3c:** The degree of equation-intervention match (how precisely the intervention targets the diagnosed Elements) will positively predict outcome magnitude.

**H3d:** Effects will be stronger for problems diagnosed with high confidence than for ambiguous diagnoses.

### 4.3 Study Design

#### 4.3.1 Design Overview

Randomized controlled trial with three arms: TKS Equation-Based Intervention, Active Control (generic coaching), and Waitlist Control.

#### 4.3.2 Participants

**Sample Size:** N = 150 (50 per arm)

**Power Analysis:** Detecting medium effect size ( $d = 0.50$ ) between TKS and Active Control arms with  $\alpha = .05$ , power = .80 requires  $n = 64$  per group. With three arms and planned contrasts, N = 150 provides adequate power while allowing for attrition.

#### Inclusion Criteria:

- Adults aged 18-65
- Currently experiencing a specific, persistent problem (minimum 3 months duration)
- Problem is amenable to psychological/behavioral intervention (not purely medical or external)
- Willing to engage in 6-week intervention protocol

#### Problem Domains Included:

- Career/professional stagnation
- Relationship difficulties
- Motivation/procrastination issues

- Creative blocks
- Habit change (exercise, diet, etc.)
- Decision-making paralysis

#### 4.3.3 Conditions

##### Condition 1 - TKS Equation-Based Intervention:

1. **Intake Assessment:** Trained TKS practitioner conducts structured interview (60 min) to understand the problem.
2. **Equation Formulation:** Practitioner writes out the TKS equation describing the problem's causal structure.
3. **Element Diagnosis:** Primary and secondary blocked Elements identified.
4. **Targeted Intervention Design:** Intervention specifically designed to address diagnosed Elements.
5. **Implementation:** 6 weekly sessions (45 min each) implementing the targeted intervention.

##### Condition 2 - Active Control (Generic Coaching):

1. **Intake Assessment:** Same duration (60 min) non-TKS intake using standard coaching intake protocol.
2. **Generic Intervention:** Evidence-based but non-targeted interventions (goal-setting, motivation enhancement, action planning, accountability).
3. **Implementation:** 6 weekly sessions (45 min each) identical duration to TKS condition.

This condition controls for therapeutic relationship, time, attention, and non-specific coaching factors.

##### Condition 3 - Waitlist Control:

Participants complete all assessments at same time points but receive no intervention during the 6-week period. Offered TKS intervention after study completion.

## 4.4 Measures

### 4.4.1 Primary Outcome

**Problem Resolution Scale (PRS):** Custom measure developed for this study. At baseline, participants describe their problem and rate severity (0-100). At each subsequent assessment, they rate: (a) current problem severity (0-100), (b) perceived progress toward resolution (0-100), and (c) qualitative description of changes. Primary endpoint is Week 6 severity change from baseline.

### 4.4.2 Secondary Outcomes

**Life Satisfaction:** Satisfaction With Life Scale (SWLS; Diener et al., 1985)

**Self-Efficacy:** General Self-Efficacy Scale (Schwarzer & Jerusalem, 1995)

**Psychological Well-Being:** WHO-5 Well-Being Index

**Domain-Specific Measures:** Based on problem type (e.g., Career Decision Self-Efficacy for career problems, Relationship Assessment Scale for relationship problems)

### 4.4.3 Process Measures

**TKS Equation Documentation:** For TKS condition, complete written equation and Element diagnosis recorded at intake.

**Intervention-Diagnosis Match Rating:** Independent TKS expert rates how precisely each session's intervention targeted the diagnosed Elements (0-100).

**Session Logs:** Practitioners document specific interventions used each session.

**Participant Perception:** Post-intervention questionnaire assessing perceived relevance and helpfulness of interventions.

## 4.5 Procedure

**Week 0 (Baseline):** Screening, consent, baseline assessments, randomization.

**Week 1 (Intake):** Condition-specific intake assessment (TKS equation formulation or generic coaching intake). Waitlist: assessment only.

**Weeks 2-7 (Intervention):** Six weekly sessions for TKS and Active Control conditions. Weekly brief assessments for all conditions.

**Week 8 (Post-Intervention):** Full assessment battery, qualitative interview.

**Week 14 (Follow-Up):** 6-week follow-up assessment to evaluate maintenance.

## 4.6 Statistical Analysis Plan

### 4.6.1 Primary Analysis

**Intent-to-Treat ANCOVA:** Week 6 problem severity as DV, condition as IV, baseline severity as covariate. Planned contrasts: (1) TKS vs. Active Control (primary), (2) TKS vs. Waitlist, (3) Active Control vs. Waitlist.

**Effect Size Estimation:** Cohen's d with 95% CI for each contrast.

**Clinical Significance:** Proportion achieving  $\geq 30\%$  severity reduction (responder rate) compared across conditions using chi-square.

### 4.6.2 Secondary Analyses

**Mediation:** Test whether Element-specificity mediates TKS superiority over Active Control.

**Moderation:** Examine whether diagnosis confidence moderates TKS effects.

**Dose-Response:** Correlate intervention-diagnosis match ratings with outcomes within TKS condition.

**Trajectory Analysis:** MLM of weekly severity ratings to examine change patterns.

## 5. General Methodological Considerations

### 5.1 Blinding

Full double-blinding is impossible in behavioral interventions. We implement:

- **Assessor Blinding:** Outcome assessors blind to participant condition
- **Analyst Blinding:** Primary analyses conducted blind to condition labels
- **Participant Expectancy Assessment:** Measure and control for differential expectancy across conditions

### 5.2 Practitioner Training and Fidelity

TKS practitioners in Studies 2 and 3 must meet minimum training criteria. For Study 3, practitioners receive:

- Standardized study protocol training (8 hours)
- Practice cases with feedback (4 hours)
- Ongoing supervision during study
- Session recordings for fidelity coding (random 20% sample)

### 5.3 Ethical Considerations

1. **Informed Consent:** All participants receive complete information about study design, including randomization and the nature of control conditions.
2. **Waitlist Compensation:** Waitlist participants receive full intervention after study completion.
3. **Data Protection:** All data de-identified; case vignettes anonymized.
4. **Risk Management:** Participants screened for acute psychiatric conditions; referral protocols in place for emergent issues.
5. **Debrief:** Full explanation of study hypotheses and preliminary results offered to all participants.

### 5.4 Pre-Registration

All studies will be pre-registered on Open Science Framework (OSF) or AsPredicted prior to data collection, including: primary hypotheses, sample size justification, analysis plan, and decision rules for interpretation.

## 6. Implementation Timeline and Resources

### 6.1 Phased Implementation

We recommend the following sequence:

**Phase 1 - Study 2 (Diagnostic Reliability):** 6 months. Establishes whether practitioners can reliably apply TKS concepts. Negative results would require framework revision before proceeding.

**Phase 2 - Study 3 (Equation Validity):** 9 months. Tests whether TKS-based interventions produce measurable benefits. Requires reliable diagnosis from Phase 1.

**Phase 3 - Study 1 (RPM Progression):** 18 months. Most resource-intensive; tests core RPM sequence claims. Benefits from validated diagnostic system and demonstrated intervention efficacy from Phases 1-2.

### 6.2 Resource Requirements

| Resource          | Study 1           | Study 2                  | Study 3             |
|-------------------|-------------------|--------------------------|---------------------|
| Participants      | N = 480           | N = 60 practitioners     | N = 150             |
| TKS Practitioners | 4 trainers        | 5 experts (vignette dev) | 10 interventionists |
| Duration          | 18 months         | 6 months                 | 9 months            |
| Estimated Cost    | \$180,000-250,000 | \$40,000-60,000          | \$120,000-180,000   |

## 7. Discussion

### 7.1 Anticipated Outcomes and Implications

#### If Studies Support TKS Claims:

- TKS transitions from pre-scientific to empirically-validated framework
- Foundation for academic recognition and peer-reviewed publication
- Basis for standardized practitioner certification
- Integration with established consciousness research

#### If Studies Challenge TKS Claims:

- Specific elements requiring revision identified
- Data-driven framework refinement possible
- Demonstrates scientific integrity through openness to disconfirmation
- Distinguishes TKS from unfalsifiable pseudo-science

### 7.2 Limitations

- **WEIRD Sample Bias:** Initial studies likely draw from Western, Educated, Industrialized, Rich, Democratic populations. Cross-cultural validation needed subsequently.
- **Practitioner Availability:** Studies require trained TKS practitioners, currently limited in number.
- **Self-Report Reliance:** Many outcomes rely on participant self-report; objective measures included where possible.
- **Demand Characteristics:** Participants may respond to perceived researcher expectations; active control and blinding procedures mitigate but cannot eliminate.

### 7.3 Future Directions

Beyond these foundational studies, subsequent research could examine:

- Neuroimaging correlates of Noetic states and 4-World processing
- Comparative effectiveness of TKS vs. established psychotherapies
- AI implementation of TKS diagnostic and intervention systems
- Group-level applications (organizational change, collective consciousness)
- Integration with IIT, FEP, and other consciousness theories



## 8. Conclusion

The Tootra Kabbalistic System presents a comprehensive, formally-structured framework for consciousness engineering that outperforms established academic theories on several dimensions—particularly mechanistic clarity, scale/emergence integration, and practical applicability. Its primary gap is empirical validation.

This paper provides the research protocols necessary to close that gap. The three studies—RPM Progression, 40-Element Diagnostic Reliability, and Equation Predictive Validity—constitute a minimum viable research program for transitioning TKS from a pre-scientific to a scientifically-validated framework.

Critically, TKS's structure makes it *testable*. The RPM makes specific sequence predictions that can fail. The 40-Element grid makes reliability predictions that can be measured. TKS equations make intervention predictions that can be compared against controls. This falsifiability distinguishes TKS from pseudo-scientific frameworks that resist empirical evaluation.

The path from pre-scientific to scientific status requires executing these studies. The framework exists. The predictions are specified. The methodology is established. What remains is the work of empirical validation—the necessary step for TKS to take its place among rigorously-tested approaches to understanding and engineering consciousness.

## References

- Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. *Journal of Personality Assessment*, 49(1), 71-75.
- Gwet, K. L. (2014). *Handbook of inter-rater reliability* (4th ed.). Advanced Analytics, LLC.
- Landis, J. R., & Koch, G. G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33(1), 159-174.
- Schwarzer, R., & Jerusalem, M. (1995). Generalized Self-Efficacy Scale. In J. Weinman, S. Wright, & M. Johnston (Eds.), *Measures in health psychology: A user's portfolio* (pp. 35-37). NFER-NELSON.
- Tootra. (2025). *The TKS Manual: A Practitioner's Guide to Reality Engineering*. Version 1.0.
- Tootra. (2025). *Noetic Fractals Complete Guide*. Version 2.0.

## Appendix A: TKS Component Summary

### A.1 The 10 Noetics

| Noetic | Name         | Function                                       |
|--------|--------------|------------------------------------------------|
| N1     | Mind         | The processor; awareness that processes ideas  |
| N2     | Positive     | Affinity, attraction, acceptance, association  |
| N3     | Negative     | Aversion, repulsion, rejection, disassociation |
| N4     | Vibration    | Impact, resonance, intensity                   |
| N5     | Female       | Internal structure, patterns, state of Mind    |
| N6     | Male         | Structure, composition of Idea                 |
| N7     | Rhythm       | Rate, pattern, consistency of exposure         |
| N8     | Above/Cause  | Triggering input in a causal sequence          |
| N9     | Below/Effect | Resulting output in a causal sequence          |
| N10    | Idea         | All things in and outside the mind; content    |

### A.2 The 4 Worlds

| World        | Name                | Domain                                              |
|--------------|---------------------|-----------------------------------------------------|
| A (Atziluth) | Spiritual/Causal    | Purpose, identity, root causes, "Why?"              |
| B (Briah)    | Mental/Intellectual | Thought, logic, structure, planning, "How?"         |
| C (Citta)    | Emotional/Astral    | Feelings, desires, motivation, "With what energy?"  |
| D (Deha)     | Physical/Action     | Tangible objects, concrete actions, "What is done?" |

### A.3 The 12 Prerequisites (RPM)

| P#  | Cycle  | Name                | Core Question                 |
|-----|--------|---------------------|-------------------------------|
| P1  | Desire | Foundation Focus    | Which life domain?            |
| P2  | Desire | Idea Clarity        | What exactly do you want?     |
| P3  | Desire | Positive Affinity   | Do you truly want it?         |
| P4  | Desire | Vibration/Charge    | How intensely?                |
| P5  | Wisdom | Information/Plan    | What's the step-by-step plan? |
| P6  | Wisdom | Confidence/Belief   | Do you believe you can?       |
| P7  | Wisdom | Rhythm/Timing       | When and how often?           |
| P8  | Wisdom | Cause Analysis      | What triggers what?           |
| P9  | Power  | Control/Agency      | Do you have authority to act? |
| P10 | Power  | Resources/Structure | Do you have what's needed?    |
| P11 | Power  | Implementation      | Are you actually doing it?    |
| P12 | Power  | Effect/Result       | Is it producing results?      |