Core Sprint 1 Story Specifications

Name: Sam Buckley Barrett

ID: R00266058

Story	Feature	Wireframe	Tests
CORE-01	Registration and login	WF-01	T01 to T04
CORE-02	User profiles	WF-02	T05 to T07
CORE-03	Role management	WF-03	T08 to T11
CORE-04	Application storage	WF-04	T12 to T15
CORE-05	Financial details	WF-05	T16 to T18
CORE-06	Property details	WF-06	T19 to T21
CORE-07	Application status	WF-07	T22 to T25
CORE-08	Broker assignment	WF-08	T26 to T28

CORE-01 Registration and login

As a user, I want to register and log in so that I can securely access the AL system.

Use case UC01



WF-01 The user chooses Register or Log in. Valid details open the account; errors appear beside the form.


Test cases

Test and numbered steps	**Expected result**
T01 Register a new account 1. Enter Sam Test, sam.test@example.com and Student. 2. Choose Register.	One account exists with a UID. The system identifies that UID.
T02 Log in successfully 1. Sign out. 2. Enter the same credentials. 3. Choose Log in.	Login succeeds and returns the same UID.
T03 Reject incorrect credentials 1. Sign out. 2. Use the existing email with WrongPass123!. 3. Choose Log in.	An error appears. No authenticated session or protected access is granted.
T04 Reject duplicate registration 1. Submit Register using the previously mentioned email . 2. Check the account list.	Registration is rejected. No duplicate account is created.

CORE-02 User profiles

As the system, I want to store user profile information so that borrowers, brokers and bank officials can be identified.

Use case UC01



WF-02 The user saves their details and reopens My profile to view the saved information. Their role is shown as read only.

Test cases

Preconditions Borrower A and B have separate accounts. Required profile fields are name and email.

Test and numbered steps	Expected result
T05 Save and retrieve a profile 1. Log in as A. 2. Save name Sam Test and the account email. 3. Reopen My profile and inspect users.	The same name and email load. The document ID equals A's UID.
T06 Reject missing required data 1. Log in. 2. Clear the name. 3. Choose Save profile.	A required field error appears. Existing valid profile data is preserved.

CORE-03 Role management

As the system, I want to identify whether a user is a borrower, broker or bank official so that appropriate access can be provided.

Use case UC01

WF-03 After login, the system loads the role and shows the permitted actions. Staff permissions cannot be selected during public registration.

Test cases


Preconditions Test profiles exist for borrower , broker and bank official.

Test and numbered steps	**Expected result**
T08 Retrieve every defined role 1. Log in separately as the borrower, broker and bank official. 2. Inspect the loaded role and available actions.	Each account loads its saved role and the corresponding permitted actions.
T09 Reject staff role escalation 1. Log in as borrower. 2. Submit an update changing borrower's role to bank official.	The role update and staff action are refused. Stored role remains borrower.
T10 Handle a missing role 1. Use an account whose test profile has no role. 2. Log in and request a protected operation.	A profile error is shown. Role dependent access is blocked.
T11 Handle an unknown role 1. Prepare a test profile with role admin123 using test setup. 2. Log in.	The unsupported role grants no protected access.

CORE-04 Application storage

As the system, I want to store mortgage applications so that applications can be processed and reviewed.

Use case UC02



WF-04 The borrower submits the completed form. A confirmation shows the saved reference, which opens the stored application.

Test cases


Preconditions A and B are logged in separately.

Test and numbered steps	Expected result
T12 Create and retrieve an application 1. As A, submit valid application data. 2. Record the application A.	A unique ID is returned. Saved details load and borrowerId equals A's UID.
T13 Create another unique record 1. As A, start a new application. 2. Submit it once. 3. Compare the 2 new IDs.	The new application has a different ID. The original record remains intact.
T14 Refuse another borrower access 1. As B, request A's application details by its ID through the data layer.	Access is denied. A's application details are not disclosed.
T15 Report an unsuccessful save 1. In a test environment, force the save to fail. 2. Submit a valid application.	An error appears and no success confirmation or confirmed reference is shown.

CORE-05 Financial details

As the system, I want to store income, existing debt, deposit and requested mortgage term so that the application contains the required financial information.

Use case UC02



WF-05 The borrower enters the four financial values, continues to property details and submits the complete application.

Test cases

Preconditions Borrower A has two applications application#1 and application#2. All tests submit a complete application, including valid property data.

Test and numbered steps	Expected result
T16 Save the required financial values 1. Enter income 45000, debt 5000, deposit 30000 and term 25. 2. Save to appA. 3. Reopen it.	All four values load unchanged from application#1. Application#2 is unchanged.
T17 Reject a missing value 1. Leave deposit empty; keep all other fields valid. 2. Submit the application.	The deposit field is identified. Submission is blocked and no invalid update is saved.
T18 Reject invalid numeric values 1. Submit separately with income -1, debt abc, deposit -1, term 0 and term 2.5; other fields valid.	Each attempt fails validation for the changed field. Stored valid data is preserved.

CORE-06 Property details

As the system, I want to store property specifications so that the property can be assessed by the valuation system.

Use case UC02



WF-06 The borrower enters the property information, reviews the complete form and submits it. Reopening shows the saved property values.

Test cases

Preconditions Use application#1 and application#2 owned by A. Valid data: Cork, 100 square metres, 3 bedrooms, House and B2.


Test and numbered steps	Expected result

T19 Store property data against the right ID 1. Submit the valid property values for appA with valid finances. 2. Reopen appA and appA2.	appA contains all five values. appA2 has not been changed.
T20 Reject missing property information 1. Clear location; submit. 2. Repeat separately with property type empty and BER empty.	Each missing field is identified. The incomplete record is not saved.
T21 Reject invalid property values 1. Submit separately with area 0, bedrooms -1, bedrooms 2.5 and BER XYZ; other values valid.	Each invalid value is rejected. Existing valid property data stays unchanged.

CORE-07 Application status

As the system, I want to maintain the application lifecycle status so that its progress can be tracked.

Use case UC03



WF-07 The borrower views the current status. An authorised staff member selects a permitted change, saves it and reopens the record.

Test cases

Preconditions Bank official has update permission. appA starts at Applied. Restore that starting state before each independent test.


Test and numbered steps	**Expected result**
T22 Save and retrieve the lifecycle values 1. As Bank official, save each next status in order: AI	Both authorised views show the latest saved value at every step. Initial value is Applied.

Deliberated, Underwriter Approved, Funded, Closed.	
T23 Reject an unsupported status 1. As a bank official, submit status Unknown directly to the data layer.	The value is rejected and the stored status remains Applied.
T24 Reject a disallowed transition 1. As a bank official, request Applied to Closed. 2. Reopen the application.	The change is rejected under the proposed rules. Applied remains stored.
T25 Reject a borrower status update 1. As a borrower, request Applied to AI Deliberated.	The write is denied. Borrower can still read the status of their own application.

CORE-08 Broker assignment

As the system, I want to associate an application with a broker so that the correct broker can manage the application.

Use case UC03



WF-08 An authorised staff member selects an existing broker and saves the assignment. Reopening displays the assigned broker.

Test cases

Preconditions Y can assign brokers. X has role broker. A has role borrower. appA exists.

Test and numbered steps	**Expected result**
T26 Save and retrieve a broker assignment 1. As Y, assign X to appA. 2. Reopen the record. 3. Open it as X and as A.	brokerId equals X's UID. Permitted views identify X.

	Application status is unchanged.
T27 Reject an invalid broker 1. As Y, submit a nonexistent UID. 2. Repeat with A's borrower UID.	Both attempts are rejected. The previous assignment remains stored.
T28 Refuse an unauthorised assignment 1. As A, submit a brokerId update directly to the data layer.	The update is refused and the saved assignment remains unchanged.