

Таблица 3 – Лучшие модели для межсловных пауз на основании критерия BIC

Table 3S – The number of components for the best fitting models (between-word pauses) based on BIC scores (results with difference more than 3.7 threshold are underscored)

Participant ID	N components of the best model	N components of 2 nd best model	Difference in BIC scores between best and second best models
1	2	3	1
2	<u>2</u>	3	10
3	<u>2</u>	3	10
4	<u>2</u>	3	10
5	<u>2</u>	3	10
6	<u>1</u>	2	5
7	<u>2</u>	3	10
8	<u>2</u>	3	10
9	<u>2</u>	3	10
10	3	2	2
11	<u>2</u>	3	11
13	2	3	2
14	3	2	1
15	<u>2</u>	1	5
16	<u>2</u>	3	10
17	<u>2</u>	3	4
18	2	3	2
19	2	3	3
20	3	2	1
21	<u>2</u>	3	10
22	<u>2</u>	3	8
23	<u>2</u>	3	10
24	<u>2</u>	3	8
25	<u>2</u>	3	10
26	<u>2</u>	3	10
28	2	3	3
29	<u>2</u>	3	10
30	<u>3</u>	2	5
31	<u>2</u>	3	5
33	<u>2</u>	3	9
34	<u>3</u>	2	9
35	<u>3</u>	2	17
36	<u>1</u>	2	6
37	<u>2</u>	3	7
38	2	3	1
39	2	3	1
40	<u>2</u>	3	5
41	<u>2</u>	3	10
42	<u>2</u>	3	12
43	<u>2</u>	3	6
44	<u>2</u>	3	8

45	<u>3</u>	2	5
46	3	2	3
47	<u>2</u>	3	10
48	<u>2</u>	3	11
49	<u>3</u>	2	10
50	<u>2</u>	3	10
51	1	2	2
52	<u>2</u>	3	7
53	<u>2</u>	3	13