

MAT185 Linear Algebra Assignment 2

Instructions:

Please read the **MAT185 Assignment Policies & FAQ** document for details on submission policies, collaboration rules and academic integrity, and general instructions.

1. **Submissions are only accepted by Gradescope.** Do not send anything by email. Late submissions are not accepted under any circumstance. Remember you can resubmit anytime before the deadline.
2. **Submit solutions using only this template pdf.** Your submission should be a single pdf with your full written solutions for each question. If your solution is not written using this template pdf (scanned print or digital) then your submission will not be assessed. Organize your work neatly in the space provided. Do not submit rough work.
3. **Show your work and justify your steps** on every question but do not include extraneous information. Put your final answer in the box provided, if necessary. We recommend you write draft solutions on separate pages and afterwards write your polished solutions here on this template.
4. **You must fill out and sign the academic integrity statement below;** otherwise, you will receive zero for this assignment.

Academic Integrity Statement:

Full Name: _____

Student number: _____

Full Name: _____

Student number: _____

I confirm that:

- I have read and followed the policies described in the document **MAT185 Assignment Policies & FAQ**.
- In particular, I have read and understand the rules for collaboration, and permitted resources on assignments as described in subsection II of the the aforementioned document. I have not violated these rules while completing and writing this assignment.
- I understand the consequences of violating the University's academic integrity policies as outlined in the [Code of Behaviour on Academic Matters](#). I have not violated them while completing and writing this assignment.

By signing this document, I agree that the statements above are true.

Signatures: 1) _____

2) _____

Preamble: An application of linear algebra to calculus.

Recall the technique of partial fractions decomposition to evaluate the integral of rational functions. For example, suppose we would like to evaluate the integral

$$\int \frac{7x^2 + 7}{(x^2 + 3)(x - 2)} dx$$

We look for scalars a, b , and c such that

$$\frac{7x^2 + 7}{(x^2 + 3)(x - 2)} = \frac{ax + b}{x^2 + 3} + \frac{c}{x - 2}$$

After some algebra, we find that $a = 2$, $b = 4$, and $c = 5$, and therefore,

$$\frac{7x^2 + 7}{(x^2 + 3)(x - 2)} = \frac{2x + 4}{x^2 + 3} + \frac{5}{x - 2}$$

Then,

$$\begin{aligned} \int \frac{7x^2 + 7}{(x^2 + 3)(x - 2)} dx &= \int \frac{2x + 4}{x^2 + 3} dx + \int \frac{5}{x - 2} dx \\ &= \ln(x^2 + 3) + \frac{4}{\sqrt{3}} \arctan\left(\frac{x}{\sqrt{3}}\right) + 5 \ln(x - 2) + C \end{aligned}$$

where C is a constant.

In Question 1, we will use the theory of basis and dimension in linear algebra to explain why the partial fractions decomposition

$$\frac{7x^2 + 7}{(x^2 + 3)(x - 2)} = \frac{ax + b}{x^2 + 3} + \frac{c}{x - 2}$$

exists, thereby allowing us to solve the integral.

1. Let

$$V = \left\{ \frac{dx^2 + ex + f}{(x^2 + 3)(x - 2)} \mid d, e, f \in \mathbb{R} \right\}$$

We define vector addition and scalar multiplication in V by the usual function addition and scalar multiplication. Then V is vector space.

(a) Prove that $\dim V = 3$. Then, explain why a partial fractions decomposition of the form

$$\frac{dx^2 + ex + f}{(x^2 + 3)(x - 2)} = \frac{ax + b}{x^2 + 3} + \frac{c}{x - 2}$$

is consistent with the dimension of V .

Use the page 3 to answer this question.

1(a)

1. Let

$$V = \left\{ \frac{dx^2 + ex + f}{(x^2 + 3)(x - 2)} \mid d, e, f \in \mathbb{R} \right\}$$

We define vector addition and scalar multiplication in V by the usual function addition and scalar multiplication. Then V is vector space.

(b) Using that $\dim V = 3$ from part (a), explain why we do not expect a partial fractions decomposition of the form

$$\frac{dx^2 + ex + f}{(x^2 + 3)(x - 2)} = \frac{a}{x^2 + 3} + \frac{b}{x - 2}$$

to exist.

2. Suppose that W_1 and W_2 are both three dimensional subspaces of \mathbb{R}^4 . In this question, we will show that $W_1 \cap W_2$ contains a plane.

Let $\mathbf{w}_1, \mathbf{w}_2, \mathbf{w}_3$ be a basis for W_1 , and let $\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3$ be a basis for W_2 .

(a) If $\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3$ all belong to W_1 explain why $W_1 \cap W_2$ contains a plane.

(b) Now suppose that not all of $\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3$ belong to W_1 . Say $\mathbf{u}_1 \notin W_1$. Prove that $\mathbf{w}_1, \mathbf{w}_2, \mathbf{w}_3, \mathbf{u}_1$ is a basis for \mathbb{R}^4 .

2. Suppose that W_1 and W_2 are both three dimensional subspaces of \mathbb{R}^4 . In this question, you will show that $W_1 \cap W_2$ contains a plane.

Let $\mathbf{w}_1, \mathbf{w}_2, \mathbf{w}_3$ be a basis for W_1 , and let $\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3$ be a basis for W_2 .

(c) Using the assumption and conclusion from part (b), find two vectors in $W_1 \cap W_2$ and then prove that these two vectors span a plane.